

SAFETY DATA SHEET

Version #: 01 Issue date: 12-April-2023

	of the substance/mixture and of the company/undertaking
1.1. Product identifier Trade name or designation of the mixture	REFILL CAR AIR FRESHENER ICON - SANDALO BERGAMOTTO 17RCSB
Registration number	_
Synonyms	None.
Product code	17BCSB
	the substance or mixture and uses advised against
Identified uses	General Public Use
Uses advised against	None known.
1.3. Details of the supplier of th	e safety data sheet
Supplier	
Company name	Home Fragrance Italia
Address	Via A. Tonale 26
	Milano
	20125
	IT
Division	
Telephone	
e-mail	Not available.
Contact person	Not available.
1.4. Emergency telephone number	
1.4. Emergency telephone numl	
General in EU	112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Austria National Poisons Information Centre	+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Belgium National Poisons Control Centre	070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Bulgaria National Toxicological Information Centre	+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Czech Republic National Poisons Information Centre	+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Denmark National Poisons Control Centre	+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Estonia National Poisons Information Centre	16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
Finland National Poison Information Centre	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
France National Poisons Control Centre	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Number	36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone numb	ber de la constant de
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Netherlands National Poisons Information Centre (NVIC)	030-274 88 88 (Only for the purpose of informing medical personnel in cases of acute intoxications)
Norway Norwegian Poison Information Centre	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Portugal Poison Centre	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Romania Biroul RSI si Informare Toxicologica	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)
Slovakia National Toxicological Information Centre	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Sweden National Poison Information Centre	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Switzerland Tox Info Suisse	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

Hoalth	hazards	
iicaiiii	nazarus	

Skin sensitisation	Category 1B	H317 - May cause an allergic skin reaction.
Environmental hazards Hazardous to the aquatic environment, long-term aquatic hazard	Category 2	H411 - Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

Contains:

# Label according to Regulation (EC) No. 1272/2008 as amended

Benzoic acid, 2,4-dihydroxy-3,6-dimethyl-, methyl ester, Benzyl salicylate, Coumarin, Cyclamen aldehyde, Isocyclemone E, Linalool, Linalyl acetate, Oils, Iavandin, Oils, Iemon, Oils, orange, sweet, Terpenes, orange oil

Hazard pictograms



Signal word	Warning
Hazard statements	
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.
Precautionary statements	
Prevention	
P102	Keep out of reach of children.
Response	
P333 + P313 P302 + P350	If skin irritation or rash occurs: Get medical advice/attention. If on skin: Wash with plenty of water/.
Storage	Not applicable.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	None.
2.3. Other hazards	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

Chemical name	%	CAS-No. / EC No.	<b>REACH Registration</b>	No. Index No.	Notes
Isocyclemone E	3 - 5	54464-57-2 259-174-3	-	-	
	Classification: Skin Irrit.	2;H315, Skin Sens. 1	B;H317, Aquatic Chroni	c 1;H410	
Linalyl acetate	3 - 5	115-95-7 204-116-4	-	-	
	Classification: Skin Irrit.	2;H315, Eye Irrit. 2;H	319, Skin Sens. 1B;H31	7	
2,6-Dimethyl-7-octen-	2-ol 1 - 3	18479-58-8 242-362-4	-	-	
	Classification: Skin Irrit.	2;H315, Eye Irrit. 2;H	319		
Linalool	1 - 3	78-70-6 201-134-4	-	603-235-00-2	
	Classification: Skin Irrit.	2;H315, Eye Irrit. 2;H	319, Skin Sens. 1B;H31	7	
Acetic acid ethenyl es		108-05-4 203-545-4	-	607-023-00-0	#
		3;H335, Aquatic Chro	4;H332;(ATE: 11 mg/l), ( onic 3;H412	Carc. 2;H351,	
AHTN	≤ 1	21145-77-7 244-240-6	-	-	
	Classification: Acute To Chronic		ng/kg bw), Aquatic Acute	e 1;H400, Aquatic	
Benzoic acid, 2,4-dihydroxy-3,6-dim ester	≤ 1 ethyl-, methyl	4707-47-5 225-193-0	-	-	
	Classification: Skin Sen	s. 1B;H317			
Benzyl salicylate	≤1	118-58-1 204-262-9	-	607-754-00-5	
	Classification: Eye Irrit.	2;H319, Skin Sens. 1	3;H317, Aquatic Chronic	3;H412	
Carbon black	≤ 1	1333-86-4 215-609-9	-	-	
	Classification: Carc. 2;H	1351			
Coumarin	≤ 1	91-64-5 202-086-7	-	-	
	Classification: Acute To		ng/kg bw), Skin Sens. 1I	B;H317	
Cyclamen aldehyde	≤ 1	103-95-7 203-161-7	-	-	
<u></u>	Classification: Skin Irrit.		B;H317, Aquatic Chronic	c 3;H412	
Oils, lavandin	≤ 1	8022-15-9 617-009-6	-	-	
	Classification: Eye Dam Chronic	3;H412	1B;H317, Asp. 10x. 1;H3	304, Aquatic	
Oils, lemon	≤1	8008-56-8 616-925-3	-	-	
		Repr. 2;H361, Asp. To	H315, Eye Irrit. 2;H319, x. 1;H304, Aquatic Chro		
Oils, orange, sweet	≤ 1	8008-57-9 616-926-9	-	-	
	Classification: Flam. Lic 1;H317, J	ı. 2;H225, Skin Irrit. 2;l Asp. Tox. 1;H304, Aqu		Skin Sens.	
Pentyl-2-hydroxybenz	oate ≤ 1	2050-08-0 218-080-2	-	-	
	Classification: Acute To Chronic		ng/kg bw), Aquatic Acute	e 1;H400, Aquatic	
Phenol, 2,6-bis(1,1-dimethylet	≤ 0,3 hvl)-4-methvl-	128-37-0 204-881-4	-	-	

Chemical name	<u>%</u>			REACH Regis		Index No.	Note	3
Terpenes, orange oil	≤ 0,2	68647-72 614-678		-		-		
Classifi	<b>cation:</b> Flam. Liq. 1;H304, Ac	3;H226, Skin l juatic Chronic		315, Skin Sen	s. 1;H317, As	р. Тох.		
Other components below reported to the second secon	table 82.83							
ist of abbreviations and symbol	s that may be use	d above						
ATE: Acute toxicity estimate. M: M-factor PBT: persistent, bioaccumulati vPvB: very persistent and very All concentrations are in perce substance has been assigned	bioaccumulative s nt by weight unless	ubstance. ingredient is		Gas concentrat	ions are in pe	rcent by volun	າe. #: This	
Composition comments	The full text for all	•		aved in sectior	n 16.			
ECTION 4: First aid meas				,				
				<b>, , ,</b>				
eneral information	Ensure that medic protect themselve					l, and take pre	cautions to	)
.1. Description of first aid measure		Call a physici	on if our	antomo dovolo	n ar naraiat			
Inhalation Skin contact	Move to fresh air. Remove contamir		-	•		an and water	n case of	
Skill Contact	eczema or other s							
Eye contact	Rinse with water.	Get medical a	ittention	if irritation dev	elops and pe	rsists.		
Ingestion	Rinse mouth. Get	medical atten	ntion if sy	mptoms occu	r.			
.2. Most important symptoms nd effects, both acute and elayed	May cause an alle	ergic skin reac	tion. De	rmatitis. Rash.				
.3. Indication of any nmediate medical attention nd special treatment needed	Provide general s Symptoms may be		asures a	nd treat sympt	omatically. Ke	ep victim und	∍r observat	tion
SECTION 5: Firefighting m	easures							
eneral fire hazards	No unusual fire or	explosion haz	zards no	ted.				
.1. Extinguishing media		·						
Suitable extinguishing media	Water fog. Foam.	Dry chemical	powder.	Carbon dioxid	le (CO2).			
Unsuitable extinguishing media	Do not use water							
.2. Special hazards arising rom the substance or mixture	During fire, gases	hazardous to	health r	nay be formed				
.3. Advice for firefighters Special protective equipment for firefighters	Self-contained bre	eathing appara	atus and	full protective	clothing must	t be worn in ca	se of fire.	
Special fire fighting procedures	Move containers f	rom fire area i	if you ca	n do so withou	ıt risk.			
pecific methods	Use standard firef	ighting proced	dures an	d consider the	hazards of of	ther involved n	naterials.	
ECTION 6: Accidental rele	ease measures	i						
1. Personal precautions, protect			v proce	dures				
For non-emergency personnel	Wear appropriate containers or spill	protective equ	uipment	and clothing d			ו damaged	ł
For emergency responders	Keep unnecessar advised if significa SDS.							
.2. Environmental precautions	Avoid release to the environmental release drains, water court	eases. Preven	nt further	leakage or sp				
.3. Methods and material for ontainment and cleaning up	Prevent product fr product recovery,			top the flow of	material, if th	is is without ris	k. Followin	ıg
	,							SD

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling
Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any

storage, including any incompatibilities 7.3. Specific end use(s)

Not available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

**Occupational exposure limits** 

# Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	МАК	5 mg/m3	Inhalable dust.
	STEL	10 mg/m3	Inhalable dust.
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	МАК	10 mg/m3	
Austria. TRK List, OEL Ordinance (	GwV), BGBI. II, no. 184/2001		
Components	Туре	Value	
Acetic acid ethenyl ester (CAS 108-05-4)	TWA	17,60000000000 014 mg/m3	00
		5 ppm	
Belgium. Exposure Limit Values			
Components	Туре	Value	Form
Acetic acid ethenyl ester	STEL	35,2000000000	00
(CAS 108-05-4)		028 mg/m3 10 ppm	
	TWA	17.60000000000	00
	IVVA	014 mg/m3	00
		or <del>,</del> mg/mo	
		5 ppm	
Carbon black (CAS 1333-86-4)	TWA	0	

#### Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work Components Value

components	Type	Value	
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35,200000000000 028 mg/m3	
		10 ppm	
	TWA	17,600000000000 014 mg/m3	
		5 ppm	
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	STEL	50 mg/m3	
	TWA	10 mg/m3	

#### Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09 Components Type Value

	71**		
Acetic acid ethenyl ester (CAS 108-05-4)	MAC	17,600000000000 014 mg/m3	
		5 ppm	
	STEL	35,200000000000 028 mg/m3	
		10 ppm	
Carbon black (CAS 1333-86-4)	MAC	3,5 mg/m3	

Croatia. Dangerous Substance Exp Components	osure Limit values in the w Type	orkplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/ Value
	STEL	7 mg/m3
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	MAC	10 mg/m3
Cyprus. OELs. Control of factory at Components	mosphere and dangerous s Type	ubstances in factories regulation, PI 311/73, as amende Value
Acetic acid ethenyl ester (CAS 108-05-4)	TWA	30 mg/m3
		10 ppm
Carbon black (CAS 1333-86-4)	TWA	3,5 mg/m3
Czech Republic. OELs. Governmen Components	t Decree 361 Type	Value Form
Acetic acid ethenyl ester (CAS 108-05-4)	Ceiling	36 mg/m3
· · · ·	TWA	18 mg/m3
Carbon black (CAS 1333-86-4)	TWA	10 mg/m3 Dust.
Denmark. Exposure Limit Values Components	Туре	Value
Acetic acid ethenyl ester	TLV	18 mg/m3
(CAS 108-05-4)		-
		5 ppm
Carbon black (CAS 1333-86-4)	TLV	3,5 mg/m3
Phenol, 2,6-bis(1,1-dimethylethyl)-4- nethyl- (CAS 128-37-0)	TLV	10 mg/m3
Terpenes, orange oil (CAS 68647-72-3)	TLV	25 ppm
Estonia. OELs. Occupational Expos Components	sure Limits of Hazardous Su Type	bstances (Regulation No. 105/2001, Annex), as amende Value
Acetic acid ethenyl ester	STEL	35,20000000000
(CAS 108-05-4)		028 mg/m3
	TWA	10 ppm 17,600000000000
		014 mg/m3
		5 ppm
Terpenes, orange oil (CAS 68647-72-3)	STEL	300 mg/m3
		50 ppm
	TWA	150 mg/m3
		25 ppm
Finland. Workplace Exposure Limit Components	s Type	Value
Acetic acid ethenyl ester	STEL	35 mg/m3
(CAS 108-05-4)		
		10 ppm
	TWA	18 mg/m3
		5 ppm
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3
	TWA	3,5 mg/m3
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	STEL	20 mg/m3

Components	osure Limits Type	Value	
	TWA	10 mg/m3	
rance. OELs. Occupati	onal Exposure Limits as Prescribed by	Art. R.4412-149 of Labor Code, as ar	mended
Components	Туре	Value	
Acetic acid ethenyl ester	VLE	35,200000000000 028 m m/m2	
CAS 108-05-4)		028 mg/m3 10 ppm	
	VME	17,6000000000000	
	VINE	014 mg/m3	
		5 ppm	
rance. Threshold Limit components	t Values (VLEP) for Occupational Expos Type	ure to Chemicals in France, INRS EE Value	984
cetic acid ethenyl ester CAS 108-05-4)	VLE	35,200000000000 028 mg/m3	
Regulatory status:	Regulatory binding (VRC)	C C	
		10 ppm	
Regulatory status:	Regulatory binding (VRC)		
	VME	17,6000000000000 014 mg/m3	
Regulatory status:	Regulatory binding (VRC)		
		5 ppm	
Regulatory status:	Regulatory binding (VRC)		
arbon black (CAS 333-86-4)	VME	3,5 mg/m3	
Regulatory status:	Indicative limit (VL)		
henol, ,6-bis(1,1-dimethylethyl) 1ethyl- (CAS 128-37-0)	-4-	10 mg/m3	
Regulatory status:	Indicative limit (VL)		
	t (advisory OELs). Commission for the I	nvestigation of Health Hazards of Cl	nemical Compour
n the Work Area (DFG)		-	-
omponents	Туре	Value Fo	rm
cetic acid ethenyl ester CAS 108-05-4)	TWA	36 mg/m3	
		10 ppm	
,6-bis(1,1-dimethylethyl)	-4-		por and aerosol, alable fraction.
,6-bis(1,1-dimethylethyl) nethyl- (CAS 128-37-0) Germany. TRGS 900, Lir		inh kplace	
,6-bis(1,1-dimethylethyl) hethyl- (CAS 128-37-0) hermany. TRGS 900, Lir components	-4- mit Values in the Ambient Air at the Wor	rkplace Value Fo	alable fraction.
,6-bis(1,1-dimethylethyl) hethyl- (CAS 128-37-0) Germany. TRGS 900, Lin components	-4- mit Values in the Ambient Air at the Wor Type	kplace Value Fo 36 mg/m3	alable fraction.
c,6-bis(1,1-dimethylethyl) nethyl- (CAS 128-37-0) Germany. TRGS 900, Lir Components	-4- mit Values in the Ambient Air at the Wor Type	rkplace Value Fo	alable fraction.
Components Acetic acid ethenyl ester CAS 108-05-4) Phenol, 2,6-bis(1,1-dimethylethyl)	-4- mit Values in the Ambient Air at the Wor Type AGW AGW	rkplace Value Fo 36 mg/m3 10 ppm	alable fraction.
Components Compon	-4- mit Values in the Ambient Air at the Wor Type AGW -4- No. 90/1999, as amended)	rkplace Value Fo 36 mg/m3 10 ppm 10 mg/m3 Inh	rm
,6-bis(1,1-dimethylethyl) hethyl- (CAS 128-37-0) Germany. TRGS 900, Lin components ccetic acid ethenyl ester CAS 108-05-4) Phenol, ,6-bis(1,1-dimethylethyl) hethyl- (CAS 128-37-0) Greece. OELs (Decree N Components	-4- mit Values in the Ambient Air at the Wor Type AGW -4- No. 90/1999, as amended) Type	rkplace Value Fo 36 mg/m3 10 ppm 10 mg/m3 Inf Value	rm
2,6-bis(1,1-dimethylethyl) nethyl- (CAS 128-37-0) Germany. TRGS 900, Lir Components Acetic acid ethenyl ester CAS 108-05-4) Phenol, 2,6-bis(1,1-dimethylethyl) nethyl- (CAS 128-37-0)	-4- mit Values in the Ambient Air at the Wor Type AGW -4- No. 90/1999, as amended)	Kplace     Value     Fo       36 mg/m3     10 ppm     10 mg/m3     Inf       10 mg/m3     Inf     10 mg/m3     Inf	rm
A-bis(1,1-dimethylethyl) hethyl- (CAS 128-37-0) Germany. TRGS 900, Lir Components Accetic acid ethenyl ester CAS 108-05-4) Phenol, A-bis(1,1-dimethylethyl) hethyl- (CAS 128-37-0) Greece. OELs (Decree N Components Accetic acid ethenyl ester	-4- mit Values in the Ambient Air at the Wor Type AGW -4- No. 90/1999, as amended) Type	Kplace     Value     Fo       36 mg/m3     10 ppm     10 mg/m3     Inf       10 mg/m3     Inf     10 mg/m3     Inf       Value     35,2000000000000000000000000000000000000	rm
,6-bis(1,1-dimethylethyl) hethyl- (CAS 128-37-0) Germany. TRGS 900, Lir components ccetic acid ethenyl ester CAS 108-05-4) Phenol, ,6-bis(1,1-dimethylethyl) hethyl- (CAS 128-37-0) Greece. OELs (Decree N Components	-4- mit Values in the Ambient Air at the Wor Type AGW -4- No. 90/1999, as amended) Type STEL	Kplace     Value     Fo       36 mg/m3     10 ppm     10 mg/m3     Inf       10 mg/m3     Inf     10 mg/m3     Inf       Value     35,2000000000000000000000000000000000000	rm
,6-bis(1,1-dimethylethyl) hethyl- (CAS 128-37-0) fermany. TRGS 900, Lir omponents cetic acid ethenyl ester CAS 108-05-4) henol, ,6-bis(1,1-dimethylethyl) hethyl- (CAS 128-37-0) freece. OELs (Decree Nomponents cetic acid ethenyl ester CAS 108-05-4)	-4- mit Values in the Ambient Air at the Wor Type AGW -4- No. 90/1999, as amended) Type STEL TWA	Yalue     Fo       36 mg/m3     10 ppm       10 mg/m3     Infr       Value     5,2000000000000000000000000000000000000	rm
arbon black (CAS	-4- mit Values in the Ambient Air at the Wor Type AGW -4- No. 90/1999, as amended) Type STEL	Kplace     Value     Fo       36 mg/m3     10 ppm     10 mg/m3     Inf       10 mg/m3     Inf     10 mg/m3     Inf       Value     35,2000000000000000000000000000000000000	rm
,6-bis(1,1-dimethylethyl) hethyl- (CAS 128-37-0) fermany. TRGS 900, Lin components cetic acid ethenyl ester CAS 108-05-4) henol, ,6-bis(1,1-dimethylethyl) hethyl- (CAS 128-37-0) freece. OELs (Decree N components cetic acid ethenyl ester	-4- mit Values in the Ambient Air at the Wor Type AGW -4- No. 90/1999, as amended) Type STEL TWA	Yalue     Fo       36 mg/m3     10 ppm       10 mg/m3     Infr       Value     5,2000000000000000000000000000000000000	rm

Components	Туре	Value	
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	10 mg/m3	
Hungary. OELs. Joint Decree on Chem	ical Safety of Workplaces	i	
Components	Туре	Value	Form
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35,200000000000 028 mg/m3	
	TWA	17,600000000000 014 mg/m3	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable dust.
celand. OELs. Regulation 154/1999 on	occupational exposure l	imits	
Components	Туре	Value	
Acetic acid ethenyl ester (CAS 108-05-4)	TWA	30 mg/m3	
		10 ppm	
Carbon black (CAS 1333-86-4)	TWA	3,5 mg/m3	
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	10 mg/m3	
Ireland. Occupational Exposure Limits Components	Туре	Value	Form
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35,200000000000 028 mg/m3	
		10 ppm	
	TWA	17,600000000000 014 mg/m3	
		5 ppm	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	2 mg/m3	
Italy. Occupational Exposure Limits Components	Туре	Value	Form
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35,200000000000 028 mg/m3	
· ·		10 ppm	
	TWA	17,6000000000000 014 mg/m3	
		5 ppm	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	2 mg/m3	Inhalable fraction and vapour.

#### Latvia. OELs. Occupational exposure limit values of chemical substances in work environment Components Value

Components	Туре	Value	
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35,200000000000 028 mg/m3	
		10 ppm	
	TWA	17,600000000000 014 mg/m3	
		5 ppm	

# Lithuania. OELs. Limit Values for Chemical Substances, General Requirements

Components	Туре	Value	
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35,200000000000 028 mg/m3	
		10 ppm	
	TWA	17,600000000000 014 mg/m3	
		5 ppm	
Terpenes, orange oil (CAS 68647-72-3)	STEL	300 mg/m3	
		50 ppm	
	TWA	150 mg/m3	
		25 ppm	

# Luxembourg. Binding Occupational exposure limit values (Annex I), Memorial A

Components	Туре	Value	
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35,200000000000 028 mg/m3	
		10 ppm	
	TWA	17,600000000000 014 mg/m3	
		5 ppm	

# Malta. OELs. Occupational Exposure Limit Values (L.N. 227. of Occupational Health and Safety Authority Act (CAP. 424), Schedules I and V)

Components	Туре	Value	
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35,20000000000 028 mg/m3	
		10 ppm	
	TWA	17,600000000000 014 mg/m3	
		5 ppm	
Netherlands. OELs (binding)			
Components	Туре	Value	
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	36 mg/m3	
	TWA	18 mg/m3	
Norway. Administrative Norms for Co	ntaminants in the Worl	place	
Components	Туре	Value	
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35,200000000000 028 mg/m3	
		10 ppm	
	TLV	17,600000000000 014 mg/m3	
		5 ppm	
Carbon black (CAS 1333-86-4)	TLV	3,5 mg/m3	
		ey on 6 June 2014 on the maximum permissible ne work environment, Journal of Laws 2014, item 81	7
Components	Туре	Value Form	
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	30 mg/m3	
	TWA	10 mg/m3	
Carbon black (CAS 1333-86-4)	TWA	4 mg/m3 Inhalable fraction	n.
		0 ppm Inhalable fraction	n.
Portugal. OELs. Decree-Law n. 290/20 Components	001 (Journal of the Rep Type	ublic - 1 Series A, n.266) Value	
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35,200000000000 028 mg/m3	

Components	Туре	Value	
		10 ppm	
	TWA	17,6000000000 014 mg/m3	000
		5 ppm	
Portugal. VLEs. Norm on occupatio	onal exposure to chemical ag Type	gents (NP 1796) Value	Form
Acetic acid ethenyl ester CAS 108-05-4)	STEL	15 ppm	
, , , , , , , , , , , , , , , , , , ,	TWA	10 ppm	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Fume.
Phenol, 2,6-bis(1,1-dimethylethyl)-4- nethyl- (CAS 128-37-0)	TWA	2 mg/m3	Inhalable fraction and vapour.
Romania. OELs. Protection of worl Components	kers from exposure to chemi Type	cal agents at the workplace Value	
Acetic acid ethenyl ester CAS 108-05-4)	STEL	35,2000000000 028 mg/m3	000
	TWA	10 ppm 17,6000000000 014 mg/m3	000
		5 ppm	
Blovakia. OELs. Regulation No. 30 Components	0/2007 concerning protectior Type	of health in work with chemic Value	al agents
Acetic acid ethenyl ester CAS 108-05-4)	STEL	35,2000000000 028 mg/m3	000
		10 ppm	
	TWA	17,6000000000 014 mg/m3	000
		5 ppm	
Carbon black (CAS 1333-86-4)	TWA	2 mg/m3	
Slovenia. OELs. Regulations conco Official Gazette of the Republic of		against risks due to exposure	to chemicals while work
Components	Туре	Value	Form
Acetic acid ethenyl ester (CAS 108-05-4)	TWA	17,6000000000 014 mg/m3	000
		5 ppm	
Phenol, 2,6-bis(1,1-dimethylethyl)-4- nethyl- (CAS 128-37-0)	TWA	10 mg/m3	Inhalable fraction.
Spain. Occupational Exposure Lim		Malua	
Components	Туре	Value	
Acetic acid ethenyl ester CAS 108-05-4)	STEL	35,2000000000 028 mg/m3	000
	TWA	10 ppm 17,6000000000 014 mg/m3	000
		5 ppm	
Carbon black (CAS 1333-86-4)	TWA	3,5 mg/m3	
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	10 mg/m3	

Components	ironment Authority (AV), Occupational Type	Value	Form
Acetic acid ethenyl ester (CAS 108-05-4)	Ceiling	35 mg/m3	
		10 ppm	
	TWA	18 mg/m3	
		5 ppm	
Carbon black (CAS 1333-86-4)	TWA	5 mg/m3	Inhalable dusts and mis
		1 mg/m3	Inhalable dust.
Terpenes, orange oil (CAS 68647-72-3)	STEL	300 mg/m3	
		50 ppm	
	TWA	150 mg/m3	
		25 ppm	
Switzerland. SUVA Grenzy Components	werte am Arbeitsplatz Type	Value	Form
Acetic acid ethenyl ester	STEL	35 mg/m3	
(CAS 108-05-4)		-	
		10 ppm	
	TWA	35 mg/m3	
		10 ppm	
Phenol, 2,6-bis(1,1-dimethylethyl)-4 methyl- (CAS 128-37-0)	- STEL	40 mg/m3	Vapor and aerosol, inhalable.
	TWA	10 mg/m3	Vapor and aerosol, inhalable.
UK. EH40 Workplace Expe Components	osure Limits (WELs) Type	Value	
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35,200000000 028 mg/m3	000
		10 ppm	
	TWA	17,600000000 014 mg/m3	000
		5 ppm	
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	
Phenol, 2,6-bis(1,1-dimethylethyl)-4 methyl- (CAS 128-37-0)	TWA -	10 mg/m3	
EU. Indicative Exposure L Components	imit Values in Directives 91/322/EEC, 2. Type	000/39/EC, 2006/15/EC, 2009 Value	/161/EU, 2017/164/EU
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35,200000000 028 mg/m3	000
		10 ppm	
	TWA	17,600000000 014 mg/m3	000
		5 ppm	
logical limit values	No biological exposure limits noted fo	r the ingredient(s).	
commended monitoring cedures	Follow standard monitoring procedure	9S.	
ived no effect levels ELs)	Not available.		
dicted no effect centrations (PNECs)	Not available.		

concentrations (PNECs)

Exposure guidelines			
Germany DFG MAK (adviso	ory): Skin designation		
Acetic acid ethenyl ester Germany TRGS 900 Limit V	, , , , , , , , , , , , , , , , , , ,	Can be absorbed through the skin.	
Acetic acid ethenyl ester Malta OELs: Skin designati		Can be absorbed through the skin.	
Acetic acid ethenyl ester	(CAS 108-05-4)	Can be absorbed through the skin.	
8.2. Exposure controls			
Appropriate engineering controls	applicable, use process encl maintain airborne levels belo	uld be used. Ventilation rates should be matched to conditions. If osures, local exhaust ventilation, or other engineering controls to w recommended exposure limits. If exposure limits have not been le levels to an acceptable level.	
Individual protection measures	, such as personal protective	equipment	
General information	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.		
Eye/face protection	Wear safety glasses with side shields (or goggles). Face shield is recommended.		
Skin protection			
- Hand protection	Wear appropriate chemical r	esistant gloves.	
- Other	Wear appropriate chemical r	esistant clothing. Use of an impervious apron is recommended.	
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Wear appropriate thermal pro	otective clothing, when necessary.	
Hygiene measures	and before eating, drinking, a	nal hygiene measures, such as washing after handling the material and/or smoking. Routinely wash work clothing and protective ninants. Contaminated work clothing should not be allowed out of the	
Environmental exposure controls	from ventilation or work proc requirements of environment	al or supervisory personnel of all environmental releases. Emissions ess equipment should be checked to ensure they comply with the cal protection legislation. Fume scrubbers, filters or engineering equipment may be necessary to reduce emissions to acceptable	

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

5.1. Information on basic physica	ai and chemical properties
Physical state	Solid.
Form	Solid.
Colour	Not available.
Odour	Not available.
Melting point/freezing point	3 °C (37,4 °F) estimated
Boiling point or initial boiling point and boiling range	Not available.
Flammability	Not available.
Flash point	>94 °C (>201,2 °F)
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
рН	Not available.
Kinematic viscosity	Not available.
Solubility	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water) (log value)	Not available.
Vapour pressure	0,000125 hPa estimated
Density and/or relative density	
Density	0,9 g/cm3 estimated
Vapour density	Not available.
Particle characteristics	Not available.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.

# **SECTION 10: Stability and reactivity**

10.1. Reactivity 10.2. Chemical stability	The product is stable and non-reactive under normal conditions of use, storage and transport. Material is stable under normal conditions.
•	
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

General information	Occupational exposure to the substance or mixture may cause adverse effects.
Information on likely routes	s of exposure
Inhalation	Prolonged inhalation may be harmful.
Skin contact	May cause an allergic skin reaction.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
Symptoms	May cause an allergic skin reaction. Dermatitis. Rash.

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Components	Species	Test Results		
Acetic acid ethenyl ester (CAS 1	08-05-4)			
Acute				
Dermal				
LD50	Rabbit	2335 mg/kg		
Oral				
LD50	Rat	2920 mg/kg		
Carbon black (CAS 1333-86-4)				
Acute				
Oral				
LD50	Rat	> 8000 mg/kg		
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.			
Serious eye damage/eye irritation	Due to partial or complete lack of data the classification is not possible.			
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.			
Skin sensitisation	May cause an allergic skin reaction.			
Germ cell mutagenicity	Due to partial or complete	Due to partial or complete lack of data the classification is not possible.		
Carcinogenicity	Risk of cancer cannot be excluded with prolonged exposure.			
Hungary. 26/2000 EüM Oro (as amended)	linance on protection agair	nst and preventing risk relating to exposure to carcinogens at work		
Acetic acid ethenyl este IARC Monographs. Overal	er (CAS 108-05-4) I Evaluation of Carcinogeni	city		
Acetic acid ethenyl ester (CAS 108-05-4) Carbon black (CAS 1333-86-4) Coumarin (CAS 91-64-5) Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-		<ul><li>2B Possibly carcinogenic to humans.</li><li>2B Possibly carcinogenic to humans.</li><li>3 Not classifiable as to carcinogenicity to humans.</li><li>3 Not classifiable as to carcinogenicity to humans.</li></ul>		
(CAS 128-37-0) Slovenia. OELs. Regulatio (Official Gazette of the Rej		of workers against risks due to exposure to chemicals while working		
Acetic acid ethenyl este	er (CAS 108-05-4)	Carcinogenic, Category 2.		
Reproductive toxicity	Due to partial or complete	e lack of data the classification is not possible.		
Specific target organ toxicity -	Due to partial or complete	e lack of data the classification is not possible.		

Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.					
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.					
Mixture versus substance information	No information	No information available.				
11.2. Information on other haza	rds					
Endocrine disrupting properties	The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.					
Other information	Not available	Not available.				
SECTION 12: Ecological in	nformation					
12.1. Toxicity	Toxic to aquatic life with long lasting effects. Based on available data, the classification criteria are not met for hazardous to the aquatic environment, acute hazard.					
Components		Species		Test Results		
Acetic acid ethenyl ester (CAS 10 Aquatic Acute						
Fish	LC50	Fathead minno	w (Pimephales promelas)	15 mg/l, 96 hours		
Coumarin (CAS 91-64-5) Aquatic						
Acute						
Fish	LC50	Guppy (Poecilia	a reticulata)	32 - 100 mg/l, 96 hours		
Phenol, 2,6-bis(1,1-dimethylethyl) Aquatic	-4-methyl- (CA	S 128-37-0)				
Acute	5050			4.44		
Crustacea	EC50	Water flea (Da	- ,	1,44 mg/l, 48 hours		
12.2. Persistence and degradability	No data is av	ailable on the deg	radability of any ingredier	its in the mixture.		
12.3. Bioaccumulative potential						
Partition coefficient						
n-octanol/water (log Kow) 2,6-Dimethyl-7-octen-2-ol			3.25			
Acetic acid ethenyl ester			0,73			
AHTN			5,4			
Benzoic acid, 2,4-dihydroxy-3 Benzyl salicylate	3,6-dimethyl-, m	nethyl ester	2,6 4			
Coumarin			1,39			
Cyclamen aldehyde			3,4			
Linalool			2,97			
Linalyl acetate			3,9 3,93			
Pentyl-2-hydroxybenzoate			4,4			
Phenol, 2,6-bis(1,1-dimethyle	thyl)-4-methyl-		5,1			
	<b>N</b> I ( 11 11		5,2			
Bioconcentration factor (BCF)	Not available					
12.4. Mobility in soil	No data avai					
12.5. Results of PBT and vPvB assessment	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.					
12.6. Endocrine disrupting properties	The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.					
12.7. Other adverse effects		No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.				
SECTION 13: Disposal co	nsideration	s				
13.1. Waste treatment methods						
Residual waste		dues. This materia		containers or liners may retain some e disposed of in a safe manner (see:		
O sutem in stad a selecular	0:			llauria ha ha su anno a tha anno a tha su a tha su a tha su a su		

EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste		
Disposal methods/information	disposal company. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches		
	with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Special precautions	Dispose in accordance with all applicable regulations.		
SECTION 14: Transport inf	ormation		
ADR			
14.1. UN number	UN3077		
14.2. UN proper shipping	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.		
name			
14.3. Transport hazard class	(es)		
Class	9		
Subsidiary risk			
Label(s)	9		
Hazard No. (ADR)	90		
Tunnel restriction code			
14.4. Packing group 14.5. Environmental hazards			
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.		
for user	······································		
RID			
14.1. UN number	UN3077		
14.2. UN proper shipping	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.		
name			
14.3. Transport hazard class			
Class	9		
Subsidiary risk	- 9		
Label(s) 14.4. Packing group	9 III		
14.5. Environmental hazards			
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.		
for user			
ADN			
14.1. UN number	UN3077		
14.2. UN proper shipping	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.		
name 14.3. Transport hazard class	(os)		
Class	9		
Subsidiary risk	-		
Label(s)	9		
14.4. Packing group	III		
14.5. Environmental hazards			
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.		
for user IATA			
	Not regulated as dengarous goods		
14.1. UN number 14.2. UN proper shipping	Not regulated as dangerous goods. Not regulated as dangerous goods.		
name	Not regulated as dangerous goods.		
14.3. Transport hazard class	(es)		
Class	Not assigned.		
Subsidiary risk	-		
14.4. Packing group	Not assigned.		
14.5. Environmental hazards			
14.6. Special precautions	Not assigned.		
for user IMDG			
14.1. UN number	Not regulated as dangerous goods.		
14.1. UN proper shipping	Not regulated as dangerous goods.		
name			
14.3. Transport hazard class	(es)		
Class	Not assigned.		
Subsidiary risk	-		
14.4. Packing group	Not assigned.		


#### 14.5. Environmental hazards

Marine pollutantNo.EmSNot14.6. Special precautionsNotfor userNot

Not assigned. Not assigned.

**14.7. Maritime transport in bulk** Not applicable. according to IMO instruments

#### ADN; ADR; RID



Marine pollutant



# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Carbon black (CAS 1333-86-4)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

# Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Linalool (CAS 78-70-6)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended Acetic acid ethenyl ester (CAS 108-05-4)

Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.		
National regulations	Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.		
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.		
SECTION 16: Other inform	ation		
List of abbreviations			
	ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.		
	AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany). CAS: Chemical Abstract Service.		
	CEN: European Committee for Standardization. IATA: International Air Transport Association.		
	IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.		
	IMDG: International Maritime Dangerous Goods. MAC: Maximum Allowed Concentration.		
	MARPOL: International Convention for the Prevention of Pollution from Ships.		
	PBT: Persistent, bioaccumulative and toxic.		
	RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TLV: Threshold Limit Value.		
	TWA: Time Weighted Average.		
	VLE: Exposure Limit Value.		
	VME: Exposure Average Value. vPvB: Very persistent and very bioaccumulative.		
References	Not available.		
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.		
Full text of any statements,			
which are not written out in full			
under sections 2 to 15	H225 Highly flammable liquid and vapour.		
	H226 Flammable liquid and vapour. H302 Harmful if swallowed.		
	H304 May be fatal if swallowed and enters airways.		
	H315 Causes skin irritation.		
	H317 May cause an allergic skin reaction. H318 Causes serious eye damage.		
	H319 Causes serious eye irritation.		
	H332 Harmful if inhaled.		
	H335 May cause respiratory irritation. H351 Suspected of causing cancer.		
	H361 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life.		
	H410 Very toxic to aquatic life with long lasting effects.		
	H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.		
Revision information	None.		
Training information	Follow training instructions when handling this material.		
Disclaimer	Home Fragrance Italia cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.		