

SAFETY DATA SHEET

Version #: 01 Issue date: 19-April-2022

	ation of the substance/mixture and of the company/undertaking
1.1. Product identifier Trade name or designation	DN REFILL CAR AIR FRESHENER ICON - VANILLA & WOOD
of the mixture	REFILE CARAIN FRESHENEN ICON - VANILLA & WOOD
Registration number	-
Synonyms	None.
Product code	17RCDV
1.2. Relevant identified un Identified uses	ses of the substance or mixture and uses advised against General Public
Uses advised agains	t None known.
1.3. Details of the supplie	er of the safety data sheet
Supplier	
Company name	Home Fragrance Italia
Address	Via A. Tonale 26
	Milano
	20125
	IT
Division	
Telephone	
e-mail	Not available.
Contact person	Not available.
1.4. Emergency telephon number	e
1.4. Emergency telephon	e number
General in EU	112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Austria National Pois Information Centre	sons +431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Belgium National Po Control Center	isons 070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Bulgaria National Toxicological Inform Centre	+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Czech Republic Nation Poisons Information Centre	 +420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Denmark National Po Control Center	+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Estonia National Pois Information Centre	sons 16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
Finland National Pois	son (09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
France National Pois Control Center	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone N	36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliot informacija apsinuoc	
Malta Accident and Emergency Departme	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

1.4	Emergency telephone numb Netherlands National Poisons Information Center (NVIC)	030-274 88 88 (Only for the purpose of informing medical personnel in cases of acute intoxications)					
	Norway Norwegian Poison Information Center		2 59 13 00 (Available 24 hours a day. SDS/Product information may not be wailable for the Emergency Service.)				
	Portugal Poison Centre		300 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)				
	Romania Biroul RSI si Informare Toxicologica		vailable 8:00AM-3:00 Emergency Service.)	PM. SDS/Product infor	mation may not be		
	Slovakia National Toxicological Information Centre		+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)				
	Sweden National Poison Information Center			Available 24 hours a da e Emergency Service.)			
	Switzerland Tox Info Suisse	145 (Available 24 the Emergency S		roduct information may	not be available for		
SE	CTION 2: Hazards ident	ification					
2.1	Classification of the substar The mixture has been assesse applies.		r its physical, health a	and environmental haza	rds and the following classification		
Cla	ssification according to Regu	lation (EC) No 12	72/2008 as amende	ł			
	Health hazards Skin sensitisation		Category 1A		H317 - May cause an allergic skin reaction.		
	Environmental hazards Hazardous to the aquatic long-term aquatic hazard	environment,	Category 2		H411 - Toxic to aquatic life with long lasting effects.		
2.2	. Label elements						
Lat	bel according to Regulation (E Contains:	1-(2,3,8,8-tetram 1-(2,3,8,8-tetram alpha-Pinene, be	ethyl-1,3,4,6,7,8a-hex ethyl-1,3,5,6,7,8a-hex	ımarin, d-Limonene, Eth)ethanone,)ethanone, Acetylcedrene, noxy-Methoxymethyl-Phenol,		
	Hazard pictograms						
	Signal word	Warning					
	Hazard statements						
	H317 H411		ergic skin reaction. ife with long lasting e	ffects.			
Pre	cautionary statements						
	Prevention P102 P261 P272 P273 P280		dust/fume/gas/mist/va ork clothing should no the environment.	pours/spray. t be allowed out of the v	workplace.		
	Response						
	P333 + P313 P362 + P364 P391		rash occurs: Get me nated clothing and wa	dical advice/attention. ish it before reuse.			
	Storage	Not applicable.					
	Disposal P501	Dispose of conte	nts/container in acco	dance with local/region	al/national/international regulations.		
-		-		-	the evel terrisity of the minimum		

Supplemental label information 2,5 % of the mixture consists of component(s) of unknown acute oral toxicity. 2,5 % of the mixture consists of component(s) of unknown acute dermal toxicity. 2,5 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 2,5 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

neral information		0/			laday Na	Na
Chemical name 8-Cyclohexadecen-1-c	one	<u>%</u> 1 - 3	3100-36-5	REACH Registration No	606-046-00-3	No
			401-700-2			
	Classification:	•	cute 1;H400, Aquatic	Chronic 1;H410		
Acetylcedrene		1 - 3	32388-55-9 251-020-3	-	-	
	Classification:	Skin Sens	. 1B;H317, Aquatic A	cute 1;H400, Aquatic Chro	onic 1;H410	
Benzyl benzoate		1 - 3	120-51-4 204-402-9	-	607-085-00-9	
		Acute Tox Chronic 2		ng/kg), Aquatic Acute 1;H4	00, Aquatic	
d-Limonene		1 - 3	5989-27-5 227-813-5	-	601-029-00-7	
				H315, Skin Sens. 1;H317, Aquatic Chronic 1;H410	Asp. Tox.	(
Galaxolide		1 - 3	1222-05-5 214-946-9	-	603-212-00-7	
	Classification:	-	cute 1;H400, Aquatic	Chronic 1;H410		
Isocyclemone E		1 - 3	54464-57-2 259-174-3	-	-	
	Classification:			3;H317, Aquatic Chronic 1		
Lyral		1-3	31906-04-4 250-863-4	-	605-040-00-8	
Man Illin	Classification:		•			
Vanillin		1 - 3	121-33-5 204-465-2	-	-	
	Classification:	Eye Irrit. 2	;H319			
1-(2,3,8,8-tetramethyl- xahydronaphthalen-2-	1,3,4,6,7,8a-he yl)ethanone	≤ 1	68155-67-9 268-979-9	-	-	
	Classification:	Skin Irrit. 2	2;H315, Skin Sens. 18	B;H317, Aquatic Chronic 1	;H410	
1-(2,3,8,8-tetramethyl- xahydronaphthalen-2-	yl)ethanone	≤ 1	68155-66-8 268-978-3	-	-	
	Classification:			3;H317, Aquatic Chronic 1		
4-Penten-2-ol, 3,3-dimethyl-5-(2,2,3-t penten-1-yl)-	rimethyl-3-cyclo	≤1	107898-54-4 411-580-3	-	603-150-00-0	
	Classification:	Skin Irrit. 2	2;H315, Aquatic Acute	e 1;H400, Aquatic Chronic	1;H410	
Carbon black		≤ 1	1333-86-4 215-609-9	-	-	
	Classification:	Carc. 2;H3	351			
Coumarin		≤ 1	91-64-5 202-086-7	-	-	
	Classification:		. 4;H302;(ATE: 500 m	ng/kg), Skin Sens. 1B;H31	7	
1,4-Cyclohexadiene, 1-methyl-4-(1-methyle	- /	≤ 0,2	99-85-4 202-794-6	-	-	
			3;H226, Repr. 2;H36	1, Asp. Tox. 1;H304		
1,6-Octadiene, 7-meth	yl-3-methylene-	≤ 0,2	123-35-3 204-622-5	-	-	

.				
Chemical name alpha-Pinene	% ≤ 0,2	80-56-8	. REACH Registration N	o. Index No. Notes
·		201-291-9		
Class			4;H302;(ATE: 500 mg/kg), Asp. Tox. 1;H304, Aquatic	
		hronic 1;H410	-sp. 10x. 1,1100-, Aqualle	Acute 1,11400,
beta-Pinene	≤ 0,2	127-91-3 204-872-5	-	-
Class	ification: Flam. Liq. 1;H304, A	3;H226, Skin Irrit. 2; quatic Acute 1;H400	H315, Skin Sens. 1B;H31 , Aquatic Chronic 1;H410	7, Asp. Tox.
Citral	≤ 0,2	5392-40-5 226-394-6	-	605-019-00-3
Class	ification: Skin Irrit.	2;H315, Eye Irrit. 2;H	319, Skin Sens. 1;H317	
Ethoxy-Methoxymethyl-Phen	ol ≤ 0,2	5595-79-9 447-640-0	-	-
Class	ification: Acute Tox	. 4;H302;(ATE: 500 r	ng/kg), Skin Sens. 1B;H3 ⁻	17
Eucalyptol	≤ 0,2	470-82-6	-	-
Class	fication: Flom Lie	207-431-5 3·H226 Eve Irrit 2·I	H319, Skin Sens. 1B;H317	,
Linalool	≤ 0,2	78-70-6		603-235-00-2
LINAIOOI	≤ 0,2	201-134-4	-	003-235-00-2
Class	ification: Skin Irrit.	2;H315, Eye Irrit. 2;H	319, Skin Sens. 1B;H317	
Other components below rep levels	ortable 83.74			
st of abbreviations and symb	ole that may be us	ad above		
ATE: Acute toxicity estimate.	-			
M: M-factor				
PBT: persistent, bioaccumula	ative and toxic subst	ance.		
vPvB: very persistent and ve				
All concentrations are in pero substance has been assigne	ent by weight unles	s ingredient is a gas	Gas concentrations are in	n percent by volume. #: This
omposition comments			played in section 16.	
ECTION 4: First aid mea	sures			
eneral information	Ensure that medi	cal personnel are aw	/are of the material(s) invo	lved, and take precautions to
			ed clothing before reuse.	
1. Description of first aid mea		Call a physician if a		-4
Inhalation Skin contact			ymptoms develop or persis	st. soap and water. In case of
Skill contact	eczema or other	skin disorders: Seek	medical attention and tak	e along these instructions.
Eye contact			on if irritation develops and	persists.
Ingestion		t medical attention if		
.2. Most important symptoms nd effects, both acute and elayed	May cause an all	ergic skin reaction. E	ermatitis. Rash.	
.3. Indication of any	Provide general s	supportive measures	and treat symptomatically	. Keep victim under observatio
nmediate medical attention nd special treatment needed	Symptoms may b			
ECTION 5: Firefighting r	neasures			
eneral fire hazards	No unusual fire o	r explosion hazards	noted.	
.1. Extinguishing media				
Suitable extinguishing media	Water fog. Foam	. Dry chemical powd	er. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water	jet as an extinguishe	er, as this will spread the fi	re.
.2. Special hazards arising rom the substance or mixture	During fire, gases	s hazardous to health	n may be formed.	

 from the substance or mixture

 5.3. Advice for firefighters

 Special protective equipment for firefighters

 Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures					
For non-emergency personnel	Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.				
For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.				
6.2. Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.				
6.3. Methods and material for containment and cleaning up	Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Following product recovery, flush area with water.				
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.				

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	МАК	5 mg/m3	Inhalable dust.
	STEL	10 mg/m3	Inhalable dust.
Belgium. Exposure Limit Values			
Components	Туре	Value	Form
alpha-Pinene (CAS 80-56-8)	TWA	20 ppm	
beta-Pinene (CAS 127-91-3)	TWA	20 ppm	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	
Citral (CAS 5392-40-5)	TWA	32 mg/m3	Vapour and aerosol.
		5 ppm	Vapour and aerosol.

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09 Components Value

Components	гуре	value	
Carbon black (CAS 1333-86-4)	MAC	3,5 mg/m3	
	STEL	7 mg/m3	
Cyprus. OELs. Control of facto Components	ry atmosphere and dangerous s Type	ubstances in factories regula Value	tion, PI 311/73, as amended
Carbon black (CAS 1333-86-4)	TWA	3,5 mg/m3	
Czech Republic. OELs. Govern	ment Decree 361		
Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	10 mg/m3	Dust.

Denmark. Exposure Limit Values Components	Туре	Value
alpha-Pinene (CAS 80-56-8)	TLV	25 ppm

Denmark. Exposure Limit Value Components	s Type	Value	
beta-Pinene (CAS 127-91-3)	TLV	25 ppm	
Carbon black (CAS 1333-86-4)	TLV	3,5 mg/m3	
d-Limonene (CAS 5989-27-5)	TLV	25 ppm	
Estonia. OELs. Occupational Ex Components	posure Limits of Hazardous Si Type	ubstances (Regulation No. 105 Value	/2001, Annex), as amended
alpha-Pinene (CAS 80-56-8)	STEL	300 mg/m3	
		50 ppm	
	TWA	150 mg/m3	
		25 ppm	
beta-Pinene (CAS 127-91-3)	STEL	300 mg/m3	
,		50 ppm	
	TWA	150 mg/m3	
		25 ppm	
Finland. Workplace Exposure Li	imits		
Components	Туре	Value	
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	
d-Limonene (CAS 5989-27-5)	STEL	280 mg/m3	
		50 ppm	
	TWA	140 mg/m3	
		25 ppm	
France. Threshold Limit Values Components	(VLEP) for Occupational Expos Type	sure to Chemicals in France, IN Value	NRS ED 984
Carbon black (CAS	VME	3,5 mg/m3	
1333-86-4) Regulatory status: Indicat	ive limit (VL)		
Germany. DFG MAK List (adviso		Investigation of Health Hazard	ls of Chemical Compounds
in the Work Area (DFG) Components	Туре	Value	
d-Limonene (CAS 5989-27-5)	TWA	28 mg/m3	
3909-21-3)		5 ppm	
Germany. TRGS 900, Limit Value	es in the Ambient Air at the Wo	rkplace	
Components	Туре	Value	
d-Limonene (CAS 5989-27-5)	AGW	28 mg/m3	
		5 ppm	
Greece. OELs (Decree No. 90/19 Components	99, as amended) Type	Value	
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	
Hungary. OELs. Joint Decree on		-	
Components	Type	Value	Form
Carbon black (CAS	TWA	3 mg/m3	Inhalable dust.
1333-86-4)			

Iceland. OELs. Regulation 154/1999 on occupational exposure limits

Components	Туре	Value	
Carbon black (CAS 1333-86-4)	TWA	3,5 mg/m3	
Ireland. Occupational Exposure	Limits		
Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Citral (CAS 5392-40-5)	TWA	5 ppm	Inhalable fraction and vapour.
Italy. Occupational Exposure Li	mits		
Components	Туре	Value	Form
alpha-Pinene (CAS 80-56-8)	TWA	20 ppm	
beta-Pinene (CAS 127-91-3)	TWA	20 ppm	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Citral (CAS 5392-40-5)	TWA	5 ppm	Inhalable fraction and vapour.

Lithuania. OELs. Limit Values for Chemical Substances, General Requirements

Components	Туре	Value	
alpha-Pinene (CAS 80-56-8)	STEL	300 mg/m3	
		50 ppm	
	TWA	150 mg/m3	
		25 ppm	
beta-Pinene (CAS 127-91-3)	STEL	300 mg/m3	
		50 ppm	
	TWA	150 mg/m3	
		25 ppm	

Norway. Administrative Norms for Contaminants in the Workplace

Components	Туре	Value	
alpha-Pinene (CAS 80-56-8)	TLV	140 mg/m3	
		25 ppm	
beta-Pinene (CAS 127-91-3)	TLV	140 mg/m3	
		25 ppm	
Carbon black (CAS 1333-86-4)	TLV	3,5 mg/m3	
d-Limonene (CAS 5989-27-5)	TLV	140 mg/m3	
-		25 ppm	

Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible
concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817
ComponentsComponentsTypeValueForm

	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Carbon black (CAS 1333-86-4)	TWA	4 mg/m3	Inhalable fraction.
		0 ppm	Inhalable fraction.
Citral (CAS 5392-40-5)	STEL	54 mg/m3	
		0 ppm	
	TWA	27 mg/m3	
		0 ppm	
Portugal VI Ea Norm on acour	ational avecaure to chemical a	aonto (NB 1706)	

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)

Components	Туре	Value Form	
alpha-Pinene (CAS 80-56-8)	TWA	20 ppm	

Portugal. VLEs. Norm on occupational e Components	exposure to chemical agents (NP 17 Type	796) Value	Form
beta-Pinene (CAS 127-91-3)	TWA	20 ppm	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Fume.
Citral (CAS 5392-40-5)	TWA	5 ppm	Inhalable fraction and vapour.
Slovakia. OELs. Regulation No. 300/200 Components	7 concerning protection of health in Type	n work with chemic Value	-
Carbon black (CAS 1333-86-4)	TWA	2 mg/m3	
Slovenia. OELs. Regulations concerning (Official Gazette of the Republic of Slove		ks due to exposure	to chemicals while working
Components	Туре	Value	
d-Limonene (CAS	TWA	28 mg/m3	
5989-27-5)		5 ppm	
Spain. Occupational Exposure Limits			
Components	Туре	Value	Form
alpha-Pinene (CAS 80-56-8)	TWA	113 mg/m3	
,		20 ppm	
beta-Pinene (CAS	TWA	113 mg/m3	
127-91-3)		20 ppm	
Carbon black (CAS	TWA	3,5 mg/m3	
1333-86-4)		-	
Citral (CAS 5392-40-5)	TWA	5 ppm	Inhalable fraction and vapour.
d-Limonene (CAS 5989-27-5)	TWA	168 mg/m3	
		30 ppm	
Sweden. OELs. Work Environment Auth Components	ority (AV), Occupational Exposure Type	Limit Values (AFS 2 Value	2015:7) Form
alpha-Pinene (CAS	STEL	300 mg/m3	
80-56-8)		50 ppm	
	TWA		
		150 mg/m3	
		150 mg/m3 25 ppm	
beta-Pinene (CAS	STEL	-	
beta-Pinene (CAS 127-91-3)	STEL	25 ppm 300 mg/m3	
	STEL	25 ppm	
		25 ppm 300 mg/m3 50 ppm	
127-91-3) Carbon black (CAS		25 ppm 300 mg/m3 50 ppm 150 mg/m3	Inhalable dusts and mists.
127-91-3)	TWA	25 ppm 300 mg/m3 50 ppm 150 mg/m3 25 ppm	Inhalable dusts and mists. Inhalable dust.
127-91-3) Carbon black (CAS	TWA TWA	25 ppm 300 mg/m3 50 ppm 150 mg/m3 25 ppm 5 mg/m3	
127-91-3) Carbon black (CAS 1333-86-4) Switzerland. SUVA Grenzwerte am Arbe Components alpha-Pinene (CAS	TWA TWA itsplatz	25 ppm 300 mg/m3 50 ppm 150 mg/m3 25 ppm 5 mg/m3 1 mg/m3	
127-91-3) Carbon black (CAS 1333-86-4) Switzerland. SUVA Grenzwerte am Arbe Components	TWA TWA itsplatz Type	25 ppm 300 mg/m3 50 ppm 150 mg/m3 25 ppm 5 mg/m3 1 mg/m3 Value 224 mg/m3	
127-91-3) Carbon black (CAS 1333-86-4) Switzerland. SUVA Grenzwerte am Arbe Components alpha-Pinene (CAS	TWA TWA itsplatz Type STEL	25 ppm 300 mg/m3 50 ppm 150 mg/m3 25 ppm 5 mg/m3 1 mg/m3 Value 224 mg/m3 40 ppm	
127-91-3) Carbon black (CAS 1333-86-4) Switzerland. SUVA Grenzwerte am Arbe Components alpha-Pinene (CAS	TWA TWA itsplatz Type	25 ppm 300 mg/m3 50 ppm 150 mg/m3 25 ppm 5 mg/m3 1 mg/m3 Value 224 mg/m3 40 ppm 112 mg/m3	
127-91-3) Carbon black (CAS 1333-86-4) Switzerland. SUVA Grenzwerte am Arbe Components alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS	TWA TWA itsplatz Type STEL	25 ppm 300 mg/m3 50 ppm 150 mg/m3 25 ppm 5 mg/m3 1 mg/m3 Value 224 mg/m3 40 ppm	
127-91-3) Carbon black (CAS 1333-86-4) Switzerland. SUVA Grenzwerte am Arbe Components alpha-Pinene (CAS 80-56-8)	TWA TWA itsplatz Type STEL TWA	25 ppm 300 mg/m3 50 ppm 150 mg/m3 25 ppm 5 mg/m3 1 mg/m3 1 mg/m3 Value 224 mg/m3 40 ppm 112 mg/m3 20 ppm 224 mg/m3	
127-91-3) Carbon black (CAS 1333-86-4) Switzerland. SUVA Grenzwerte am Arbe Components alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS	TWA TWA itsplatz Type STEL TWA	25 ppm 300 mg/m3 50 ppm 150 mg/m3 25 ppm 5 mg/m3 1 mg/m3 1 mg/m3 Value 224 mg/m3 40 ppm 112 mg/m3 20 ppm	Inhalable dusts and mists. Inhalable dust.

Switzerland. SUVA Grenzw	verte am Arbeitsplatz	
Components	Туре	Value
		20 ppm
d-Limonene (CAS	STEL	80 mg/m3
5989-27-5)		14
	TWA	14 ppm
	IVVA	40 mg/m3
		7 ppm
UK. EH40 Workplace Expo Components	sure Limits (WELs) Type	Value
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3
	TWA	3,5 mg/m3
Biological limit values	No biological exposure limits	noted for the ingredient(s).
Recommended monitoring	Follow standard monitoring pr	rocedures.
procedures		
Derived no effect levels (DNELs)	Not available.	
Predicted no effect	Not available.	
concentrations (PNECs)		
Exposure guidelines		
Belgium OELs: Skin design Citral (CAS 5392-40-5)	lation	Can be absorbed through the skin.
Germany DFG MAK (adviso		
d-Limonene (CAS 5989- Germany TRGS 900 Limit \		Can be absorbed through the skin.
d-Limonene (CAS 5989- Italy OELs: Skin designatio	,	Can be absorbed through the skin.
Citral (CAS 5392-40-5)		Danger of cutaneous absorption
Norway Exposure Limit Va	-	
alpha-Pinene (CAS 80-56-8) Portugal VLEs Norm on Occupatioinal Exposure: Skin d		Can be absorbed through the skin.
Citral (CAS 5392-40-5)		Can be absorbed through the skin.
· · · · · · · · · · · · · · · · · · ·		orkers against risks due to exposure to chemicals while working
d-Limonene (CAS 5989- Spain OELs: Skin designat	,	Can be absorbed through the skin.
Citral (CAS 5392-40-5)		Can be absorbed through the skin.
d-Limonene (CAS 5989-	,	Can be absorbed through the skin.
alpha-Pinene (CAS 80-5	Iues at the Workplace: Skin de	Can be absorbed through the skin.
beta-Pinene (CAS 127-9		Can be absorbed through the skin.
8.2. Exposure controls		
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
Individual protection measures	• •	
General information		nt should be chosen according to the CEN standards and in f the personal protective equipment.
Eye/face protection	Wear safety glasses with side	shields (or goggles). Face shield is recommended.
Skin protection		
- Hand protection	Wear appropriate chemical re	sistant gloves.
- Other	Wear appropriate chemical re	sistant clothing. Use of an impervious apron is recommended.
Respiratory protection	In case of insufficient ventilati	on, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal pro	tective clothing, when necessary.
Hygiene measures	and before eating, drinking, a	al hygiene measures, such as washing after handling the material nd/or smoking. Routinely wash work clothing and protective inants. Contaminated work clothing should not be allowed out of the

Environmental exposure controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physic	cal and chemical properties
Physical state	Solid.
Form	Solid.
Colour	Not available.
Odour	Not available.
Melting point/freezing point	3 °C (37,4 °F) estimated
Boiling point or initial boiling point and boiling range	Not available.
Flammability (solid, gas)	Not available.
Flash point	> 100 °C (> 212 °F)
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
рН	Not available.
Solubility(ies) Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Vapour pressure	0,000125 hPa estimated
Vapour density	Not available.
Relative density	Not available.
Particle characteristics	Not available.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.
9.2.2. Other safety characteristi	cs
Density	0,961 g/cm3 estimated
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
Percent volatile	2,62 % estimated
Specific gravity	0,9606 estimated
SECTION 10: Stability and	d reactivity
10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoidContact with incompatible materials.10.5. Incompatible materialsStrong oxidising agents.10.6. HazardousNo hazardous decomposition products are known.decomposition products

SECTION 11: Toxicological information

Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	May cause an allergic skin reaction.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
Symptoms	May cause an allergic skin reaction. Dermatitis. Rash.
11.1. Information on toxicologica	al effects

Acute toxicity

General information

Material name: REFILL CAR AIR FRESHENER ICON - VANILLA & WOOD 17RCDV Version #: 01 Issue date: 19-April-2022

Not known.

Components	Species	Test Results
Carbon black (CAS 1333-86-4)		
Acute		
Oral		
LD50	Rat	> 8000 mg/kg
Skin corrosion/irritation	Due to partial or complete lac	k of data the classification is not possible.
Serious eye damage/eye irritation	Due to partial or complete lac	k of data the classification is not possible.
Respiratory sensitisation	Due to partial or complete lac	k of data the classification is not possible.
Skin sensitisation	May cause an allergic skin rea	action.
Germ cell mutagenicity	Due to partial or complete lac	k of data the classification is not possible.
Carcinogenicity	Risk of cancer cannot be excl	uded with prolonged exposure.
Hungary. 26/2000 EüM Ordi (as amended)	nance on protection against a	nd preventing risk relating to exposure to carcinogens at work
Not listed.		
IARC Monographs. Overall	Evaluation of Carcinogenicity	
1,6-Octadiene, 7-methyl- Carbon black (CAS 1333 Coumarin (CAS 91-64-5) d-Limonene (CAS 5989-2)	2B Possibly carcinogenic to humans.2B Possibly carcinogenic to humans.3 Not classifiable as to carcinogenicity to humans.3 Not classifiable as to carcinogenicity to humans.
Reproductive toxicity	,	k of data the classification is not possible.
Specific target organ toxicity - single exposure	Due to partial or complete lac	k of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lac	k of data the classification is not possible.
Aspiration hazard	Due to partial or complete lac	k of data the classification is not possible.
Mixture versus substance information	No information available.	
11.2. Information on other hazar	rds	
Endocrine disrupting properties		components considered to have endocrine disrupting properties 7(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) higher.
Other information	Not available.	
SECTION 12: Ecological in	nformation	

Components		Species	Test Results
Coumarin (CAS 91-64-5)			
Aquatic			
Acute			
Fish	LC50	Guppy (Poecilia reticulata)	>= 32 - <= 100 mg/l, 96 hours
d-Limonene (CAS 5989-27-5)			
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia pulex)	69,6 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	>= 0,619 - <= 0,796 mg/l, 96 hours
Eucalyptol (CAS 470-82-6)			
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas)	>= 95,4 - <= 109 mg/l, 96 hours
Vanillin (CAS 121-33-5)			
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas)	>= 53 - <= 61,3 mg/l, 96 hours
12.2. Persistence and degradability	No data is	available on the degradability of any ingredien	ts in the mixture.

Partition coefficient			
n-octanol/water (log Kow)			
1,4-Cyclohexadiene, 1-methyl-4-(1-methylethyl)-		5,4	
1,6-Octadiene, 7-methyl-3-me	sthylene-	4,33	
4-Penten-2-ol,		4,989	
3,3-dimethyl-5-(2,2,3-trimethy	I-3-cyclopenten-1-yl)-		
Acetylcedrene		5,9	
alpha-Pinene		4,83	
Benzyl benzoate		3,97	
beta-Pinene		4,16	
Citral		2,76	
		3,45	
Coumarin		1,39	
d-Limonene		4,57	
Ethoxy-Methoxymethyl-Phence)l	1,1	
Eucalyptol		2,74	
Galaxolide		5,3	
Linalool		2,97	
Vanillin		1,37	
Bioconcentration factor (BCF)	Not available.		
12.4. Mobility in soil	No data available.		
12.5. Results of PBT and vPvB assessment	This mixture does not contain (EC) No 1907/2006, Annex X	substances assessed to be vPvB / PBT according to Regulation	
12.6. Endocrine disrupting properties		components considered to have endocrine disrupting properties 7(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) higher.	
12.7. Other adverse effects		ntal effects (e.g. ozone depletion, photochemical ozone creation n, global warming potential) are expected from this component.	
12.8. Additional information			
Estonia Dangerous substan	ices in soil Data		
Benzyl benzoate (CAS 12	20-51-4)	Chemical pesticides (As the total sum of the active substances) 0,5 mg/kg	
		Chemical pesticides (As the total sum of the active substances) 20 mg/kg	
		Chemical pesticides (As the total sum of the active substances) 5 ma/kg	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

mg/kg

SECTION 14: Transport information

ADR

JR	
14.1. UN number	UN3077
14.2. UN proper shipping	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (8-Cyclohexadecen-1-one)
name	
14.3. Transport hazard class	(es)
Class	9
Subsidiary risk	-
Label(s)	9
Hazard No. (ADR)	90
Tunnel restriction code	E
14.4. Packing group	
14.5. Environmental hazards	Yes
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
for user	

14.1. UN number UN3077 14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (8-Cyclohexadecen-1-one) name 14.3. Transport hazard class(es) Class 9 Subsidiarv risk _ 9 Label(s) ш 14.4. Packing group 14.5. Environmental hazards Yes 14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling. for user ADN 14.1. UN number UN3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (8-Cyclohexadecen-1-one) 14.2. UN proper shipping name 14.3. Transport hazard class(es) Class 9 Subsidiary risk _ 9 Label(s) 14.4. Packing group ш 14.5. Environmental hazards Yes 14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling. for user ΙΑΤΑ 14.1. UN number UN3077 14.2. UN proper shipping Environmentally hazardous substance, solid, n.o.s. (8-Cyclohexadecen-1-one) name 14.3. Transport hazard class(es) Class 9 Subsidiary risk -Ш 14.4. Packing group 14.5. Environmental hazards Yes **ERG Code** 9L 14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling. for user Other information Allowed with restrictions. Passenger and cargo aircraft Cargo aircraft only Allowed with restrictions. IMDG 14.1. UN number UN3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (8-Cyclohexadecen-1-one), 14.2. UN proper shipping MARINE POLLUTANT name 14.3. Transport hazard class(es) Class 9 Subsidiary risk 14.4. Packing group Ш 14.5. Environmental hazards Marine pollutant Yes F-A. S-F EmS Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions for user d-Limonene

alpha-Pinene

RID

14.7. Maritime transport in bulk Not applicable.

according to IMO instruments

ADN; ADR; IATA; IMDG; RID



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended 4-Penten-2-ol, 3,3-dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)- (CAS 107898-54-4) Linalool (CAS 78-70-6)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

4-Penten-2-ol, 3,3-dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)- (CAS 107898-54-4) 8-Cyclohexadecen-1-one (CAS 3100-36-5) Benzyl benzoate (CAS 120-51-4) d-Limonene (CAS 5989-27-5) Galaxolide (CAS 1222-05-5)

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations	Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.
SECTION 16: Other information	
List of abbreviations	
	 ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany). CAS: Chemical Abstract Service. CEN: European Committee for Standardization. IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk. IMDG: International Maritime Dangerous Goods. MAC: Maximum Allowed Concentration. MARPOL: International Convention for the Prevention of Pollution from Ships. PBT: Persistent, bioaccumulative and toxic. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average.
	VLE: Exposure Limit Value. VME: Exposure Average Value.
	vPvB: Very persistent and very bioaccumulative.
References	Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under	
Sections 2 to 15	 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.
Revision information	Product and Company Identification: Product Review
Training information	Follow training instructions when handling this material.
Disclaimer	Home Fragrance Italia cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the

Home Fragrance Italia cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.