

SAFETY DATA SHEET

Version #: 01 Issue date: 19-April-2022

SECTION 4. Identification	a of the substance/mixture and of the company/undertaking
1.1. Product identifier	n of the substance/mixture and of the company/undertaking
Trade name or designation	CAR AIR FRESHENER ICON "URBAN" 11 - LEGNI & SPEZIE
of the mixture	
Registration number	_
Synonyms	None.
Product code	17CAR11
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	General Public
Uses advised against	None known.
1.3. Details of the supplier of t	he safety data sheet
Supplier	
Company name Address	Home Fragrance Italia Via A. Tonale 26
Address	Milano
	20125
	IT
Division	
Telephone	
e-mail	Not available.
Contact person	Not available.
1.4. Emergency telephone number	
1.4. Emergency telephone nun	
General in EU	112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Austria National Poisons Information Centre	+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Belgium National Poisons Control Center	070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Bulgaria National Toxicological Information Centre	+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Czech Republic National Poisons Information Centre	+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Denmark National Poisons Control Center	+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Estonia National Poisons Information Centre	16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
Finland National Poison Information Center	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
France National Poisons Control Center	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Numbe	36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

4.4	Emergency telephone numb	.		
1.4.	Emergency telephone numb Netherlands National Poisons Information Center (NVIC)		for the purpose of informing medical per	sonnel in cases of
	Norway Norwegian Poison Information Center	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)		
	Portugal Poison Centre	800 250 250 (Availab available for the Eme	le 24 hours a day. SDS/Product informat rgency Service.)	tion may not be
	Romania Biroul RSI si Informare Toxicologica	021.318.36.06 (Availa available for the Eme	able 8:00AM-3:00PM. SDS/Product infor rgency Service.)	mation may not be
	Slovakia National Toxicological Information Centre	+421 2 5477 4166 (A be available for the E	vailable 24 hours a day. SDS/Product inf mergency Service.)	ormation may not
	Sweden National Poison Information Center		son Information (Available 24 hours a da be available for the Emergency Service.)	y. SDS/Product
	Switzerland Tox Info Suisse	145 (Available 24 hou the Emergency Servio	rrs a day. SDS/Product information may ce.)	not be available for
SE	CTION 2: Hazards ident	ification		
	applies.	ed and/or tested for its	physical, health and environmental haza	rds and the following classification
Cla	ssification according to Reg	ulation (EC) No 1272/2	008 as amended	
	Health hazards Skin sensitisation	Са	tegory 1B	H317 - May cause an allergic skin reaction.
	Environmental hazards Hazardous to the aquatic long-term aquatic hazard	environment, Ca	tegory 2	H411 - Toxic to aquatic life with long lasting effects.
2.2.	Label elements			
Lab	el according to Regulation (I	EC) No. 1272/2008 as a	amended	
	Contains:		7-dimethyl-, Benzyl salicylate, Coumarin lool, Linalyl acetate, Nopyl acetate, Terp	
	Hazard pictograms		>	
	Signal word	Warning		
	Hazard statements			
	H317 H411	May cause an allergic Toxic to aquatic life w	e skin reaction. ith long lasting effects.	
Pre	cautionary statements			
	Prevention	A		
	P261 P272	Avoid breathing mist/v Contaminated work c	vapours. lothing should not be allowed out of the v	workplace.
	P273	Avoid release to the e		
	P280	Wear protective glove	es.	
	Response			
	P333 + P313 P362 + P364 P391		h occurs: Get medical advice/attention. d clothing and wash it before reuse.	
	Storage	Store away from inco	mpatible materials.	
	Disposal			
	P501	Dispose of contents/c	container in accordance with local/region	al/national/international regulations.
C		Nama		

Supplemental label information N

2.3. Other hazards

None. This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name		%	CAS-No. / EC No.	REACH Registration N	o. Index No.	Notes
Isocyclemone E		4,5	54464-57-2 259-174-3	-	-	
	Classification:	Skin Irrit.	2;H315, Skin Sens. 1E	;H317, Aquatic Chronic	1;H410	
Nopyl acetate		2,1	128-51-8 204-891-9	-	-	
	Classification:	Eye Irrit. 2	2;H319, Skin Sens. 1E	;H317, Aquatic Chronic 2	2;H411	
2,6-Dimethyl-7-octen-	2-ol	1,5	18479-58-8 242-362-4	-	-	
	Classification:	Skin Irrit.	2;H315, Eye Irrit. 2;H3	19		
AHTN		1,5	21145-77-7 244-240-6	-	-	
	Classification:	Acute Tox Chronic 1		g/kg), Aquatic Acute 1;H	400, Aquatic	
Oxacyclohexadec-12- (12E)-	en-2-one,	1,5	111879-80-2 422-320-3	-	-	
	Classification:	Aquatic A	cute 1;H400, Aquatic	Chronic 2;H411		
1,6-Nonadien-3-ol, 3,7		0,9	10339-55-6 233-732-6	-	-	
	Classification:	•	2;H319, Skin Sens. 1B	;H317		
Coumarin		0,9	91-64-5 202-086-7	-	-	
	Classification:		4;H302;(ATE: 500 m	g/kg), Skin Sens. 1B;H3 [·]	17	
Dihydro pentamethylir		0,9	33704-61-9 251-649-3	-	-	
	Classification:	Chronic 2	;H411	19, Skin Sens. 1B;H317	-	
Galaxolide		0,9	1222-05-5 214-946-9	-	603-212-00-7	
	Classification:		cute 1;H400, Aquatic	Chronic 1;H410		
Linalool		0,9	78-70-6 201-134-4	-	603-235-00-2	
	Classification:		-	19, Skin Sens. 1B;H317		
Linalyl acetate		0,9	115-95-7 204-116-4	-	-	
<u> </u>	Classification:		-	19, Skin Sens. 1B;H317		
Carbon black	Classification:	0,8	1333-86-4 215-609-9	-	-	
Terpenes, orange oil	classification.	0,3	68647-72-3	-	-	
	Classification:		614-678-6 3;H226, Skin Irrit. 2;F quatic Chronic 2;H41	1315, Skin Sens. 1;H317	, Asp. Tox.	
Benzyl salicylate		0,15	118-58-1 204-262-9	-	-	
	Classification:	Eye Irrit. 2	2;H319, Skin Sens. 1B	;H317, Aquatic Chronic 3	3;H412	
Other components be levels	low reportable	82.25				
	timate. cumulative and and very bioacc in percent by w	toxic subsi umulative eight unles	ance. substance.	Gas concentrations are i	n percent by volume.	#: This
and a state of the						

SECTION 4: First aid measures

General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
4.1. Description of first aid meas	sures
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
4.2. Most important symptoms and effects, both acute and delayed	May cause an allergic skin reaction. Dermatitis. Rash.
4.3. Indication of any immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards	No unusual fire or explosion hazards noted.
5.1. Extinguishing media Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

erri ereenar preedatione, prete	stre equipment and emergency procedures
For non-emergency personnel	Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
For emergency responders	Keep unnecessary personnel away. Avoid breathing mist/vapours. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
6.2. Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Prevent product from entering drains.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Austria. MAK List, OEL Ordinance (Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	МАК	5 mg/m3	Inhalable dust.
1333-00-4)	STEL	10 mg/m3	Inhalable dust.
Belgium. Exposure Limit Values Components	Туре	Value	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	
Croatia. Dangerous Substance Expo Components	osure Limit Values in the W Type	orkplace (ELVs), Annexes 1 a Value	nd 2, Narodne Novine, 1
Carbon black (CAS 1333-86-4)	MAC	3,5 mg/m3	
,	STEL	7 mg/m3	
Cyprus. OELs. Control of factory at Components	nosphere and dangerous s Type	ubstances in factories regula Value	tion, PI 311/73, as amen
Carbon black (CAS 1333-86-4)	TWA	3,5 mg/m3	
Czech Republic. OELs. Government Components	: Decree 361 Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	10 mg/m3	Dust.
Denmark. Exposure Limit Values Components	Туре	Value	
Carbon black (CAS 1333-86-4)	TLV	3,5 mg/m3	
Terpenes, orange oil (CAS 68647-72-3)	TLV	25 ppm	
Estonia. OELs. Occupational Expos Components	ure Limits of Hazardous Su Type	bstances (Regulation No. 105 Value	5/2001, Annex), as amen
Terpenes, orange oil (CAS 68647-72-3)	STEL	300 mg/m3	
		50 ppm	
	TWA	150 mg/m3 25 ppm	
Finland. Workplace Exposure Limits		20 ppm	
Components	Туре	Value	
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	
France. Threshold Limit Values (VLI Components	EP) for Occupational Expos Type	sure to Chemicals in France, Il Value	NRS ED 984
Carbon black (CAS 1333-86-4)	VME	3,5 mg/m3	
Regulatory status: Indicative I Germany. DFG MAK List (advisory C		Investigation of Health Hazard	Is of Chemical Compou
in the Work Area (DFG) Components	Туре	Value	Form
	TWA	100 mg/m3	Vapor and aerosol, inhalable fraction.
Propanol, oxybis- (CAS 25265-71-8)			
	n the Ambient Air at the Wo Type	rkplace Value	Form

Greece. OELs (Decree No. 90/1999, as am Components	ended) Type	Value	
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	
Hungary. OELs. Joint Decree on Chemical Components	l Safety of Workplaces Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable dust.
Iceland. OELs. Regulation 154/1999 on oc Components	cupational exposure limits Type	Value	
Carbon black (CAS 1333-86-4)	TWA	3,5 mg/m3	
Ireland. Occupational Exposure Limits Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Italy. Occupational Exposure Limits	_		-
Components	Туре		Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Lithuania. OELs. Limit Values for Chemic Components	al Substances, General Requireme Type	ents Value	
Terpenes, orange oil (CAS 68647-72-3)	STEL	300 mg/m3	
		50 ppm	
	TWA	150 mg/m3	
		25 ppm	
Norway. Administrative Norms for Contan Components	ninants in the Workplace Type	Value	
Carbon black (CAS 1333-86-4)	TLV	3,5 mg/m3	
Poland. Ordinance of the Minister of Labo concentrations and intensities of harmful Components			
Carbon black (CAS	TWA	4 mg/m3	Inhalable fraction.
1333-86-4)		C C	
		0 ppm	Inhalable fraction.
Portugal. VLEs. Norm on occupational ex Components	posure to chemical agents (NP 179 Type	96) Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Fume.
Slovakia. OELs. Regulation No. 300/2007 Components	concerning protection of health in Type	work with chemica Value	l agents
Carbon black (CAS 1333-86-4)	TWA	2 mg/m3	
Slovenia. OELs. Regulations concerning p (Official Gazette of the Republic of Sloven			
Components	Туре	Value	Form
Propanol, oxybis- (CAS 25265-71-8)	TWA	100 mg/m3	Inhalable fraction.
Spain. Occupational Exposure Limits Components	Туре	Value	
Carbon black (CAS	Type TWA		
1333-86-4)		3,5 mg/m3	

Carbon black (CAS 1333-86-4)	TWA	5 mg/m3	Inhalable dusts and mist
		1 mg/m3	Inhalable dust.
Terpenes, orange oil (CAS 68647-72-3)	STEL	300 mg/m3	
		50 ppm	
	TWA	150 mg/m3	
		25 ppm	
Switzerland. SUVA Grenzv	verte am Arbeitsplatz		
Components	Туре	Value	Form
Propanol, oxybis- (CAS 25265-71-8)	STEL	280 mg/m3	Vapor and aerosol, inhalable.
	TWA	140 mg/m3	Vapor and aerosol, inhalable.
UK. EH40 Workplace Expo	sure Limits (WELs)		
Components	Туре	Value	
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	
ogical limit values	No biological exposure limits noted	for the ingredient(s).	
ommended monitoring cedures	Follow standard monitoring procedu	res.	
ived no effect levels ELs)	Not available.		
dicted no effect centrations (PNECs)	Not available.		
Exposure controls			
ropriate engineering trols	Good general ventilation should be applicable, use process enclosures, maintain airborne levels below recor established, maintain airborne levels	local exhaust ventilation, or oth mmended exposure limits. If exp	ner engineering controls to
vidual protection measures General information	s, such as personal protective equipr Personal protection equipment shou discussion with the supplier of the p	Ild be chosen according to the (CEN standards and in
Eye/face protection	Wear safety glasses with side shield		ecommended.
Skin protection			
- Hand protection	Wear appropriate chemical resistan	t gloves.	
- Other	Wear appropriate chemical resistant	0	apron is recommended.
Respiratory protection	In case of insufficient ventilation, we		-
Thermal hazards	Wear appropriate thermal protective		
iene measures	Always observe good personal hygic and before eating, drinking, and/or s equipment to remove contaminants. workplace.	ene measures, such as washing moking. Routinely wash work o	clothing and protective
ironmental exposure trols	Inform appropriate managerial or su from ventilation or work process equ requirements of environmental prote modifications to the process equipm	ipment should be checked to e ection legislation. Fume scrubbe	nsure they comply with the ers, filters or engineering

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Form	Liquid.
Colour	Not available.
Odour	Not available.
Melting point/freezing point	3 °C (37,4 °F) estimated

Boiling point or initial boiling point and boiling range	Not available.	
Flammability (solid, gas)	Not applicable.	
Flash point	> 100 °C (> 212 °F)	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
рН	Not available.	
Solubility(ies)		
Solubility (water)	Not available.	
Partition coefficient (n-octanol/water)	Not available.	
Vapour pressure	0,000125 hPa estimated	
Vapour density	Not available.	
Relative density	Not available.	
Particle characteristics	Not available.	
9.2. Other information		
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.	
9.2.2. Other safety characteristic	S	
Density	0,946 g/cm3 estimated	
Explosive properties	Not explosive.	
Oxidising properties	Not oxidising.	
Percent volatile	4,5 % estimated	
Specific gravity	0,94643 estimated	
VOC	4,5 % estimated	
SECTION 10: Stability and	-	
10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.	
10.2. Chemical stability	Material is stable under normal conditions.	
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.	
10.4. Conditions to avoid	Contact with incompatible materials.	
10.5. Incompatible materials	Strong oxidising agents.	
10.6. Hazardous decomposition products	No hazardous decomposition products are known.	
SECTION 11: Toxicologica	linformation	
General information	Occupational exposure to the substance or mixture may cause adverse effects.	
Information on likely routes of ex	rposure	
Inhalation	Prolonged inhalation may be harmful.	
Skin contact	May cause an allergic skin reaction.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.	
Symptoms	May cause an allergic skin reaction. Dermatitis. Rash.	
11.1. Information on toxicologica	I effects	
Acute toxicity		
Components	Species Test Results	
Carbon black (CAS 1333-86-4)	•	
Acute		
Oral		
LD50	Rat > 8000 mg/kg	
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.	
Serious eye damage/eye irritation	Due to partial or complete lack of data the classification is not possible.	
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.	

Skin sensitisation

Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.					
Carcinogenicity	Risk of cancer cannot be excluded with prolonged exposure.					
Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work						
(as amended) Not listed.						
IARC Monographs. Overall I	Evaluation of Ca	rcinogenicity				
Carbon black (CAS 1333 Coumarin (CAS 91-64-5)			2B Possibly carcinogenic to humans. 3 Not classifiable as to carcinogenicity to humans.			
Reproductive toxicity	Due to partial o	r complete lack o	of data the classification is not possible.			
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.					
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.					
Aspiration hazard	Due to partial o	Due to partial or complete lack of data the classification is not possible.				
Mixture versus substance	No information	No information available.				
11.2. Information on other hazar	ds					
Endocrine disrupting properties	The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.					
Other information	Not available.		gnor.			
SECTION 12: Ecological information						
12.1. Toxicity	Toxic to aquatic life with long lasting effects. Based on available data, the classification criteria are not met for hazardous to the aquatic environment, acute hazard.					
Components		Species		Test Results		
Coumarin (CAS 91-64-5) Aquatic						
<i>Acute</i> Fish	LC50	Guppy (Poecilia	reticulata)	>= 32 - <= 100 mg/l, 96 hours		
12.2. Persistence and			adability of any ingredie	-		
degradability 12.3. Bioaccumulative potential						
Partition coefficient						
n-octanol/water (log Kow)						
1,6-Nonadien-3-ol, 3,7-dimeth 2,6-Dimethyl-7-octen-2-ol	ıyl-		3,3 3,25			
AHTN			5,25			
Benzyl salicylate			4			
Coumarin Dihydro pentamethylindanone		1,39 4,2				
Galaxolide	;		5,3			
Linalool			2,97			
Linalyl acetate			3,9 3,93			
Oxacyclohexadec-12-en-2-on	e, (12E)-		5,45			
Bioconcentration factor (BCF)	Not available.					
12.4. Mobility in soil	No data availab	ole.				
12.5. Results of PBT and vPvB assessment	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.					
12.6. Endocrine disrupting properties	The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.					
12.7. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.					
SECTION 13: Disposal considerations						
13.1. Waste treatment methods						
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).					
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.					

EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.				
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches				
	with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.				
Special precautions	Dispose in accordance with all applicable regulations.				
SECTION 14: Transport inf	ormation				
ADR					
14.1. UN number	UN3082				
14.2. UN proper shipping	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.				
name					
14.3. Transport hazard class	(es)				
Class	9				
Subsidiary risk	-				
Label(s)	9				
Hazard No. (ADR)	90				
Tunnel restriction code					
14.4. Packing group					
14.5. Environmental hazards					
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.				
for user					
RID					
14.1. UN number	UN3082				
14.2. UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.				
14.3. Transport hazard class	(es)				
Class	9				
Subsidiary risk	-				
Label(s)	9				
14.4. Packing group					
14.5. Environmental hazards	Yes				
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.				
for user					
ADN					
14.1. UN number	UN3082				
14.2. UN proper shipping	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.				
name 14.3. Transport hazard class(es)					
Class	9				
Subsidiary risk					
Label(s)	9				
14.4. Packing group					
14.5. Environmental hazards					
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.				
for user					
IATA					
14.1 14.6.: Not regulated as dangerous goods.					
IMDG					

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in bulk Not established.

according to IMO instruments

ADN; ADR; RID





SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Linalool (CAS 78-70-6)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Galaxolide (CAS 1222-05-5)

- (-	
Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.
National regulations	Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).
CAS: Chemical Abstract Service.
CEN: European Committee for Standardization.
IATA: International Air Transport Association.
IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.
IMDG: International Maritime Dangerous Goods.
MAC: Maximum Allowed Concentration.
MARPOL: International Convention for the Prevention of Pollution from Ships.

References	PBT: Persistent, bioaccumulative and toxic. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value. vPvB: Very persistent and very bioaccumulative. Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under Sections 2 to 15	 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.
Revision information	Product and Company Identification: Product and Company Identification
Training information	Follow training instructions when handling this material.
Disclaimer	Home Fragrance Italia cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.