# SAFETY DATA SHEET

Version #: 03 Issue date: 04-August-2023 Revision date: 11-September-2023 Supersedes date: 08-September-2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

	· · ·
1.1. Product identifier Trade name or designation of the mixture	FRAGRANCE DIFFUSER 100ml - VANILLA & WOOD 7MDDV
Registration number	-
Synonyms	None.
Product code	7MDDV
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Identified uses	General Public
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
Supplier	
Company name Address	Home Fragrance Italia S.r.L. Via del Commercio 28 Bernareggio (MB) 20881 IT
Division	
Telephone	
e-mail	Not available.
Contact person	Not available.
1.4. Emergency telephone number	
1.4. Emergency telephone numb General in EU	<b>Der</b> 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Austria National Poisons Information Centre	+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Belgium National Poisons Control Centre	070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Bulgaria National Toxicological Information Centre	+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Czech Republic National Poisons Information Centre	+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Denmark National Poisons Control Centre	+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Estonia National Poisons Information Centre	16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
Finland National Poison Information Centre	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
France National Poisons Control Centre	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Number	36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone numb	ber de la constant de
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Netherlands National Poisons Information Centre (NVIC)	030-274 88 88 (Only for the purpose of informing medical personnel in cases of acute intoxications)
Norway Norwegian Poison Information Centre	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Portugal Poison Centre	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Romania Biroul RSI si Informare Toxicologica	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)
Slovakia National Toxicological Information Centre	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Sweden National Poison Information Centre	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Switzerland Tox Info Suisse	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

### Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards Flammable liquids	Category 2	H225 - Highly flammable liquid and vapour.
Health hazards		
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.
Skin sensitisation	Category 1B	H317 - May cause an allergic skin reaction.
Environmental hazards		
Hazardous to the aquatic environment, long-term aquatic hazard	Category 2	H411 - Toxic to aquatic life with long lasting effects.

2.2. Label elements

# Label according to Regulation (EC) No. 1272/2008 as amended UFI:

Austria: 5YGY-XQ86-1319-AJM8 Belgium: 5YGY-XQ86-1319-AJM8 Bulgaria: 5YGY-XQ86-1319-AJM8 Croatia: 5YGY-XQ86-1319-AJM8 Cyprus: 5YGY-XQ86-1319-AJM8 Czech Republic: 5YGY-XQ86-1319-AJM8 Denmark: 5YGY-XQ86-1319-AJM8 Estonia: 5YGY-XQ86-1319-AJM8 EU: 5YGY-XQ86-1319-AJM8 Finland: 5YGY-XQ86-1319-AJM8 France: 5YGY-XQ86-1319-AJM8 Germany: 5YGY-XQ86-1319-AJM8 Great Britain: 5YGY-XQ86-1319-AJM8 Greece: 5YGY-XQ86-1319-AJM8 Hungary: 5YGY-XQ86-1319-AJM8 Iceland: 5YGY-XQ86-1319-AJM8 Ireland: 5YGY-XQ86-1319-AJM8 Italy: 5YGY-XQ86-1319-AJM8 Latvia: 5YGY-XQ86-1319-AJM8 Lithuania: 5YGY-XQ86-1319-AJM8 Luxembourg: 5YGY-XQ86-1319-AJM8 Malta: 5YGY-XQ86-1319-AJM8 Netherlands: 5YGY-XQ86-1319-AJM8 Norway: 5YGY-XQ86-1319-AJM8 Poland: 5YGY-XQ86-1319-AJM8 Portugal: 5YGY-XQ86-1319-AJM8 Romania: 5YGY-XQ86-1319-AJM8 Slovakia: 5YGY-XQ86-1319-AJM8 Slovenia: 5YGY-XQ86-1319-AJM8 Spain: 5YGY-XQ86-1319-AJM8 Sweden: 5YGY-XQ86-1319-AJM8 Contains: 3-Octanol, 3,7-dimethyl-, Acetylcedrene, cis-4-(Isopropyl)cyclohexanemethanol, Coumarin, d-Limonene, Ethoxy-Methoxymethyl-Phenol, Isocyclemone E, Linalool, Linalyl acetate, Oils, quaiac wood Hazard pictograms Signal word Danger Hazard statements Highly flammable liquid and vapour. H225 May cause an allergic skin reaction. H317 Causes serious eye irritation. H319 Toxic to aquatic life with long lasting effects. H411 **Precautionary statements** Prevention Keep out of reach of children. P102 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P210 Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338 and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 If eye irritation persists: Get medical advice/attention. P337 + P313 If on skin: Wash with plenty of water/. P302 + P350 Not applicable. Storage Disposal Dispose of contents/container in accordance with local/regional/national/international regulations. P501 Supplemental label information None. 2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

Chemical name		%	CAS-No. / EC No.	REACH Registration No	o. Index No.	Notes
Ethanol		70 - 80	64-17-5 200-578-6	-	603-002-00-5	
	Classification: Fla	am. Liq. 2	2;H225, Eye Irrit. 2;H	1319		
Propanol, 1(or 2)-(2-methoxymethyle		5 - 10	34590-94-8 252-104-2	-	-	#
Acetylcedrene		1 - 3	32388-55-9 251-020-3	-	-	
			1B;H317, Aquatic A I410(M=1)	cute 1;H400(M=1), Aquati	с	
benzyl benzoate		1 - 3	120-51-4 204-402-9	01-2119976371-33	607-085-00-9	
		cute Tox. hronic 2;F		ng/kg bw), Aquatic Acute 1	I;H400, Aquatic	
Galaxolide		1 - 3	1222-05-5 214-946-9	01-2119488227-29	603-212-00-7	
	Classification: Ac	quatic Act	ute 1;H400, Aquatic	Chronic 1;H410		
Isocyclemone E		1 - 3	54464-57-2 259-174-3	-	-	
	Classification: Sk	kin Irrit. 2;	H315, Skin Sens. 1	B;H317, Aquatic Chronic 2	2;H411	
cis-4-(Isopropyl)cyclo		≤ 1	13828-37-0 237-539-8	-	-	
	Classification: Sk		H315, Skin Sens. 1	B;H317		
d-Limonene		≤ 1	5989-27-5 227-813-5	-	601-096-00-2	
	1;I	H304, Áq	uatic Acute 1;H400(	H315, Skin Sens. 1B;H317 M=1), Aquatic Chronic 3;F		
3-Octanol, 3,7-dimeth		≤ 0,3	78-69-3 201-133-9	-	-	
0			-	319, Skin Sens. 1B;H317		
Coumarin	Classification: Ac	≤ 0,3 sute Tox	91-64-5 202-086-7 3·H301·(ATE: 100 n	01-2119949300-45 ng/kg bw), Skin Sens. 1B;l	- H317	
Ethoxy-Methoxymeth		≤ 0,3	5595-79-9		-	
			447-640-0	- ng/kg bw), Skin Sens. 1B;I	- H317	
Linalool		≤ 0,3	78-70-6 201-134-4	01-2119474016-42	603-235-00-2	
	Classification: Sk	kin Irrit. 2;	H315, Eye Irrit. 2;H	319, Skin Sens. 1B;H317		
AHTN		≤ 0,2	21145-77-7 244-240-6	-	-	
			4;H302;(ATE: 500 n ronic 1;H410(M=1)	ng/kg bw), Aquatic Acute 1	;H400(M=1),	
Linalyl acetate		≤ 0,2	115-95-7 204-116-4	-	-	
	Classification: Sk	kin Irrit. 2;	H315, Eye Irrit. 2;H	319, Skin Sens. 1B;H317		
Oils, guaiac wood		≤ 0,2	8016-23-7 616-975-6	-	-	
	Classification: Sk	kin Irrit. 2;	H315, Skin Sens. 1	B;H317, Aquatic Chronic 2	2;H411	
Other components be levels	low reportable	4,6				
	stimate. ccumulative and tox and very bioaccum in percent by weigl	ic substa ulative su ht unless	nce. ıbstance.	Gas concentrations are in	percent by volume.	#: This

The full text for all H-statements is displayed in section 16.

### **SECTION 4: First aid measures**

General information	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
4.1. Description of first aid meas	sures
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
4.2. Most important symptoms and effects, both acute and delayed	Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. May cause an allergic skin reaction. Dermatitis. Rash.
4.3. Indication of any immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

### **SECTION 5: Firefighting measures**

General fire hazards	Highly flammable liquid and vapour.
5.1. Extinguishing media Suitable extinguishing media	Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protect	ctive equipment and emergency procedures
For non-emergency personnel	Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
For emergency responders	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Avoid breathing mist/vapours. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent entry into waterways, sewer, basements or confined areas.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## **SECTION 7: Handling and storage**

7.2. Conditions for safe storage, including any incompatibilities	<ul> <li>Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.</li> <li>Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with</li> </ul>
Incompatibilities	sprinklers. Store away from incompatible materials (see Section 10 of the SDS).
incompatibilities 7.3. Specific end use(s)	

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Occupational exposure limits**

Austria. MAK List, OEL Ordinance Components	Туре	Value
Ethanol (CAS 64-17-5)	Ceiling	3800 mg/m3
		2000 ppm
	MAK	1900 mg/m3
		1000 ppm
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	Ceiling	614 mg/m3
		100 ppm
	MAK	307 mg/m3
		50 ppm
Belgium. Exposure Limit Values		
Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1907 mg/m3
		1000 ppm
Propanol, 1(or	TWA	308 mg/m3
2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)		50 ppm
- (CAS 34590-94-8) Bulgaria. OELs. Regulation No 13 (	on protection of workers agai Type	50 ppm nst risks of exposure to chemical agents at work Value
- (CAS 34590-94-8) Bulgaria. OELs. Regulation No 13 Components	Туре	nst risks of exposure to chemical agents at work Value
- (CAS 34590-94-8) Bulgaria. OELs. Regulation No 13 Components Ethanol (CAS 64-17-5) Propanol, 1(or 2)-(2-methoxymethylethoxy)		nst risks of exposure to chemical agents at work
- (CAS 34590-94-8)	Type TWA	nst risks of exposure to chemical agents at work Value 1000 mg/m3
- (CAS 34590-94-8) Bulgaria. OELs. Regulation No 13 ( Components Ethanol (CAS 64-17-5) Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8) Croatia. Dangerous Substance Exp	Type TWA TWA	nst risks of exposure to chemical agents at work Value 1000 mg/m3 308 mg/m3
- (CAS 34590-94-8) Bulgaria. OELs. Regulation No 13 ( Components Ethanol (CAS 64-17-5) Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8) Croatia. Dangerous Substance Exp Components	Type TWA TWA Dosure Limit Values in the Wo	nst risks of exposure to chemical agents at work Value 1000 mg/m3 308 mg/m3 50 ppm orkplace (ELVs), Annexes 1 and 2, Narodne Novine, 13
- (CAS 34590-94-8) Bulgaria. OELs. Regulation No 13 ( Components Ethanol (CAS 64-17-5) Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8) Croatia. Dangerous Substance Exp Components	Type TWA TWA TWA Doosure Limit Values in the Wo Type	nst risks of exposure to chemical agents at work Value 1000 mg/m3 308 mg/m3 50 ppm orkplace (ELVs), Annexes 1 and 2, Narodne Novine, 13 Value
- (CAS 34590-94-8) Bulgaria. OELs. Regulation No 13 Components Ethanol (CAS 64-17-5) Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8) Croatia. Dangerous Substance Exp Components Ethanol (CAS 64-17-5) Propanol, 1(or 2)-(2-methoxymethylethoxy)	Type TWA TWA TWA Doosure Limit Values in the Wo Type	nst risks of exposure to chemical agents at work Value 1000 mg/m3 308 mg/m3 50 ppm orkplace (ELVs), Annexes 1 and 2, Narodne Novine, 13 Value 1900 mg/m3
- (CAS 34590-94-8) Bulgaria. OELs. Regulation No 13 Components Ethanol (CAS 64-17-5) Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8) Croatia. Dangerous Substance Exp Components Ethanol (CAS 64-17-5) Propanol, 1(or 2)-(2-methoxymethylethoxy)	Type TWA TWA TWA Dosure Limit Values in the Wo Type MAC	nst risks of exposure to chemical agents at work Value 1000 mg/m3 308 mg/m3 50 ppm orkplace (ELVs), Annexes 1 and 2, Narodne Novine, 13 Value 1900 mg/m3 1000 ppm
- (CAS 34590-94-8) Bulgaria. OELs. Regulation No 13 Components Ethanol (CAS 64-17-5) Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8) Croatia. Dangerous Substance Exp Components Ethanol (CAS 64-17-5) Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	Type TWA TWA TWA Dosure Limit Values in the Wo Type MAC MAC	nst risks of exposure to chemical agents at work Value 1000 mg/m3 308 mg/m3 50 ppm orkplace (ELVs), Annexes 1 and 2, Narodne Novine, 13 Value 1900 mg/m3 1000 ppm 308 mg/m3
- (CAS 34590-94-8) Bulgaria. OELs. Regulation No 13 Components Ethanol (CAS 64-17-5) Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8) Croatia. Dangerous Substance Exp Components Ethanol (CAS 64-17-5) Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8) Czech Republic. OELs. Government	Type TWA TWA TWA Dosure Limit Values in the Wo Type MAC MAC	nst risks of exposure to chemical agents at work Value 1000 mg/m3 308 mg/m3 50 ppm orkplace (ELVs), Annexes 1 and 2, Narodne Novine, 13 Value 1900 mg/m3 1000 ppm 308 mg/m3
- (CAS 34590-94-8) Bulgaria. OELs. Regulation No 13 Components Ethanol (CAS 64-17-5) Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8) Croatia. Dangerous Substance Exp Components Ethanol (CAS 64-17-5) Propanol, 1(or 2)-(2-methoxymethylethoxy)	Type TWA TWA TWA MAC MAC MAC	nst risks of exposure to chemical agents at work Value 1000 mg/m3 308 mg/m3 50 ppm orkplace (ELVs), Annexes 1 and 2, Narodne Novine, 13 Value 1900 mg/m3 1000 ppm 308 mg/m3 50 ppm

#### Czech Republic. OELs. Government Decree 361 Components Type

Components	Туре	Value	
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	Ceiling	550 mg/m3	
	TWA	270 mg/m3	
Denmark. Exposure Limit Values			
Components	Туре	Value	
d-Limonene (CAS 5989-27-5)	TLV	25 ppm	
Ethanol (CAS 64-17-5)	TLV	1900 mg/m3	
		1000 ppm	
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TLV	309 mg/m3	
		50 ppm	

# Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended Components Type Value

Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
		1000 ppm
	TWA	1000 mg/m3
		500 ppm
Propanol, 1(or 2)-(2-methoxymethylethoxy - (CAS 34590-94-8)	TWA y)	308 mg/m3
		50 ppm
Finland. Workplace Expo	osure Limits	
Components	Туре	Value
d-Limonene (CAS 5989-27-5)	STEL	280 mg/m3
		50 ppm
	TWA	140 mg/m3
		25 ppm
Ethanol (CAS 64-17-5)	STEL	2500 mg/m3
		1300 ppm
	TWA	1900 mg/m3
		1000 ppm
Propanol, 1(or 2)-(2-methoxymethylethoxy - (CAS 34590-94-8)	TWA y)	310 mg/m3
		50 ppm
France. OELs. Occupatio Components	onal Exposure Limits as Prescribed by Type	Art. R.4412-149 of Labor Code, as amended Value
Propanol, 1(or 2)-(2-methoxymethylethoxy - (CAS 34590-94-8)	VME y)	308 mg/m3
		50 ppm
France. Threshold Limit Components	Values (VLEP) for Occupational Expos Type	sure to Chemicals in France, INRS ED 984 Value
Ethanol (CAS 64-17-5)	VLE	9500 mg/m3
Regulatory status:	Indicative limit (VL)	-
		5000 ppm
Regulatory status:	Indicative limit (VL)	
	VME	1900 mg/m3
Regulatory status:	Indicative limit (VL)	

Туре	Value	
	1000 ppm	
imit (VL)		
VME	308 mg/m3	
<sup>r</sup> binding (VRC)		
	50 ppm	
<sup>v</sup> binding (VRC)		
DELs). Commission for the Ir	nvestigation of Health Hazard	ls of Chemical Compound
Туре	Value	Form
TWA	28 mg/m3	
	5 ppm	
TWA	380 mg/m3	
	200 ppm	
TWA	310 mg/m3	Vapour.
	50 ppm	Vapour.
Type	vplace Value	Form
AGW	28 mg/m3	
	5 ppm	
AGW		
7011		
		Vapour and aerosol.
AGW	510 119/115	
	50 ppm	Vapour and aerosol.
as amended)		
Туре	Value	
TWA	1900 mg/m3	
	1000 ppm	
STEL	900 mg/m3	
	C C	
	150 ppm	
TWA	600 mg/m3	
	100 ppm	
emical Safety of Workplaces Type	Value	
STEL	3800 mg/m3	
TWA	1900 mg/m3	
TWA	308 mg/m3	
	mits Value	
-		
I V V /~	C C	
	rood ppm	
	<pre>/ binding (VRC) / binding (VRC) DELs). Commission for the Ir     Type     TWA     TWA     TWA     TWA     TWA     AGW     AGW</pre>	Iminit (VL)         VME         308 mg/m3           V binding (VRC)         50 ppm           V binding (VRC)         50 ppm           VELs). Commission for the Investigation of Health Hazard         7000000000000000000000000000000000000

Iceland. OELs. Regulation 154/1999 Components	Type	Value
		50 ppm
reland. Occupational Exposure Lin		
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3
		50 ppm
taly. Occupational Exposure Limits Components	с Туре	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Propanol, 1(or	TWA	308 mg/m3
(CAS 34590-94-8)	LWA	
		50 ppm
Latvia. OELs. Occupational exposu Components	re limit values of chemical s Type	substances in work environment Value
Ethanol (CAS 64-17-5)	TWA	1000 mg/m3
Propanol, 1(or 2)-(2-methoxymethylethoxy) · (CAS 34590-94-8)	TWA	308 mg/m3
		50 ppm
Lithuania. OELs. Limit Values for C Components	Chemical Substances, Gene Type	ral Requirements Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
		1000 ppm
	TWA	1000 mg/m3
		500 ppm
Propanol, 1(or ?)-(2-methoxymethylethoxy) (CAS 34590-94-8)	STEL	450 mg/m3
		75 ppm
	TWA	308 mg/m3
		50 ppm
Luxembourg. Binding Occupationa Components	l exposure limit values (Anr Type	nex I), Memorial A Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) · (CAS 34590-94-8)	TWA	308 mg/m3
		50 ppm
Malta. OELs. Occupational Exposu	re Limit Values (L.N. 227. of	Occupational Health and Safety Authority Act (CAP. 424
Schedules I and V)		
Components	Туре	Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) · (CAS 34590-94-8)	TWA	308 mg/m3
		50 ppm
Netherlands. OELs (binding) Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
	TWA	260 mg/m3
Propanol, 1(or 2)-(2-methoxymethylethoxy) · (CAS 34590-94-8)	TWA	300 mg/m3

#### Norway. Administrative Norms for Contaminants in the Workplace omnononto Tune

Components	Туре	Value	
d-Limonene (CAS 5989-27-5)	TLV	140 mg/m3	
		25 ppm	
Ethanol (CAS 64-17-5)	TLV	950 mg/m3	
		500 ppm	
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TLV	300 mg/m3	
· · · · · · · · · · · · · · · · · · ·		50 ppm	

Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 Type Value Components

Components	туре	value
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	STEL	480 mg/m3
	TWA	240 mg/m3
Portugal. OELs. Decree-Law n. 290	)/2001 (Journal of the Repub	lic - 1 Series A, n.266)
Components	Туре	Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3
		50 ppm
Portugal. VLEs. Norm on occupati	-	
Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1000 ppm
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	STEL	150 ppm
	TWA	100 ppm
Romania. OELs. Protection of wor	kers from exposure to chem	ical agents at the workplace
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	9500 mg/m3
		5000 ppm
	TWA	1900 mg/m3
		1000 ppm
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3
		50 ppm
Slovakia, OFLs, Regulation No. 30	0/2007 concerning protectio	n of health in work with chemical agents
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1920 mg/m3
		1000 ppm
	TWA	960 mg/m3
		500 ppm
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3

-methoxymet - (CAS 34590-94-8)

50 ppm Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

Components	Туре	Value	
d-Limonene (CAS 5989-27-5)	TWA	28 mg/m3	

# Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

Components	Туре	Value	
		5 ppm	
Ethanol (CAS 64-17-5)	TWA	960 mg/m3	
		500 ppm	
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3	
		50 ppm	
Spain. Occupational Exposure Lim	its		
Components	Туре	Value	
d-Limonene (CAS 5989-27-5)	TWA	168 mg/m3	
		30 ppm	
Ethanol (CAS 64-17-5)	STEL	1910 mg/m3	
		1000 ppm	
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3	
•		50 ppm	

# Sweden. OELs. Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2015:7)

Components	Type	Value	
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3	
		1000 ppm	
	TWA	1000 mg/m3	
		500 ppm	
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	STEL	450 mg/m3	
		75 ppm	
	TWA	300 mg/m3	
		50 ppm	

# Switzerland. SUVA Grenzwerte am Arbeitsplatz

Components	Туре	Value	Form
d-Limonene (CAS 5989-27-5)	STEL	80 mg/m3	
		14 ppm	
	TWA	40 mg/m3	
		7 ppm	
Ethanol (CAS 64-17-5)	STEL	1920 mg/m3	
		1000 ppm	
	TWA	960 mg/m3	
		500 ppm	
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	STEL	300 mg/m3	Vapour and aerosol.
		50 ppm	Vapour and aerosol.
	TWA	300 mg/m3	Vapour and aerosol.
		50 ppm	Vapour and aerosol.
UK. EH40 Workplace Exposure Lir	nits (WELs)		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	TWA	1920 mg/m3	
		1000 ppm	

Components	osure Limits (WELs) Type	Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3
		50 ppm
EU. Indicative Exposure L Components	imit Values in Directives 91/3 Type	322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU Value
Propanol, 1(or 2)-(2-methoxymethylethoxy) - (CAS 34590-94-8)	TWA	308 mg/m3
		50 ppm
ological limit values	No biological exposure lim	its noted for the ingredient(s).
commended monitoring ocedures	Follow standard monitoring	g procedures.
rived no effect levels NELs)	Not available.	
edicted no effect ncentrations (PNECs)	Not available.	
posure guidelines		
Austria MAK: Skin designa		
Propanol, 1(or 2)-(2-me (CAS 34590-94-8) Belgium OELs: Skin desig		Can be absorbed through the skin.
Propanol, 1(or 2)-(2-me (CAS 34590-94-8)		Can be absorbed through the skin.
Bulgaria OELs: Skin desig		
Propanol, 1(or 2)-(2-me (CAS 34590-94-8)		Can be absorbed through the skin.
Croatia ELVs: Skin design Propanol, 1(or 2)-(2-me		Can be absorbed through the skin.
(CAS 34590-94-8) Czech Republic PELs: Ski		
Propanol, 1(or 2)-(2-me (CAS 34590-94-8)		Can be absorbed through the skin.
Denmark GV: Skin designa		Can be absorbed through the skin
Propanol, 1(or 2)-(2-me (CAS 34590-94-8) Estonia OELs: Skin desigi		Can be absorbed through the skin.
Propanol, 1(or 2)-(2-me (CAS 34590-94-8)	thoxymethylethoxy)-	Can be absorbed through the skin.
EU Exposure Limit Values Propanol, 1(or 2)-(2-me	-	Can be absorbed through the skin.
(CAS 34590-94-8) Finland Exposure Limit Va	lues: Skin designation	
Propanol, 1(or 2)-(2-me (CAS 34590-94-8)		Can be absorbed through the skin.
France INRS: Skin designa Propanol, 1(or 2)-(2-me (CAS 34590-94-8)		Can be absorbed through the skin.
Germany DFG MAK (advis		Can be absorbed through the slife
d-Limonene (CAS 5989 Germany TRGS 900 Limit	Values: Skin designation	Can be absorbed through the skin.
d-Limonene (CAS 5989 Greece OEL: Skin designa	tion	Can be absorbed through the skin.
Propanol, 1(or 2)-(2-me (CAS 34590-94-8)		Can be absorbed through the skin.
Iceland OELs: Skin design Propanol, 1(or 2)-(2-me (CAS 34590-94-8)		Can be absorbed through the skin.
Ireland Exposure Limit Va Propanol, 1(or 2)-(2-me	-	Can be absorbed through the skin.
(CAS 34590-94-8)	anoxymeuryieuroxy)-	Can be absolued unough the skin.

Italy OELs: Skin designation	n	
Propanol, 1(or 2)-(2-meth (CAS 34590-94-8) Latvia OELs: Skin designati		Danger of cutaneous absorption
Propanol, 1(or 2)-(2-metr (CAS 34590-94-8) Lithuania OELs: Skin desig	noxymethylethoxy)-	Can be absorbed through the skin.
Propanol, 1(or 2)-(2-meth (CAS 34590-94-8)	noxymethylethoxy)-	Can be absorbed through the skin.
Luxembourg OELs: Skin de	-	
Propanol, 1(or 2)-(2-meth (CAS 34590-94-8)		Can be absorbed through the skin.
Malta OELs: Skin designatio		Can be absorbed through the skin
Propanol, 1(or 2)-(2-meth (CAS 34590-94-8) Netherlands OELs (binding)		Can be absorbed through the skin.
Ethanol (CAS 64-17-5)	. Skill designation	Can be absorbed through the skin.
Norway Exposure Limit Val	ues: Skin designation	Can be absolbed through the skin.
Propanol, 1(or 2)-(2-meth (CAS 34590-94-8)	noxymethylethoxy)-	Can be absorbed through the skin.
Portugal OELs: Skin design		
Propanol, 1(or 2)-(2-meth (CAS 34590-94-8)		Can be absorbed through the skin.
	cupational Exposure: Skin de	
Propanol, 1(or 2)-(2-meth (CAS 34590-94-8) Romania OELs: Skin desigr		Can be absorbed through the skin.
Propanol, 1(or 2)-(2-meth		Can be absorbed through the skin.
(CAS 34590-94-8) Slovakia OELs: Skin design		
Propanol, 1(or 2)-(2-meth (CAS 34590-94-8)		Can be absorbed through the skin.
Slovenia. OELs. Regulation (Official Gazette of the Repu	s concerning protection of w ublic of Slovenia)	orkers against risks due to exposure to chemicals while working
d-Limonene (CAS 5989-2		Can be absorbed through the skin.
Propanol, 1(or 2)-(2-meth (CAS 34590-94-8)		Can be absorbed through the skin.
Spain OELs: Skin designati		
d-Limonene (CAS 5989-2 Propanol, 1(or 2)-(2-meth (CAS 34590-94-8)		Can be absorbed through the skin. Can be absorbed through the skin.
Sweden Threshold Limit Va	lues: Skin designation	
Propanol, 1(or 2)-(2-meth (CAS 34590-94-8) <b>UK EH40 WEL: Skin design</b>		Can be absorbed through the skin.
Propanol, 1(or 2)-(2-meth		Can be absorbed through the skin.
(CAS 34590-94-8)		
8.2. Exposure controls	Fundación and facanada a	
Appropriate engineering controls	Ventilation rates should be n exhaust ventilation, or other exposure limits. If exposure	local exhaust ventilation. Good general ventilation should be used. natched to conditions. If applicable, use process enclosures, local engineering controls to maintain airborne levels below recommended limits have not been established, maintain airborne levels to an ewash station and safety shower.
ndividual protection measures,		
General information	Use personal protective equi according to the CEN standa equipment.	ipment as required. Personal protection equipment should be chosen ards and in discussion with the supplier of the personal protective
Eye/face protection	• •	le shields (or goggles). Face shield is recommended.
Skin protection		
- Hand protection	Wear appropriate chemical r	resistant gloves.
- Other	Wear appropriate chemical r	esistant clothing. Use of an impervious apron is recommended.
Respiratory protection	limits (where applicable) or to	t maintain airborne concentrations below recommended exposure o an acceptable level (in countries where exposure limits have not
Thermal hazards	been established), an approv Wear appropriate thermal pr	rotective clothing, when necessary.
mermai nazarus	wear appropriate thermal pr	otootavo olotining, whom holosoaly.

Hygiene measures	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.
Environmental exposure controls	Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

5.1. Information on basic physic	and chemical properties	
Physical state	Liquid.	
Form	Liquid.	
Colour	Not available.	
Odour	Not available.	
Melting point/freezing point	-114,1 °C (-173,38 °F) estimated	
Boiling point or initial boiling point and boiling range	78,29 °C (172,92 °F) estimated	
Flammability	Not applicable.	
Flash point	13 °C (55,4 °F) estimated	
Auto-ignition temperature	363 °C (685,4 °F) estimated	
Decomposition temperature	Not available.	
рН	Not available.	
Kinematic viscosity	Not available.	
Solubility		
Solubility (water)	Not available.	
Partition coefficient (n-octanol/water) (log value)	Not available.	
Vapour pressure	68,819708 hPa estimated	
Density and/or relative density		
Density	0,82 g/cm3 estimated	
Vapour density	Not available.	
Particle characteristics	Not available.	
9.2. Other information		
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.	
9.2.2. Other safety characteristic	cs	
Percent volatile	79,04 % estimated	
Specific gravity	0,81991 estimated	
VOC	80,4 % estimated	
SECTION 10: Stability and	I reactivity	
10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.	
10.2. Chemical stability	Material is stable under normal conditions.	
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.	
10.4. Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.	
10.5. Incompatible materials	Strong oxidising agents.	
10.6. Hazardous decomposition products	No hazardous decomposition products are known.	
SECTION 11: Toxicological information		

General information	Occupational exposure to the substance or mixture may cause adverse effects.
Information on likely routes of e	xposure
Inhalation	Prolonged inhalation may be harmful.
Skin contact	May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.

Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
Symptoms	Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. May cause an allergic skin reaction. Dermatitis. Rash.
11.1. Information on hazard clas	ses as defined in Regulation (EC) No 1272/2008
Acute toxicity	No data available.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory sensitisation	Based on available data, the classification criteria are not met.
Skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Hungary. 26/2000 EüM Ordir (as amended)	nance on protection against and preventing risk relating to exposure to carcinogens at work
Not listed. IARC Monographs. Overall I	Evaluation of Carcinogenicity
Coumarin (CAS 91-64-5) d-Limonene (CAS 5989-2	
Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.
Mixture versus substance information	No information available.
11.2. Information on other hazar	ds
Endocrine disrupting properties	The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other information	Not available.
SECTION 12: Ecological in	aformation

# **SECTION 12: Ecological information**

12.1. Toxicity		aquatic life with long lasting effects. Based on a or hazardous to the aquatic environment, acute	,
Components		Species	Test Results
Coumarin (CAS 91-64-5)			
Aquatic			
Acute			
Fish	LC50	Guppy (Poecilia reticulata)	32 - 100 mg/l, 96 hours
d-Limonene (CAS 5989-27-5)			
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia pulex)	69,6 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	0,619 - 0,796 mg/l, 96 hours
Ethanol (CAS 64-17-5)			
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	7,7 - 11,2 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	42 mg/l, 4 days
12.2. Persistence and degradability	No data i	s available on the degradability of any ingredien	ts in the mixture.
12.3. Bioaccumulative potent	ial		
Partition coefficient n-octanol/water (log Kow)			
3-Octanol, 3,7-dimethyl-		3,3	
Acetylcedrene		5,9	

Material name: FRAGRANCE DIFFUSER 100ml - VANILLA & WOOD 7MDDV

7MDDV Version #: 03 Revision date: 11-September-2023 Issue date: 04-August-2023

AHTN		5,4
benzyl benzoate		3,97
cis-4-(Isopropyl)cyclohexanemethanol		3,243
Coumarin		1,39
d-Limonene		4,57
Ethanol		-0,31
Ethoxy-Methoxymethyl-Phenol		1,1
Galaxolide		5,3
Linalool		2,97
Linalyl acetate		3,9
		3,93
Bioconcentration factor (BCF)	Not available.	
12.4. Mobility in soil	No data available.	
12.5. Results of PBT and vPvB assessment	This mixture does not contain s (EC) No 1907/2006, Annex XIII	substances assessed to be vPvB / PBT according to Regulation
12.6. Endocrine disrupting properties		omponents considered to have endocrine disrupting properties (f) or regulation (EU) 2017/2100 or Commission Regulation (EU) iigher.
12.7. Other adverse effects	The product contains volatile of potential.	rganic compounds which have a photochemical ozone creation
12.8. Additional information		
Estonia Dangerous substan	ces in soil Data	
benzyl benzoate (CAS 120-51-4)		Chemical pesticides (As the total sum of the active substances) 0,5 mg/kg
		Chemical pesticides (As the total sum of the active substances) 20 mg/kg
		Chemical pesticides (As the total sum of the active substances) 5 mg/kg
Ethanol (CAS 64-17-5)		Chemical pesticides (As the total sum of the active substances) 0,5 mg/kg
		Chemical pesticides (As the total sum of the active substances) 20 mg/kg
		Chemical pesticides (As the total sum of the active substances) 5 mg/kg

## **SECTION 13: Disposal considerations**

13.1. Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

# **SECTION 14: Transport information**

ADR

14.1. UN number	UN1170
14.2. UN proper shipping name	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol)
14.3. Transport hazard class(	es)
Class	3
Subsidiary risk	-
Label(s)	3
Hazard No. (ADR)	33
Tunnel restriction code	D/E
14.4. Packing group	II
14.5. Environmental hazards	Yes
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
for user	

RID

RID	
14.1. UN number	UN1170
14.2. UN proper shipping	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
name	(Ethanol)
14.3. Transport hazard class	(es)
Class	3
	5
Subsidiary risk	-
Label(s)	3
14.4. Packing group	II
14.5. Environmental hazards	Yes
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
for user	
ADN	
14.1. UN number	UN1170
14.2. UN proper shipping	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
name	(Ethanol)
14.3. Transport hazard class	
-	
Class	3
Subsidiary risk	-
Label(s)	3
14.4. Packing group	II
14.5. Environmental hazards	Yes
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
for user	
ΙΑΤΑ	
14.1. UN number	UN1170
14.2. UN proper shipping	Ethanol solution (Ethanol)
name	
14 3 Iranenort hazard class	
14.3. Transport hazard class	
Class	(es) 3
Class Subsidiary risk	3 -
Class Subsidiary risk 14.4. Packing group	3 - II
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards	3 - II Yes
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code	3 - II Yes 3L
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions	3 - II Yes
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code	3 - II Yes 3L
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions	3 - II Yes 3L
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions for user	3 - II Yes 3L
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions for user Other information	3 - II Yes 3L Read safety instructions, SDS and emergency procedures before handling.
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions for user Other information Passenger and cargo aircraft	3 - II Yes 3L Read safety instructions, SDS and emergency procedures before handling.
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions for user Other information Passenger and cargo	3 - II Yes 3L Read safety instructions, SDS and emergency procedures before handling. Allowed with restrictions.
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions for user Other information Passenger and cargo aircraft Cargo aircraft only IMDG	3 - II Yes 3L Read safety instructions, SDS and emergency procedures before handling. Allowed with restrictions.
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions for user Other information Passenger and cargo aircraft Cargo aircraft only IMDG 14.1. UN number	3 - II Yes 3L Read safety instructions, SDS and emergency procedures before handling. Allowed with restrictions. Allowed with restrictions. UN1170
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions for user Other information Passenger and cargo aircraft Cargo aircraft only IMDG 14.1. UN number 14.2. UN proper shipping	3 - II Yes 3L Read safety instructions, SDS and emergency procedures before handling. Allowed with restrictions. Allowed with restrictions. UN1170 ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions for user Other information Passenger and cargo aircraft Cargo aircraft only IMDG 14.1. UN number 14.2. UN proper shipping name	3 - II Yes 3L Read safety instructions, SDS and emergency procedures before handling. Allowed with restrictions. Allowed with restrictions. UN1170 ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol), MARINE POLLUTANT
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions for user Other information Passenger and cargo aircraft Cargo aircraft only IMDG 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class	3 II Yes 3L Read safety instructions, SDS and emergency procedures before handling. Allowed with restrictions. Allowed with restrictions. UN1170 ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol), MARINE POLLUTANT (es)
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions for user Other information Passenger and cargo aircraft Cargo aircraft only IMDG 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class Class	3 - II Yes 3L Read safety instructions, SDS and emergency procedures before handling. Allowed with restrictions. Allowed with restrictions. UN1170 ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol), MARINE POLLUTANT
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions for user Other information Passenger and cargo aircraft Cargo aircraft only IMDG 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class Class Subsidiary risk	3 - II Yes 3L Read safety instructions, SDS and emergency procedures before handling. Allowed with restrictions. Allowed with restrictions. UN1170 ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol), MARINE POLLUTANT (es) 3
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions for user Other information Passenger and cargo aircraft Cargo aircraft only IMDG 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class Class Subsidiary risk 14.4. Packing group	3 - II Yes 3L Read safety instructions, SDS and emergency procedures before handling. Allowed with restrictions. Allowed with restrictions. UN1170 ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol), MARINE POLLUTANT (es) 3 - II
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions for user Other information Passenger and cargo aircraft Cargo aircraft only IMDG 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class Class Subsidiary risk	3 - II Yes 3L Read safety instructions, SDS and emergency procedures before handling. Allowed with restrictions. Allowed with restrictions. UN1170 ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol), MARINE POLLUTANT (es) 3 - II
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions for user Other information Passenger and cargo aircraft Cargo aircraft only IMDG 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class Class Subsidiary risk 14.4. Packing group	3 - II Yes 3L Read safety instructions, SDS and emergency procedures before handling. Allowed with restrictions. Allowed with restrictions. UN1170 ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol), MARINE POLLUTANT (es) 3 - II
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions for user Other information Passenger and cargo aircraft Cargo aircraft only IMDG 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards	3 II Yes 3L Read safety instructions, SDS and emergency procedures before handling. Allowed with restrictions. UN1170 ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol), MARINE POLLUTANT (es) 3 - II
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions for user Other information Passenger and cargo aircraft Cargo aircraft only IMDG 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards Marine pollutant EmS	3 II Yes 3L Read safety instructions, SDS and emergency procedures before handling. Allowed with restrictions. Allowed with restrictions. UN1170 ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol), MARINE POLLUTANT (es) 3 - II Yes
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions for user Other information Passenger and cargo aircraft Cargo aircraft only IMDG 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards Marine pollutant	3 II Yes 3L Read safety instructions, SDS and emergency procedures before handling. Allowed with restrictions. UN1170 ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol), MARINE POLLUTANT (es) 3 - II Yes F-E, S-D
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions for user Other information Passenger and cargo aircraft Cargo aircraft only IMDG 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards Marine pollutant EmS 14.6. Special precautions	3 II Yes 3L Read safety instructions, SDS and emergency procedures before handling. Allowed with restrictions. UN1170 ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol), MARINE POLLUTANT (es) 3 - II Yes F-E, S-D
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions for user Other information Passenger and cargo aircraft Cargo aircraft only IMDG 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards Marine pollutant EmS 14.6. Special precautions for user d-Limonene	3 II Yes 3L Read safety instructions, SDS and emergency procedures before handling. Allowed with restrictions. UN1170 ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol), MARINE POLLUTANT (es) 3 - II Yes F-E, S-D
Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards ERG Code 14.6. Special precautions for user Other information Passenger and cargo aircraft Cargo aircraft only IMDG 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class Class Subsidiary risk 14.4. Packing group 14.5. Environmental hazards Marine pollutant EmS 14.6. Special precautions for user	3 II Yes 3L Read safety instructions, SDS and emergency procedures before handling. Allowed with restrictions. Allowed with restrictions. UN1170 ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol), MARINE POLLUTANT (es) 3 - II Yes F-E, S-D Read safety instructions, SDS and emergency procedures before handling.

### ADN; ADR; IATA; IMDG; RID



Marine pollutant



IMDG Regulated Marine Pollutant.

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU regulations

- Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.
- Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.
- Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.
- Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Austria: 5YGY-XQ86-1319-AJM8 Belgium: 5YGY-XQ86-1319-AJM8 Bulgaria: 5YGY-XQ86-1319-AJM8 Croatia: 5YGY-XQ86-1319-AJM8 Cyprus: 5YGY-XQ86-1319-AJM8 Czech Republic: 5YGY-XQ86-1319-AJM8 Denmark: 5YGY-XQ86-1319-AJM8 Estonia: 5YGY-XQ86-1319-AJM8 EU: 5YGY-XQ86-1319-AJM8 Finland: 5YGY-XQ86-1319-AJM8 France: 5YGY-XQ86-1319-AJM8 Germany: 5YGY-XQ86-1319-AJM8 Great Britain: 5YGY-XQ86-1319-AJM8 Greece: 5YGY-XQ86-1319-AJM8 Hungary: 5YGY-XQ86-1319-AJM8 Iceland: 5YGY-XQ86-1319-AJM8 Ireland: 5YGY-XQ86-1319-AJM8 Italy: 5YGY-XQ86-1319-AJM8 Latvia: 5YGY-XQ86-1319-AJM8 Lithuania: 5YGY-XQ86-1319-AJM8 Luxembourg: 5YGY-XQ86-1319-AJM8 Malta: 5YGY-XQ86-1319-AJM8 Netherlands: 5YGY-XQ86-1319-AJM8 Norway: 5YGY-XQ86-1319-AJM8 Poland: 5YGY-XQ86-1319-AJM8 Portugal: 5YGY-XQ86-1319-AJM8 Romania: 5YGY-XQ86-1319-AJM8 Slovakia: 5YGY-XQ86-1319-AJM8 Slovenia: 5YGY-XQ86-1319-AJM8 Spain: 5YGY-XQ86-1319-AJM8 Sweden: 5YGY-XQ86-1319-AJM8

### Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### NOT IISTOR.

# Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Ethanol (CAS 64-17-5)

Linalool (CAS 78-70-6)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

### Other EU regulations

#### Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

benzyl benzoate (CAS 120-51-4) d-Limonene (CAS 5989-27-5) Ethanol (CAS 64-17-5) Galaxolide (CAS 1222-05-5)

Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.
National regulations	Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.

### **SECTION 16: Other information**

#### List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany). CAS: Chemical Abstract Service. CEN: European Committee for Standardization. IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk. IMDG: International Maritime Dangerous Goods. MAC: Maximum Allowed Concentration. MARPOL: International Convention for the Prevention of Pollution from Ships.

	PBT: Persistent, bioaccumulative and toxic. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value. vPvB: Very persistent and very bioaccumulative.
References	Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any statements, which are not written out in full	
under sections 2 to 15	<ul> <li>H225 Highly flammable liquid and vapour.</li> <li>H226 Flammable liquid and vapour.</li> <li>H301 Toxic if swallowed.</li> <li>H302 Harmful if swallowed.</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H319 Causes serious eye irritation.</li> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> <li>H412 Harmful to aquatic life with long lasting effects.</li> </ul>
Revision information	Product and Company Identification: Product and Company Identification
Training information	Follow training instructions when handling this material.
Disclaimer	Home Fragrance Italia S.r.L. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.