

SAFETY DATA SHEET

Version #: 01 Issue date: 26-January-2022

SECTION 1: Identification	of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Trade name or designation of the mixture	MF WHITE PAPER FLOWERS 250ML REED DIFFUSER REFILL 7REMWS
Registration number	-
Synonyms	None.
Product code	7REMWF
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Identified uses	General Public
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
Supplier	
Company name	Home Fragrance Italia
Address	Via A. Tonale 26
	Milano
	20125 IT
Division	
Telephone	
e-mail	Not available.
Contact person	Not available.
1.4. Emergency telephone number	
1.4. Emergency telephone numb	Der
General in EU	112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Austria National Poisons Information Centre	+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Belgium National Poisons Control Center	070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Bulgaria National Toxicological Information Centre	+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Czech Republic National Poisons Information Centre	+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Denmark National Poisons Control Center	+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Estonia National Poisons Information Centre	16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
Finland National Poison Information Center	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
France National Poisons Control Center	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Number	36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone numb	ber
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Netherlands National Poisons Information Center (NVIC)	030-274 88 88 (Only for the purpose of informing medical personnel in cases of acute intoxications)
Norway Norwegian Poison Information Center	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Portugal Poison Centre	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Romania Biroul RSI si Informare Toxicologica	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)
Slovakia National Toxicological Information Centre	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Sweden National Poison Information Center	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Switzerland Tox Info Suisse	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards Flammable liquids	Category 2	H225 - Highly flammable liquid and vapour.
Health hazards		
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.
Skin sensitisation	Category 1	H317 - May cause an allergic skin reaction.
Environmental hazards		
Hazardous to the aquatic environment, long-term aquatic hazard	Category 3	H412 - Harmful to aquatic life with long lasting effects.

2.2. Label elements

Contains:

Label according to Regulation (EC) No. 1272/2008 as amended

1,6-Nonadien-3-ol, 3,7-dimethyl-, Coumarin, d-Limonene, Geraniol, Hexyl Cinnamal, Linalool, Linalyl acetate, Oils, cardamom, Oils, peppermint

Hazard pictograms



Signal word Hazard statements H225

H225	Highly flammable liquid and vapour.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P235	Keep cool.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P261	Avoid breathing mist/vapours.

P264	Wash thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
Response	
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P370 + P378	In case of fire: Use appropriate media to extinguish.
Storage	
P403 + P235	Store in a well-ventilated place. Keep cool.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	None.
2.3. Other hazards	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

- 3.2. Mixtures
- **General information**

Chemical name		% (CAS-No. / EC No.	REACH Registration No	. Index No.	Notes
Ethanol	7	0 - 80	64-17-5 200-578-6	-	603-002-00-5	
C	Classification: Fla	m. Liq. 2;	H225, Eye Irrit. 2;H	319		
Linalyl acetate		3 - 5	115-95-7 204-116-4	-	-	
C	Classification: Ski	n Irrit. 2;⊢	1315, Eye Irrit. 2;H3	19, Skin Sens. 1B;H317		
1,6-Nonadien-3-ol, 3,7-	dimethyl-	1 - 3	10339-55-6 233-732-6	-	-	
C	Classification: Eye	e Irrit. 2;H	319, Skin Sens. 1B	H317		
beta-lonone		1 - 3	14901-07-6 238-969-9	-	-	
C	Classification: Aq	uatic Chro	onic 2;H411			
d-Limonene		1 - 3	5989-27-5 227-813-5	-	601-029-00-7	
C				315, Skin Sens. 1;H317, <i>A</i> Aquatic Chronic 1;H410	Asp. Tox.	С
Hexyl Cinnamal		1 - 3	101-86-0 202-983-3	-	-	
C	Classification: Ski	n Sens. 1	B;H317, Aquatic Ac	ute 1;H400, Aquatic Chro	nic 2;H411	
Linalool		1 - 3	78-70-6 201-134-4	-	603-235-00-2	
C	Classification: Ski	n Irrit. 2;⊢	1315, Eye Irrit. 2;H3	19, Skin Sens. 1B;H317		
Coumarin		≤ 0,3	91-64-5 202-086-7	-	-	
C	Classification: Act	ute Tox. 4	;H302;(ATE: 500 m	g/kg), Skin Sens. 1B;H317	7	
Oils, cardamom		≤ 0,3	8000-66-6 616-779-0	-	-	
C				315, Eye Irrit. 2;H319, Ski ttic Chronic 2;H411	n Sens.	

Chemical name	% CAS-No. / EC No. REACH Registration No. Index No. Notes			
Oils, peppermint	≤ 0,3 8006-90-4 616-900-7			
Classif	ication: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1;H317, Asp. Tox. 1;H304, Aquatic Chronic 3;H412			
Geraniol	≤ 0,2 106-24-1 - 603-241-00-5 203-377-1			
Classif	ication: Skin Irrit. 2;H315, Eye Dam. 1;H318, Skin Sens. 1;H317, Asp. Tox. 1;H304, Aquatic Acute 1;H400, Aquatic Chronic 2;H411			
Other components below repo levels	rtable 13.06			
	ive and toxic substance.			
Composition comments	The full text for all H-statements is displayed in section 16.			
SECTION 4: First aid meas	sures			
Seneral information	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.			
.1. Description of first aid meas				
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.			
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.			
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.			
Ingestion	Rinse mouth. Get medical attention if symptoms occur.			
.2. Most important symptoms ind effects, both acute and lelayed	Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. May cause an allergic skin reaction. Dermatitis. Rash.			
a.3. Indication of any mmediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with wate immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.			
SECTION 5: Firefighting m	leasures			
General fire hazards	Highly flammable liquid and vapour.			
5.1. Extinguishing media Suitable extinguishing media	Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).			
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.			
5.2. Special hazards arising rom the substance or mixture	Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.			
3. Advice for firefighters Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.			
Special fire fighting procedures	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can so without risk.			
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.			

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency
personnelWear appropriate protective equipment and clothing during clean-up. Avoid breathing
mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate
protective clothing.

For emergency responders	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Avoid breathing mist/vapours. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent entry into waterways, sewer, basements or confined areas.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.
SECTION 7: Handling and	storage
7.1. Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke, Explosion-proof general and local exhaust

handling	material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).
7.3. Specific end use(s)	Not available.

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance Components	e (GwV), BGBI. II, no. 184/2001 Type	Value
Ethanol (CAS 64-17-5)	Ceiling	3800 mg/m3
		2000 ppm
	MAK	1900 mg/m3
		1000 ppm
Belgium. Exposure Limit Values Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1907 mg/m3
, , , , , , , , , , , , , , , , , , ,		1000 ppm
Bulgaria. OELs. Regulation No 13 Components	on protection of workers agai Type	nst risks of exposure to chemical agents at work Value
 Ethanol (CAS 64-17-5)	TWA	1000 mg/m3

Components	Туре	Value
Ethanol (CAS 64-17-5)	MAC	1900 mg/m3
		1000 ppm
Czech Republic. OELs. Governn	nent Decree 361	
Components	Туре	Value
Ethanol (CAS 64-17-5)	Ceiling	3000 mg/m3

Material name: MF WHITE PAPER FLOWERS 250ML REED DIFFUSER REFILL 7REMWS 7REMWF Version #: 01 Issue date: 26-January-2022

Czech Republic. OELs. Government Decree 361

Components	Туре	Value	
	TWA	1000 mg/m3	
Denmark. Exposure Limit Value Components	s Type	Value	
d-Limonene (CAS 5989-27-5)	TLV	25 ppm	
Ethanol (CAS 64-17-5)	TLV	1900 mg/m3	
		1000 ppm	
Oils, peppermint (CAS 8006-90-4)	TLV	25 ppm	

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended Components Type Value

components	туре	Value	
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3	
		1000 ppm	
	TWA	1000 mg/m3	
		500 ppm	
Oils, peppermint (CAS 8006-90-4)	STEL	300 mg/m3	
		50 ppm	
	TWA	150 mg/m3	
		25 ppm	
Finland. Workplace Exposure Li	nits		
Components	Туре	Value	
d-Limonene (CAS 5989-27-5)	STEL	280 mg/m3	
		50 ppm	
	TWA	140 mg/m3	
		25 ppm	
Ethanol (CAS 64-17-5)	STEL	2500 mg/m3	
		1300 ppm	
	TWA	1900 mg/m3	
		-	
		1000 ppm	

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984

Components	Туре	Value	
Ethanol (CAS 64-17-5)	VLE	9500 mg/m3	
Regulatory status:	Indicative limit (VL)		
		5000 ppm	
Regulatory status:	Indicative limit (VL)		
	VME	1900 mg/m3	
Regulatory status:	Indicative limit (VL)		
		1000 ppm	
Regulatory status:	Indicative limit (VL)		

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Components	Туре	Value
d-Limonene (CAS 5989-27-5)	TWA	28 mg/m3
		5 ppm
Ethanol (CAS 64-17-5)	TWA	380 mg/m3
		200 ppm

Germany. TRGS 900, Limit Values in the Components	Туре	Value
d-Limonene (CAS 5989-27-5)	AGW	28 mg/m3
		5 ppm
Ethanol (CAS 64-17-5)	AGW	380 mg/m3
		200 ppm
Greece. OELs (Decree No. 90/1999, as ar Components	mended) Type	Value
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3
		1000 ppm
Hungary. OELs. Joint Decree on Chemic Components	al Safety of Workplaces Type	Value
Ethanol (CAS 64-17-5)	STEL	3800 mg/m3
, ,	TWA	1900 mg/m3
Iceland. OELs. Regulation 154/1999 on o	· ·	Value
Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3
		1000 ppm
Ireland. Occupational Exposure Limits Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Italy. Occupational Exposure Limits Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Latvia. OELs. Occupational exposure lin Components	nit values of chemical substances Type	s in work environment Value
Ethanol (CAS 64-17-5)	TWA	1000 mg/m3
Lithuania. OELs. Limit Values for Chem Components	ical Substances, General Require Type	ements Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
	STEE .	1000 ppm
	TWA	1000 mg/m3
	1007	500 ppm
Oils, peppermint (CAS	STEL	300 mg/m3
8006-90-4)		50 ppm
	TWA	150 mg/m3
		25 ppm
Netherlands. OELs (binding) Components	Туре	Value
-	-	
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
	TWA	260 mg/m3
Norway. Administrative Norms for Conta Components	aminants in the Workplace Type	Value
d-Limonene (CAS	TLV	140 mg/m3
5989-27-5)		25 ppm
	T 1.)/	950 mg/m3
Ethanol (CAS 64-17-5)		900 110/110
Ethanol (CAS 64-17-5)	TLV	500 ppm

Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3
		0 ppm
Portugal. VLEs. Norm on occupa	itional exposure to chemical a	gents (NP 1796)
Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1000 ppm
Romania. OELs. Protection of wo	orkers from exposure to chemi Type	cal agents at the workplace Value
Ethanol (CAS 64-17-5)	STEL	9500 mg/m3
		5000 ppm
	TWA	1900 mg/m3
		1000 ppm
Slovakia. OELs. Regulation No. 3 Components	300/2007 concerning protection Type	n of health in work with chemical agents Value
Ethanol (CAS 64-17-5)	STEL	1920 mg/m3
		1000 ppm
	TWA	960 mg/m3
		500 ppm
Slovenia. OELs. Regulations cor	ncerning protection of workers	against risks due to exposure to chemicals while work
Official Gazette of the Republic Components		Value
d-Limonene (CAS	TWA	28 mg/m3
5989-27-5)		5 nnm
Ethanol (CAS 64-17-5)	TWA	5 ppm 960 mg/m3
= (111101 (CAS 04-17-5))	IWA	500 ppm
		300 ppm
Spain. Occupational Exposure L Components	imits Type	Value
I-Limonene (CAS	TWA	168 mg/m3
5989-27-5)		100 mg/ma
		30 ppm
Ethanol (CAS 64-17-5)	STEL	1910 mg/m3
		1000 ppm
Sweden. OELs. Work Environme Components	nt Authority (AV), Occupationa Type	al Exposure Limit Values (AFS 2015:7) Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
		1000 ppm
	TWA	1000 mg/m3
		500 ppm
Dils, peppermint (CAS	STEL	300 mg/m3
3006-90-4)		50 ppm
	TWA	150 mg/m3
		25 ppm
Switzarland SUNA Cran-warts -	m Arhaitanlata	FF
Switzerland. SUVA Grenzwerte a Components	m Arbeitsplatz Type	Value
d-Limonene (CAS	STEL	80 mg/m3
5989-27-5)		-
		14 ppm
	TWA	40 mg/m3

Switzerland. SUVA Grenzwo	erte am Arbeitsplatz			
Components	Туре	Value		
		7 ppm		
Ethanol (CAS 64-17-5)	STEL	1920 mg/m3		
		1000 ppm		
	TWA	960 mg/m3		
		500 ppm		
UK. EH40 Workplace Expos	sure Limits (WELs)			
Components	Туре	Value		
Ethanol (CAS 64-17-5)	TWA	1920 mg/m3		
		1000 ppm		
Biological limit values	No biological exposure limits r	noted for the ingredient(s).		
Recommended monitoring procedures	Follow standard monitoring pro			
Derived no effect levels (DNELs)	Not available.			
Predicted no effect concentrations (PNECs)	Not available.			
Exposure guidelines				
Germany DFG MAK (adviso	ry): Skin designation			
d-Limonene (CAS 5989-2 Germany TRGS 900 Limit V		Can be absorbed through the skin.		
d-Limonene (CAS 5989-2 Netherlands OELs (binding	,	Can be absorbed through the skin.		
Ethanol (CAS 64-17-5) Slovenia. OELs. Regulation (Official Gazette of the Repu		Can be absorbed through the skin. rkers against risks due to exposure to chemicals while working		
d-Limonene (CAS 5989-2		Can be absorbed through the skin.		
Spain OELs: Skin designati				
d-Limonene (CAS 5989-2	27-5)	Can be absorbed through the skin.		
8.2. Exposure controls				
Appropriate engineering controls	Ventilation rates should be ma exhaust ventilation, or other er exposure limits. If exposure lin	Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.		
Individual protection measures,	, such as personal protective e	quipment		
General information		ment as required. Personal protection equipment should be chosen ds and in discussion with the supplier of the personal protective		
Eye/face protection		shields (or goggles). Face shield is recommended.		
Skin protection				
- Hand protection	Wear appropriate chemical res	sistant gloves.		
- Other	Wear appropriate chemical re-	sistant clothing. Use of an impervious apron is recommended.		
Respiratory protection	If engineering controls do not	maintain airborne concentrations below recommended exposure an acceptable level (in countries where exposure limits have not		
Thermal hazards	,	ective clothing, when necessary.		
Hygiene measures	after handling the material and	ways observe good personal hygiene measures, such as washing d before eating, drinking, and/or smoking. Routinely wash work nent to remove contaminants. Contaminated work clothing should not ce.		
Environmental exposure controls	Inform appropriate managerial from ventilation or work proces requirements of environmenta	I or supervisory personnel of all environmental releases. Emissions ss equipment should be checked to ensure they comply with the I protection legislation. Fume scrubbers, filters or engineering quipment may be necessary to reduce emissions to acceptable		

SECTION 9: Physical and chemical properties

· · · · · · · · · · · · · · · · · · ·		
9.1. Information on basic physical and chemical properties		
Physical state	Liquid.	
Form	Liquid.	
Colour	Not available.	
Odour	Not available.	
Melting point/freezing point	-114,1 °C (-173,38 °F) estimated	
Boiling point or initial boiling point and boiling range	78,29 °C (172,92 °F) estimated	
Flammability (solid, gas)	Not applicable.	
Flash point	13 °C (55,4 °F) estimated	
Auto-ignition temperature	363 °C (685,4 °F) estimated	
Decomposition temperature	Not available.	
рН	Not available.	
Solubility(ies)		
Solubility (water)	Not available.	
Partition coefficient (n-octanol/water)	Not available.	
Vapour pressure	79,06 hPa estimated	
Vapour density	Not available.	
Relative density	Not available.	
Particle characteristics	Not available.	
9.2. Other information		
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.	

9.2.2. Other safety characteristics

Density	0,812 g/cm3 estimated
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
Percent volatile	77,07 % estimated
Specific gravity	0,81173 estimated
VOC	76,6 % estimated

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.	
Information on likely routes of e	xposure	
Inhalation	Prolonged inhalation may be harmful.	
Skin contact	May cause an allergic skin reaction.	
Eye contact	Causes serious eye irritation.	
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.	
Symptoms	Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. May cause an allergic skin reaction. Dermatitis. Rash.	
11.1. Information on toxicologic	al effects	
Acute toxicity	No data available.	

Material name: MF WHITE PAPER FLOWERS 250ML REED DIFFUSER REFILL 7REMWS

Skin corrosion/irritation	-	al or complete lack of data the classification i	s not possible.	
Serious eye damage/eye irritation	Causes ser	ious eye irritation.		
Respiratory sensitisation	Due to parti	al or complete lack of data the classification i	s not possible.	
Skin sensitisation	May cause	an allergic skin reaction.		
Germ cell mutagenicity	Due to parti	al or complete lack of data the classification i	s not possible.	
Carcinogenicity	Due to parti	al or complete lack of data the classification i	s not possible.	
Hungary. 26/2000 EüM Ordir (as amended)	nance on pro	tection against and preventing risk relatin	g to exposure to carcinogens at work	
Not listed.				
IARC Monographs. Overall E	Evaluation of			
Coumarin (CAS 91-64-5) d-Limonene (CAS 5989-2	7-5)		arcinogenicity to humans. arcinogenicity to humans.	
Reproductive toxicity	•	al or complete lack of data the classification i	0	
Specific target organ toxicity - single exposure	-	al or complete lack of data the classification i		
Specific target organ toxicity - repeated exposure	Due to parti	Due to partial or complete lack of data the classification is not possible.		
Aspiration hazard	Due to parti	al or complete lack of data the classification i	s not possible.	
Mixture versus substance information	No informat	ion available.		
11.2. Information on other hazar	ds			
Endocrine disrupting properties	according to	t does not contain components considered to c REACH Article 57(f) or regulation (EU) 2017 blevels of 0.1% or higher		
Other information		2018/605 at levels of 0.1% or higher. Not available.		
SECTION 12: Ecological ir	nformation			
12.1. Toxicity		aquatic life with long lasting effects. Based on	available data, the classification criteria	
		for hazardous to the aquatic environment, ac		
Components		Species	Test Results	
Coumarin (CAS 91-64-5)				
Aquatic				
Acute				
	LC50	Guppy (Poecilia reticulata)	>= 32 - <= 100 mg/l, 96 hours	
d-Limonene (CAS 5989-27-5)				
Aquatic				
Acute	EC 50	Water flee (Depheie puley)	60.6 mg/l 48 bours	
Crustacea	EC50	Water flea (Daphnia pulex)	69,6 mg/l, 48 hours	
Crustacea Fish	EC50 LC50	Water flea (Daphnia pulex) Fathead minnow (Pimephales promelas)		
Crustacea Fish Ethanol (CAS 64-17-5)		,		
Crustacea Fish Ethanol (CAS 64-17-5) Aquatic		,		
Crustacea Fish Ethanol (CAS 64-17-5) Aquatic <i>Acute</i>	LC50	Fathead minnow (Pimephales promelas)	>= 0,619 - <= 0,796 mg/l, 96 hours	
Crustacea Fish Ethanol (CAS 64-17-5) Aquatic <i>Acute</i> Crustacea	LC50 EC50	Fathead minnow (Pimephales promelas) Water flea (Daphnia magna)	>= 0,619 - <= 0,796 mg/l, 96 hours >= 7,7 - <= 11,2 mg/l, 48 hours	
Crustacea Fish Ethanol (CAS 64-17-5) Aquatic <i>Acute</i> Crustacea	LC50	Fathead minnow (Pimephales promelas)	>= 0,619 - <= 0,796 mg/l, 96 hours	
Crustacea Fish Ethanol (CAS 64-17-5) Aquatic <i>Acute</i> Crustacea	LC50 EC50	Fathead minnow (Pimephales promelas) Water flea (Daphnia magna) Rainbow trout,donaldson trout	>= 0,619 - <= 0,796 mg/l, 96 hours >= 7,7 - <= 11,2 mg/l, 48 hours	
Crustacea Fish Ethanol (CAS 64-17-5) Aquatic <i>Acute</i> Crustacea Fish	LC50 EC50	Fathead minnow (Pimephales promelas) Water flea (Daphnia magna) Rainbow trout,donaldson trout	>= 0,619 - <= 0,796 mg/l, 96 hours >= 7,7 - <= 11,2 mg/l, 48 hours	
Crustacea Fish Ethanol (CAS 64-17-5) Aquatic Acute Crustacea Fish Geraniol (CAS 106-24-1) Aquatic Acute	LC50 EC50 LC50	Fathead minnow (Pimephales promelas) Water flea (Daphnia magna) Rainbow trout,donaldson trout (Oncorhynchus mykiss)	>= 0,619 - <= 0,796 mg/l, 96 hours >= 7,7 - <= 11,2 mg/l, 48 hours 42 mg/l, 4 days	
Crustacea Fish Ethanol (CAS 64-17-5) Aquatic Acute Crustacea Fish Geraniol (CAS 106-24-1) Aquatic Acute	LC50 EC50	Fathead minnow (Pimephales promelas) Water flea (Daphnia magna) Rainbow trout,donaldson trout	>= 0,619 - <= 0,796 mg/l, 96 hours >= 7,7 - <= 11,2 mg/l, 48 hours	
Crustacea Fish Ethanol (CAS 64-17-5) Aquatic Acute Crustacea Fish Geraniol (CAS 106-24-1) Aquatic Acute	LC50 EC50 LC50 LC50	Fathead minnow (Pimephales promelas) Water flea (Daphnia magna) Rainbow trout,donaldson trout (Oncorhynchus mykiss)	>= 0,619 - <= 0,796 mg/l, 96 hours >= 7,7 - <= 11,2 mg/l, 48 hours 42 mg/l, 4 days >= 2,3 - <= 3 mg/l, 96 hours	
Crustacea Fish Ethanol (CAS 64-17-5) Aquatic Acute Crustacea Fish Geraniol (CAS 106-24-1) Aquatic Acute Fish 12.2. Persistence and	LC50 EC50 LC50 LC50	Fathead minnow (Pimephales promelas) Water flea (Daphnia magna) Rainbow trout,donaldson trout (Oncorhynchus mykiss) Brown trout (Salmo trutta)	>= 0,619 - <= 0,796 mg/l, 96 hours >= 7,7 - <= 11,2 mg/l, 48 hours 42 mg/l, 4 days >= 2,3 - <= 3 mg/l, 96 hours	
Crustacea Fish Ethanol (CAS 64-17-5) Aquatic Acute Crustacea Fish Geraniol (CAS 106-24-1) Aquatic Acute Fish 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow)	LC50 EC50 LC50 No data is a	Fathead minnow (Pimephales promelas) Water flea (Daphnia magna) Rainbow trout,donaldson trout (Oncorhynchus mykiss) Brown trout (Salmo trutta) available on the degradability of any ingredier	>= 0,619 - <= 0,796 mg/l, 96 hours >= 7,7 - <= 11,2 mg/l, 48 hours 42 mg/l, 4 days >= 2,3 - <= 3 mg/l, 96 hours	
Crustacea Fish Ethanol (CAS 64-17-5) Aquatic Acute Crustacea Fish Geraniol (CAS 106-24-1) Aquatic Acute Fish 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient	LC50 EC50 LC50 No data is a	Fathead minnow (Pimephales promelas) Water flea (Daphnia magna) Rainbow trout,donaldson trout (Oncorhynchus mykiss) Brown trout (Salmo trutta)	>= 0,619 - <= 0,796 mg/l, 96 hours >= 7,7 - <= 11,2 mg/l, 48 hours 42 mg/l, 4 days >= 2,3 - <= 3 mg/l, 96 hours	

d-Limonene Ethanol Geraniol Hexyl Cinnamal Linalool Linalyl acetate	4,57 -0,31 3,56 4,686 2,97 3,9 3,93
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.
12.6. Endocrine disrupting properties	The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7. Other adverse effects	The product contains volatile organic compounds which have a photochemical ozone creation potential.
12.8. Additional information	
Estonia Dangerous substan	ces in soil Data
Ethanol (CAS 64-17-5) Geraniol (CAS 106-24-1)	Chemical pesticides (As the total sum of the active substances) 0,5 mg/kg Chemical pesticides (As the total sum of the active substances) 20 mg/kg Chemical pesticides (As the total sum of the active substances) 5 mg/kg Chemical pesticides (As the total sum of the active substances) 0,5 mg/kg Chemical pesticides (As the total sum of the active substances) 20 mg/kg
	Chemical pesticides (As the total sum of the active substances) 5 mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

ADIN		
14.1. UN number	UN1170	
14.2. UN proper shipping	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	
name	(Ethanol)	
14.3. Transport hazard class(es)		
Class	3	
Subsidiary risk	-	
Label(s)	3	
Hazard No. (ADR)	33	
Tunnel restriction code	D/E	
14.4. Packing group	II	
14.5. Environmental hazards	No.	
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.	
for user		
RID		
14.1. UN number	UN1170	
14.2. UN proper shipping name	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol)	

14.3. Transport hazard class	(es)
Class	3
Subsidiary risk	
Label(s)	3
14.4. Packing group	
14.5. Environmental hazards	
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
for user	ricad salety instructions, obo and emergency procedures before handling.
ADN	
14.1. UN number	UN1170
14.2. UN proper shipping	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
name	(Ethanol)
14.3. Transport hazard class	(es)
Class	3
Subsidiary risk	-
Label(s)	3
14.4. Packing group	I
14.5. Environmental hazards	No.
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
for user	, <u> </u>
ΙΑΤΑ	
14.1. UN number	UN1170
14.2. UN proper shipping	Ethanol solution (Ethanol)
name	
14.3. Transport hazard class	
-	
Class	3
Subsidiary risk	-
14.4. Packing group	
14.5. Environmental hazards	
ERG Code	3L
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
for user	
Other information	
Passenger and cargo	Allowed with restrictions.
aircraft	
Cargo aircraft only	Allowed with restrictions.
IMDG	
14.1. UN number	UN1170
14.2. UN proper shipping	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
name	(Ethanol), MARINE POLLUTANT
14.3. Transport hazard class(es)	
Class	3
Subsidiary risk	-
14.4. Packing group	II.
14.5. Environmental hazards	
Marine pollutant	Yes
EmS	F-E, S-D
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
for user	
d-Limonene	Net established
14.7. Maritime transport in bulk	Not established.
according to IMO instruments	

ADN; ADR; IATA; IMDG; RID



Marine pollutant



IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

General information

- Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.
- Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.
- Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.
- Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

- Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Ethanol (CAS 64-17-5)
 - Geraniol (CAS 106-24-1) Linalool (CAS 78-70-6)
- Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

d-Limonene (CAS 5989-27-5) Ethanol (CAS 64-17-5)

Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.
National regulations	Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany). CAS: Chemical Abstract Service.

	 CEN: European Committee for Standardization. IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk. IMDG: International Maritime Dangerous Goods. MAC: Maximum Allowed Concentration. MARPOL: International Convention for the Prevention of Pollution from Ships. PBT: Persistent, bioaccumulative and toxic. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value. vPvB: Very persistent and very bioaccumulative.
References	Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements	
not written out in full under	
Sections 2 to 15	H225 Highly flammable liquid and vapour.
	H226 Flammable liquid and vapour. H302 Harmful if swallowed.
	H304 May be fatal if swallowed and enters airways.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.
	H412 Harmful to aquatic life with long lasting effects.
Revision information	None.
Training information	Follow training instructions when handling this material.
Disclaimer	Home Fragrance Italia cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.