SAFETY DATA SHEET



Version #: 01

Issue date: 20-April-2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

CAR AIR FRESHENER ICON "CLASSIC" ROSA ANTICO - MAGNOLIA BLOSSOM & WOOD

Registration number

Synonyms None.

Product code 17CAR64

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses General Public Use
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Home Fragrance Italia **Address** Via A. Tonale 26

Milano 20125 IT

Division

Telephone

e-mail Not available.

Contact person Not available.

1.4. Emergency telephone

number

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons Information Centre

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons Control Center 070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National Toxicological Information Centre

available for the Emergency Service.)

Czech Republic National Poisons Information

Centre

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons Control Center +45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Estonia National Poisons Information Centre

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Material name: CAR AIR FRESHENER ICON "CLASSIC" ROSA ANTICO - MAGNOLIA BLOSSOM & WOOD

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Hungary National Emergency Phone Number 36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and Emergency Department 2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

17CAR64 Version #: 01 Issue date: 20-April-2022

1.4. Emergency telephone number

Netherlands National Poisons Information Center (NVIC)

030-274 88 88 (Only for the purpose of informing medical personnel in cases of

acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Portugal Poison Centre 800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM, SDS/Product information may not be

available for the Emergency Service.)

Slovakia National

Toxicological Information

Centre

+421 2 5477 4166 (Available 24 hours a day, SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day, SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Skin sensitisation Category 1 H317 - May cause an allergic skin

reaction.

Environmental hazards

H411 - Toxic to aquatic life with Hazardous to the aquatic environment, Category 2

long-term aquatic hazard long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

1,6-Nonadien-3-ol, 3,7-dimethyl-, beta-Pinene, Butyl cyclohexyl acetate, Citral, Citronellol, Ethyl Contains:

2,2-dimethylhydrocinnamal, Geraniol, Isocyclemone E, Methylenedioxyphenyl methylpropanal

Hazard pictograms



Signal word Warning

Hazard statements

May cause an allergic skin reaction. H317 Causes serious eye irritation. H319

Toxic to aquatic life with long lasting effects. H411

Precautionary statements

Prevention

Avoid breathing dust/fume/gas/mist/vapours/spray. P261

Wash thoroughly after handling. P264

Contaminated work clothing should not be allowed out of the workplace. P272

Avoid release to the environment. P273 Wear eye protection/face protection. P280

Wear protective gloves. P280

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 If eye irritation persists: Get medical advice/attention. P337 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364

Collect spillage. P391

Store away from incompatible materials. Storage

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information None.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name		%	CAS-No. / EC No	. REACH Registration No.	Index No.	Notes
Isocyclemone E		5 - 10	54464-57-2 259-174-3	-	-	
	Classification:	Skin Irrit.	2;H315, Skin Sens.	1B;H317, Aquatic Chronic 1;	H410	
1,6-Nonadien-3-ol, 3,	7-dimethyl-	1 - 3	10339-55-6 233-732-6	-	-	
	Classification:	Eye Irrit.	2;H319, Skin Sens.	B;H317		
2H-Pyran-4-ol, tetrahydro-4-methyl-2)-	-(2-methylpropyl	1 - 3	63500-71-0 405-040-6	-	603-101-00-3	
,	Classification:	Eye Irrit.	2;H319			
Acetic acid, hexyl este	er	1 - 3	142-92-7 205-572-7	-	607-462-00-8	
	Classification:	Flam. Liq	. 3;H226, Aquatic Cl	ronic 2;H411		
Benzeneethanol		1 - 3	60-12-8 200-456-2	-	-	
	Classification:	Acute Tox	c. 4;H302;(ATE: 500	mg/kg), Eye Irrit. 2;H319		
Benzyl acetate		1 - 3	140-11-4 205-399-7	-	-	
	Classification:	Aquatic C	Chronic 3;H412			
beta-lonone		1 - 3	14901-07-6 238-969-9	-	-	
	Classification:	Aquatic C	Chronic 2;H411			
Geraniol		1 - 3	106-24-1 203-377-1	-	603-241-00-5	
	Classification:			;H318, Skin Sens. 1;H317, <i>A</i>), Aquatic Chronic 2;H411	Asp. Tox.	
Butyl cyclohexyl aceta	nte	≤ 1	32210-23-4 250-954-9	-	-	
	Classification:	Skin Sen	s. 1B;H317			
Carbon black		≤ 1	1333-86-4 215-609-9	-	-	
	Classification:	Carc. 2;H	351			
Citronellol		≤ 1	106-22-9 203-375-0	-	-	
	Classification:		2;H315, Eye Dam. 1 Aquatic Chronic 2;H4	;H318, Skin Sens. 1;H317, <i>F</i> 11	Asp. Tox.	
Methylenedioxypheny methylpropanal	I	≤ 1	1205-17-0 214-881-6	-	-	
	Classification:	Skin Sen	s. 1B;H317, Repr. 2;	H361, Aquatic Chronic 2;H4	11	
Citral		≤ 0,3	5392-40-5 226-394-6	-	605-019-00-3	
	Classification:	Skin Irrit.	2;H315, Eye Irrit. 2;I	1319, Skin Sens. 1;H317		
Ethyl 2,2-dimethylhyd		≤ 0,3	67634-15-5 266-819-2	-	-	
	Classification:	Skin Irrit. Chronic 2		1B;H317, Aquatic Acute 1;H4	400, Aquatic	
Ally I bentancete		≤ 0,2	142-19-8	-		
Allyl heptanoate		- 0,2	205-527-1			

%	0A0-110. / E0	No. REACH Registrati	on No. Index No.	Notes
≤ 0,2		-	-	
≤ 0,1			-	
≤ 0,1		- -	-	
Classification: Skin Irrit	. 2;H315, Skin Ser	ns. 1A;H317, Aquatic Chi	onic 2;H411	
	Classification: Flam. Lie 1;H304, ≤ 0,1 Classification: Acute To 1A;H317 ≤ 0,1	204-872-5 Classification: Flam. Liq. 3;H226, Skin Irri 1;H304, Aquatic Acute 1;H- ≤ 0,1 57378-68-4 260-709-8 Classification: Acute Tox. 4;H302;(ATE: 5 1A;H317, Aquatic Acute 1; ≤ 0,1 23696-85-7 245-833-2	204-872-5 Classification: Flam. Liq. 3;H226, Skin Irrit. 2;H315, Skin Sens. 1E 1;H304, Aquatic Acute 1;H400, Aquatic Chronic 1;H ≤ 0,1 57378-68-4 - 260-709-8 Classification: Acute Tox. 4;H302;(ATE: 500 mg/kg), Skin Irrit. 2;H 1A;H317, Aquatic Acute 1;H400, Aquatic Chronic 1; ≤ 0,1 23696-85-7 - 245-833-2	204-872-5 Classification: Flam. Liq. 3;H226, Skin Irrit. 2;H315, Skin Sens. 1B;H317, Asp. Tox. 1;H304, Aquatic Acute 1;H400, Aquatic Chronic 1;H410 ≤ 0,1 57378-68-4 260-709-8 Classification: Acute Tox. 4;H302;(ATE: 500 mg/kg), Skin Irrit. 2;H315, Skin Sens. 1A;H317, Aquatic Acute 1;H400, Aquatic Chronic 1;H410 ≤ 0,1 23696-85-7

Other components below reportable

levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. #: This substance has been assigned Union workplace exposure limit(s).

The full text for all H-statements is displayed in section 16. Composition comments

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if **Eve contact**

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and

delaved

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged

containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

chian opino. Gloan canado moroaginy to fomoto fociada contamin

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	MAK	5 mg/m3	Inhalable dust.
	STEL	10 mg/m3	Inhalable dust.
Belgium. Exposure Limit Values			
Components	Туре	Value	Form
Benzyl acetate (CAS 140-11-4)	TWA	62 mg/m3	
		10 ppm	
beta-Pinene (CAS 127-91-3)	TWA	20 ppm	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	
Citral (CAS 5392-40-5)	TWA	32 mg/m3	Vapour and aerosol.
		5 ppm	Vapour and aerosol.
Croatia. Dangerous Substance Expos	sure Limit Values in the W	orkplace (ELVs). Annexes 1 a	nd 2. Narodne Novine. 13/09
Components	Туре	Value	,,,
Carbon black (CAS 1333-86-4)	MAC	3,5 mg/m3	
	STEL	7 mg/m3	
Cyprus. OELs. Control of factory atmo	osphere and dangerous s	ubstances in factories regula	tion, PI 311/73, as amended.
Components	Туре	Value	
Carbon black (CAS 1333-86-4)	TWA	3,5 mg/m3	
Czech Republic. OELs. Government D	Decree 361		
Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	10 mg/m3	Dust.
Denmark. Exposure Limit Values			
Components	Туре	Value	
Benzyl acetate (CAS 140-11-4)	TLV	61 mg/m3	
-		10 ppm	
beta-Pinene (CAS	TLV	25 ppm	

Components	Туре	Value	
Carbon black (CAS 1333-86-4)	TLV	3,5 mg/m3	
Estonia. OELs. Occupational Exposu Components	ure Limits of Hazardous Su Type	bstances (Regulation No. 109 Value	5/2001, Annex), as amend
beta-Pinene (CAS 127-91-3)	STEL	300 mg/m3	
		50 ppm	
	TWA	150 mg/m3	
		25 ppm	
Finland. Workplace Exposure Limits			
Components	Туре	Value	
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	
France. Threshold Limit Values (VLE Components	P) for Occupational Expos Type	ure to Chemicals in France, I Value	NRS ED 984
Carbon black (CAS 1333-86-4)	VME	3,5 mg/m3	
Regulatory status: Indicative lin	nit (VL)		
Greece. OELs (Decree No. 90/1999, a	s amended)		
Components	Type	Value	
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	
Hungary. OELs. Joint Decree on Che			
Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable dust.
celand. OELs. Regulation 154/1999 o	on occupational exposure Type	limits Value	
Carbon black (CAS 1333-86-4)	TWA	3,5 mg/m3	
Ireland. Occupational Exposure Limi	ts		
Components	Туре	Value	Form
1 / / / / / / / / / / / / / / / / / / /	TWA	10	
	1 7 7 7	10 ppm	
140-11-4) Carbon black (CAS	TWA	3 mg/m3	Inhalable fraction.
140-11-4) Carbon black (CAS 1333-86-4)			Inhalable fraction. Inhalable fraction and vapour.
140-11-4) Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5) Italy. Occupational Exposure Limits	TWA TWA	3 mg/m3 5 ppm	Inhalable fraction and vapour.
140-11-4) Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5) Italy. Occupational Exposure Limits Components	TWA TWA Type	3 mg/m3 5 ppm Value	Inhalable fraction and
140-11-4) Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5) Italy. Occupational Exposure Limits Components Benzyl acetate (CAS 140-11-4)	TWA TWA Type TWA	3 mg/m3 5 ppm Value 10 ppm	Inhalable fraction and vapour.
140-11-4) Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5) Italy. Occupational Exposure Limits Components Benzyl acetate (CAS 140-11-4) beta-Pinene (CAS 127-91-3)	TWA TWA Type TWA TWA	3 mg/m3 5 ppm Value 10 ppm 20 ppm	Inhalable fraction and vapour. Form
140-11-4) Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5) Italy. Occupational Exposure Limits Components Benzyl acetate (CAS 140-11-4) beta-Pinene (CAS 127-91-3) Carbon black (CAS	TWA TWA Type TWA	3 mg/m3 5 ppm Value 10 ppm	Inhalable fraction and vapour.
140-11-4) Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5) Italy. Occupational Exposure Limits Components Benzyl acetate (CAS 140-11-4) beta-Pinene (CAS 127-91-3) Carbon black (CAS 1333-86-4)	TWA TWA Type TWA TWA	3 mg/m3 5 ppm Value 10 ppm 20 ppm	Inhalable fraction and vapour. Form
Benzyl acetate (CAS 140-11-4) Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5) Italy. Occupational Exposure Limits Components Benzyl acetate (CAS 140-11-4) beta-Pinene (CAS 127-91-3) Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5) Latvia. OELs. Occupational exposure Components	TWA TWA Type TWA TWA TWA TWA TWA	3 mg/m3 5 ppm Value 10 ppm 20 ppm 3 mg/m3 5 ppm	Inhalable fraction and vapour. Form Inhalable fraction. Inhalable fraction and vapour.

hemical Substances, General F Type	Requirements Value	
TWA	5 mg/m3	
STEL	300 mg/m3	
	50 ppm	
TWA	150 mg/m3	
	25 ppm	
Contaminants in the Workplace Type	Value	
TLV	140 mg/m3	
	25 ppm	
TLV	3,5 mg/m3	
TWA	4 mg/m3	Inhalable fraction.
	0 nnm	Inhalable fraction.
STFI	• •	minaiabie maclion.
OTEL	•	
TWA	• •	
	•	
nal exposure to chemical agent Type	ts (NP 1796) Value	Form
TWA	10 ppm	
TWA	20 ppm	
TWA	3 mg/m3	Fume.
TWA	5 ppm	Inhalable fraction and vapour.
	agents at the workplace Value	
STEL	80 mg/m3	
	oo mg/ms	
	13 ppm	
TWA	· ·	
TWA	13 ppm	
TWA /2007 concerning protection of Type	13 ppm 50 mg/m3 8 ppm	cal agents
/2007 concerning protection of	13 ppm 50 mg/m3 8 ppm health in work with chemi	cal agents
/2007 concerning protection of Type	13 ppm 50 mg/m3 8 ppm health in work with chemi Value	ical agents
/2007 concerning protection of Type	13 ppm 50 mg/m3 8 ppm health in work with chemi Value	cal agents Form
/2007 concerning protection of Type TWA	13 ppm 50 mg/m3 8 ppm health in work with chemitory Value 2 mg/m3 Value 62 mg/m3	
/2007 concerning protection of Type TWA ts Type	13 ppm 50 mg/m3 8 ppm health in work with chemi Value 2 mg/m3	
/2007 concerning protection of Type TWA ts Type	13 ppm 50 mg/m3 8 ppm health in work with chemical Value 2 mg/m3 Value 62 mg/m3 10 ppm 113 mg/m3	
/2007 concerning protection of Type TWA ts Type TWA TWA	13 ppm 50 mg/m3 8 ppm health in work with chemical Value 2 mg/m3 Value 62 mg/m3 10 ppm 113 mg/m3 20 ppm	
/2007 concerning protection of Type TWA ts Type TWA	13 ppm 50 mg/m3 8 ppm health in work with chemical Value 2 mg/m3 Value 62 mg/m3 10 ppm 113 mg/m3	
fa	Type TWA STEL TWA Contaminants in the Workplace Type TLV TLV TLV TLV TLV TLV TWA STEL TWA STEL TWA STEL TWA TWA TWA TWA TWA TWA TWA TW	TWA 5 mg/m3 STEL 300 mg/m3 50 ppm TWA 150 mg/m3 25 ppm Fontaminants in the Workplace Type Value TLV 140 mg/m3 25 ppm TLV 3,5 mg/m3 F Labour and Social Policy on 6 June 2014 on the maximum armful health factors in the work environment, Journal of Type Value TWA 4 mg/m3 0 ppm STEL 54 mg/m3 0 ppm TWA 27 mg/m3 0 ppm TWA 27 mg/m3 0 ppm TWA 10 ppm TWA 10 ppm TWA 10 ppm TWA 20 ppm TWA 3 mg/m3 TWA 3 mg/m3 TWA 5 ppm Pers from exposure to chemical agents at the workplace Value TWA the workplace Value

Components	Туре	'	/alue	Form
beta-Pinene (CAS 127-91-3)	STEL	3	300 mg/m3	
		5	50 ppm	
	TWA	1	150 mg/m3	
		2	25 ppm	
Carbon black (CAS 1333-86-4)	TWA		5 mg/m3	Inhalable dusts and mis
		1	1 mg/m3	Inhalable dust.
Switzerland. SUVA Grenzy Components	verte am Arbeitsplatz Type	•	/alue	
beta-Pinene (CAS	STEL	2	224 mg/m3	
127-91-3)		2	10 ppm	
	TWA		112 mg/m3	
			20 ppm	
III/ FII40 Warkulaaa Funa	ours Limits (M/FLs)	_	-0 pp	
UK. EH40 Workplace Expo	Type	\	/alue	
Carbon black (CAS 1333-86-4)	STEL	7	7 mg/m3	
	TWA	3	3,5 mg/m3	
logical limit values	No biological exposure limit	noted for the ingredient	t(s)	
commended monitoring cedures	Follow standard monitoring	_	.(0).	
rived no effect levels IELs)	Not available.			
dicted no effect scentrations (PNECs)	Not available.			
osure guidelines				
Belgium OELs: Skin desig	nation			
Citral (CAS 5392-40-5) Germany DFG MAK (advis		Can be absorbed thre	ough the skin.	
Benzeneethanol (CAS (Italy OELs: Skin designation	60-12-8)	Can be absorbed thre	ough the skin.	
Citral (CAS 5392-40-5)	ccupatioinal Exposure: Skin	Danger of cutaneous	absorption	
Citral (CAS 5392-40-5) Spain OELs: Skin designa	tion	Can be absorbed thre	ough the skin.	
Citral (CAS 5392-40-5)	alues at the Workplace: Skin	Can be absorbed three	ough the skin.	
beta-Pinene (CAS 127-		Can be absorbed thre	ough the skin	
Exposure controls	J. 5)		- u.g.: u.:	
propriate engineering atrols	priate engineering Good general ventilation shoul		entilation, or oth ure limits. If exp	ner engineering controls to posure limits have not been
ividual protection measure	s, such as personal protectiv	•		,
General information	-	pment as required. Pers		n equipment should be chose of the personal protective
Eye/face protection	• •	e shields (or goggles). F	ace shield is re	ecommended

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended. Skin protection

Wear appropriate chemical resistant gloves. - Hand protection

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Material name: CAR AIR FRESHENER ICON "CLASSIC" ROSA ANTICO - MAGNOLIA BLOSSOM & WOOD

17CAR64 Version #: 01 Issue date: 20-April-2022

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid.
Form Solid.

ColourNot available.OdourNot available.Melting point/freezing pointNot available.Boiling point or initial boilingNot available.

point and boiling range

Flammability (solid, gas) Not available.

Flash point 93 °C (199,4 °F) estimated

Auto-ignition temperature Not available.

Decomposition temperature Not available.

pH Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Vapour pressure 0,140722 hPa estimated

Vapour densityNot available.Relative densityNot available.Particle characteristicsNot available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Density 1,021 g/cm3 estimated

Explosive properties Not explosive.

Oxidising properties Not oxidising.

Specific gravity 1,02107 estimated

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on toxicological effects

Acute toxicity

Components Species Test Results

Carbon black (CAS 1333-86-4)

Acute Oral

LD50 Rat > 8000 mg/kg

Skin corrosion/irritationDue to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitisationDue to partial or complete lack of data the classification is not possible.

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicityDue to partial or complete lack of data the classification is not possible.

Carcinogenicity Risk of cancer cannot be excluded with prolonged exposure.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

IARC Monographs. Overall Evaluation of Carcinogenicity

Benzyl acetate (CAS 140-11-4) 3 Not classifiable as to carcinogenicity to humans.

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

Specific target orga repeated exposure Due to partial or complete lack of data the classification is not possible.

Aspiration hazardDue to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Toxic to aquatic life with long lasting effects. Based on available data, the classification criteria are

not met for hazardous to the aquatic environment, acute hazard.

Components Species Test Results

Acetic acid, hexyl ester (CAS 142-92-7)

Aquatic Acute

Fish LC50 Fathead minnow (Pimephales promelas) >= 3,7 - <= 4,4 mg/l, 96 hours

Benzyl acetate (CAS 140-11-4)

Aquatic

Acute

Fish LC50 Medaka, high-eyes (Oryzias latipes) >= 3,48 - <= 4,6 mg/l, 96 hours

Geraniol (CAS 106-24-1)

Aquatic

Acute

12.2. Persistence and

Fish LC50 Brown trout (Salmo trutta) \Rightarrow 2,3 - <= 3 mg/l, 96 hours

No data is available on the degradability of any ingredients in the mixture.

degradability

12.3. Bioaccumulative potential

Partition coefficient

n-octanol/water (log Kow)

1,6-Nonadien-3-ol, 3,7-dimethyl-3,32H-Pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)-1,65Acetic acid, hexyl ester3,3Allyl heptanoate3,97Benzeneethanol1.36

Material name: CAR AIR FRESHENER ICON "CLASSIC" ROSA ANTICO - MAGNOLIA BLOSSOM & WOOD

17CAR64 Version #: 01 Issue date: 20-April-2022

Benzyl acetate beta-lonone beta-Pinene Butyl cyclohexyl acetate Citral	1,96 1,903 4,16 4,8 2,76 3,45
Citronellol delta-Damascone	3,41 3,4 4,2
Ethyl 2,2-dimethylhydrocinnamal Geraniol Methylenedioxyphenyl methylpropanal Rose Ketone-4	3,6 3,56 2,4 4,8

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (FC) No 1907/2006. Appex XIII

assessment (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

12.8. Additional information

Estonia Dangerous substances in soil Data

Benzeneethanol (CAS 60-12-8) Chemical pesticides (As the total sum of the active substances)

0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

Citronellol (CAS 106-22-9) Chemical pesticides (As the total sum of the active substances)

0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

Geraniol (CAS 106-24-1) Chemical pesticides (As the total sum of the active substances)

0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN3077

14.2. UN proper shipping

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Hazard No. (ADR) 90

Tunnel restriction code E
14.4. Packing group III
14.5. Environmental hazards Yes

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

RID

14.1. UN number UN3077

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
14.4. Packing group III
14.5. Environmental hazards Yes

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

14.1. UN number UN3077

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
14.4. Packing group III
14.5. Environmental hazards Yes

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA


14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in bulk Not applicable. according to IMO instruments

ADN; ADR; RID



Marine pollutant



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended 2H-Pyran-4-ol, tetrahydro-4-methyl-2-(2-methylpropyl)- (CAS 63500-71-0) Geraniol (CAS 106-24-1)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Acetic acid, hexyl ester (CAS 142-92-7)

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work, as amended Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

Not available.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data. if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H226 Flammable liquid and vapour.

H301 Toxic if swallowed. H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation. H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Revision information

Training information

Disclaimer

None.

Follow training instructions when handling this material.

Home Fragrance Italia cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: CAR AIR FRESHENER ICON "CLASSIC" ROSA ANTICO - MAGNOLIA BLOSSOM & WOOD

SDS EU 17CAR64 Version #: 01 Issue date: 20-April-2022 14 / 14