SAFETY DATA SHEET



Version #: 01

Issue date: 20-April-2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

CAR AIR FRESHENER ICON "CLASSIC" VIOLA - MINERAL GOLD

Registration number

Synonyms None. 17CARVI Product code

1.2. Relevant identified uses of the substance or mixture and uses advised against

General Public Identified uses None known. Uses advised against 1.3. Details of the supplier of the safety data sheet

Company name Home Fragrance Italia **Address** Via A. Tonale 26

> Milano 20125 IT

Division

Telephone

Not available. e-mail Not available. Contact person

1.4. Emergency telephone

number

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons Information Centre

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National Toxicological Information

+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Czech Republic National Poisons Information

Centre

Centre

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Estonia National Poisons Information Centre

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Hungary National Emergency Phone Number

36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Lithuania Neatidėliotina

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department**

informacija apsinuodijus

2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Material name: CAR AIR FRESHENER ICON "CLASSIC" VIOLA - MINERAL GOLD

1.4. Emergency telephone number

Netherlands National Poisons Information Center (NVIC)

030-274 88 88 (Only for the purpose of informing medical personnel in cases of

acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Portugal Poison Centre 800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM, SDS/Product information may not be

available for the Emergency Service.)

Slovakia National

Toxicological Information Centre

+421 2 5477 4166 (Available 24 hours a day, SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info

145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Suisse

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Skin sensitisation Category 1B H317 - May cause an allergic skin

reaction.

Environmental hazards

H411 - Toxic to aquatic life with Hazardous to the aquatic environment, Category 2

long-term aquatic hazard long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Benzyl salicylate, beta-Caryophyllene, Cinnamyl alcohol, Coumarin, Geraniol, Isocyclemone E, Contains:

L-Carvone, Linalool, Methoxyhydratropaldehyde, Methylenedioxyphenyl methylpropanal, Nerol,

Oils, orange, sweet, Piperonal, trans-Anethole, Undecanal, 2-methyl-

Hazard pictograms



Signal word Warning

Hazard statements

May cause an allergic skin reaction. H317 Causes serious eye irritation. H319

Toxic to aquatic life with long lasting effects. H411

Precautionary statements

Prevention

Avoid breathing mist/vapours. P261 Wash thoroughly after handling. P264

Contaminated work clothing should not be allowed out of the workplace. P272

Avoid release to the environment. P273 Wear eye protection/face protection. P280

Wear protective gloves. P280

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 If eye irritation persists: Get medical advice/attention. P337 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364

Collect spillage. P391

Storage Store away from incompatible materials.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information

None.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Benzyl salicylate		12,5	118-58-1 204-262-9	-	-	
	Classification:	Eye Irrit. 2	2;H319, Skin Sens. 1I	3;H317, Aquatic Chronic 3;H	412	
Galaxolide		2,5	1222-05-5 214-946-9	-	603-212-00-7	
	Classification:	Aquatic A	cute 1;H400, Aquatic	Chronic 1;H410		
Isocyclemone E		2,5	54464-57-2 259-174-3	-	-	
	Classification:	Skin Irrit.	2;H315, Skin Sens. 1	B;H317, Aquatic Chronic 1;H	410	
2-Buten-1-ol, 2-ethyl-4-(2,2,3-trimet n-1-yl)-	hyl-3-cyclopente	1,25	28219-61-6 248-908-8	-	-	
	Classification:	Skin Irrit.	2;H315, Eye Irrit. 2;H	319, Aquatic Chronic 2;H411		
AHTN		1,25	21145-77-7 244-240-6	-	-	
	Classification:	Acute Tox Chronic 1		ng/kg), Aquatic Acute 1;H400), Aquatic	
Benzoic acid, 2-hydro (3Z)-3-hexen-1-yl este		1,25	65405-77-8 265-745-8	-	-	
	Classification:	Aquatic A	cute 1;H400, Aquatic	Chronic 2;H411		
Coumarin		1,25	91-64-5 202-086-7	-	-	
	Classification:	Acute Tox	. 4;H302;(ATE: 500 n	ng/kg), Skin Sens. 1B;H317		
Cyclohexanol, (1,7,7-trimethylbicyclo	(2.2.1)hept-2-yl)	1,25	68877-29-2 272-556-4	-	-	
	Classification:	Aquatic A	cute 1;H400, Aquatic	Chronic 2;H411		
Ethyl vanillin		1,25	121-32-4 204-464-7	-	-	
	Classification:	Eye Irrit. 2	2;H319			
Linalool		1,25	78-70-6 201-134-4	-	603-235-00-2	
	Classification:	Skin Irrit.	2;H315, Eye Irrit. 2;H	319, Skin Sens. 1B;H317		
Methoxyhydratropalde	ehyde	1,25	5462-06-6 226-749-5	-	-	
	Classification:	Skin Sens	s. 1B;H317			
Methylenedioxypheny methylpropanal	1	1,25	1205-17-0 214-881-6	-	-	
	Classification:	Skin Sens	s. 1B;H317, Repr. 2;H	I361, Aquatic Chronic 2;H411		
Vanillin		1,25	121-33-5 204-465-2	-	-	
	Classification:	Eye Irrit. 2	2;H319			
Carbon black		0,8	1333-86-4 215-609-9	-	-	
	Classification:	Carc. 2;H	351			
1,4-Dioxacyclohexade	ecane-5,16-dion	0,25	54982-83-1 259-423-6	-	-	
	Classification:	Aquatic A	cute 1;H400, Aquatic	Chronic 3;H412		

Chemical name		%	CAS-No.	/ EC No.	REACH Registration N	o. Index No.	Notes
5-Cyclohexadecen-1-	one	0,25	37609 253-5		-	-	
	Classification:	Aquatic A	cute 1;H400	, Aquatic	Chronic 1;H410		
beta-Caryophyllene		0,25	87-4 201-7		-	-	
	Classification:	Eye Irrit. 2 Chronic 1		Sens. 1;	H317, Asp. Tox. 1;H304, <i>i</i>	Aquatic	
Cinnamyl alcohol		0,25	104-5 203-2		-	-	
	Classification:	Acute Tox	4;H302;(A ⁻	ΓΕ: 500 m	g/kg), Skin Sens. 1B;H3′	17	
Cyclopentadecanone		0,25	502-7 207-9		-	-	
	Classification:	Aquatic A	cute 1;H400	, Aquatic	Chronic 1;H410		
Geraniol		0,25	106-2 203-3		-	603-241-00-5	
	Classification:				H318, Skin Sens. 1;H317, Aquatic Chronic 2;H411	, Asp. Tox.	
L-Carvone		0,25	6485- 229-3		-	606-148-00-8	
	Classification:	Skin Irrit. Chronic 3		n Sens. 1	H317, Asp. Tox. 1;H304,	Aquatic	
Nerol		0,25	106-2 203-3		-	-	
	Classification:	Skin Irrit.	2;H315, Eye	Irrit. 2;H3	319, Skin Sens. 1B;H317		
Oils, orange, sweet		0,25	8008- 616-9		-	-	
	Classification:				l315, Eye Irrit. 2;H319, S atic Chronic 2;H411	kin Sens.	
Oxacycloheptadec-10	-en-2-one	0,25	28645 249-1	-	-	-	
	Classification:	Aquatic A	cute 1;H400	, Aquatic	Chronic 1;H410		
Piperonal		0,25	120-5 204-4		-	-	
	Classification:	Skin Sens	s. 1B;H317				
trans-Anethole		0,25	4180- 224-0		-	-	
	Classification:	Skin Sens	s. 1B;H317				
Undecanal, 2-methyl-		0,25	110-4 203-7		-	-	
	Classification:	Skin Irrit. Chronic 1		n Sens. 1l	3;H317, Aquatic Acute 1;l	H400, Aquatic	

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

levels

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. #: This substance has been assigned Union workplace exposure limit(s).

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foar

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Avoid breathing mist/vapours. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area with water

with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001

Components	Type	Value	Form	
Carbon black (CAS 1333-86-4)	MAK	5 mg/m3	Inhalable dust.	
	STEL	10 mg/m3	Inhalable dust.	

Components	Туре	Value	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	
Croatia. Dangerous Substance Ex Components	posure Limit Values in the Wo Type	orkplace (ELVs), Annexes 1 a Value	nd 2, Narodne Novine, 13/0
Carbon black (CAS 1333-86-4)	MAC	3,5 mg/m3	
,	STEL	7 mg/m3	
Cyprus. OELs. Control of factory a Components	atmosphere and dangerous su Type	ıbstances in factories regula Value	tion, PI 311/73, as amende
Carbon black (CAS 333-86-4)	TWA	3,5 mg/m3	
Szech Republic. OELs. Governme	ent Decree 361		
Components	Type	Value	Form
Carbon black (CAS 333-86-4)	TWA	10 mg/m3	Dust.
Denmark. Exposure Limit Values Components	Туре	Value	
Carbon black (CAS 333-86-4)	TLV	3,5 mg/m3	
-Carvone (CAS 6485-40-1)	TLV	25 ppm	
Estonia. OELs. Occupational Expe		ostances (Regulation No. 105 Value	5/2001, Annex), as amende
Components	Туре		
-Carvone (CAS 6485-40-1)	STEL	300 mg/m3	
		50 ppm	
	TWA		
	1 7 7 7	150 mg/m3	
	IWA	25 ppm	
	iits	25 ppm	
Components	iits Type	25 ppm Value	
Components Carbon black (CAS	nits Type STEL	25 ppm Value 7 mg/m3	
Components Carbon black (CAS 1333-86-4)	Type STEL TWA	25 ppm Value 7 mg/m3 3,5 mg/m3	
Components Carbon black (CAS 1333-86-4) France. Threshold Limit Values (V	Type STEL TWA	25 ppm Value 7 mg/m3 3,5 mg/m3	NRS ED 984
Components Carbon black (CAS 1333-86-4) France. Threshold Limit Values (V Components Carbon black (CAS	Type STEL TWA /LEP) for Occupational Exposu	25 ppm Value 7 mg/m3 3,5 mg/m3 ure to Chemicals in France, II	NRS ED 984
Components Carbon black (CAS 1333-86-4) France. Threshold Limit Values (V Components Carbon black (CAS 1333-86-4)	Type STEL TWA (LEP) for Occupational Exposuly Type VME	25 ppm Value 7 mg/m3 3,5 mg/m3 ure to Chemicals in France, II Value	NRS ED 984
Components Carbon black (CAS 1333-86-4) France. Threshold Limit Values (V Components Carbon black (CAS 1333-86-4) Regulatory status: Indicative	Type STEL TWA LEP) for Occupational Exposurype VME e limit (VL)	25 ppm Value 7 mg/m3 3,5 mg/m3 ure to Chemicals in France, II Value	NRS ED 984
Components Carbon black (CAS 1333-86-4) France. Threshold Limit Values (V Components Carbon black (CAS 1333-86-4) Regulatory status: Indicative Greece. OELs (Decree No. 90/1999	Type STEL TWA LEP) for Occupational Exposurype VME e limit (VL)	25 ppm Value 7 mg/m3 3,5 mg/m3 ure to Chemicals in France, II Value	NRS ED 984
Components Carbon black (CAS 1333-86-4) France. Threshold Limit Values (V Components Carbon black (CAS 1333-86-4) Regulatory status: Indicative Greece. OELs (Decree No. 90/1999 Components Carbon black (CAS	Type STEL TWA (LEP) for Occupational Exposurype VME e limit (VL) 9, as amended)	Value 7 mg/m3 3,5 mg/m3 ure to Chemicals in France, II Value 3,5 mg/m3	NRS ED 984
Components Carbon black (CAS 1333-86-4) France. Threshold Limit Values (V Components Carbon black (CAS 1333-86-4) Regulatory status: Indicative Greece. OELs (Decree No. 90/1999 Components Carbon black (CAS	Type STEL TWA LEP) for Occupational Exposurype VME e limit (VL) 9, as amended) Type	Value 7 mg/m3 3,5 mg/m3 ure to Chemicals in France, Il Value 3,5 mg/m3	NRS ED 984
Carbon black (CAS 1333-86-4) France. Threshold Limit Values (V Components Carbon black (CAS 1333-86-4) Regulatory status: Indicative Greece. OELs (Decree No. 90/1998 Components Carbon black (CAS 1333-86-4) Hungary. OELs. Joint Decree on C	Type STEL TWA LEP) for Occupational Exposuration VME e limit (VL) a, as amended) Type STEL TWA Chemical Safety of Workplaces	Value 7 mg/m3 3,5 mg/m3 ure to Chemicals in France, II Value 3,5 mg/m3 Value 7 mg/m3 3,5 mg/m3	
Components Carbon black (CAS 1333-86-4) France. Threshold Limit Values (V Components Carbon black (CAS 1333-86-4) Regulatory status: Indicative Components Carbon black (CAS 1333-86-4) Carbon black (CAS 1333-86-4) Hungary. OELs. Joint Decree on Components	Type STEL TWA LEP) for Occupational Exposury Type VME e limit (VL) 9, as amended) Type STEL TWA Chemical Safety of Workplaces Type	Value 7 mg/m3 3,5 mg/m3 ure to Chemicals in France, II Value 3,5 mg/m3 Value 7 mg/m3 3,5 mg/m3 Value 7 mg/m3 Value	Form
Components Carbon black (CAS 1333-86-4) France. Threshold Limit Values (V Components Carbon black (CAS 1333-86-4) Regulatory status: Indicative Components Carbon black (CAS 1333-86-4) Carbon black (CAS 1333-86-4) Hungary. OELs. Joint Decree on Components Carbon black (CAS 1333-86-4)	Type STEL TWA LEP) for Occupational Exposuration VME e limit (VL) a, as amended) Type STEL TWA Chemical Safety of Workplaces	Value 7 mg/m3 3,5 mg/m3 ure to Chemicals in France, II Value 3,5 mg/m3 Value 7 mg/m3 3,5 mg/m3	
Carbon black (CAS 1333-86-4) France. Threshold Limit Values (V Components Carbon black (CAS 1333-86-4) Regulatory status: Indicative Components Carbon black (CAS 1333-86-4) Hungary. OELs. Joint Decree on C Components Carbon black (CAS 1333-86-4) Carbon black (CAS 1333-86-4) Carbon black (CAS 1333-86-4) Celand. OELs. Regulation 154/198	Type STEL TWA (LEP) for Occupational Exposuration Type VME e limit (VL) 9, as amended) Type STEL TWA Chemical Safety of Workplaces Type TWA	25 ppm Value 7 mg/m3 3,5 mg/m3 ure to Chemicals in France, II Value 3,5 mg/m3 Value 7 mg/m3 3,5 mg/m3 Value 3 mg/m3	Form
Finland. Workplace Exposure Lime Components Carbon black (CAS 1333-86-4) France. Threshold Limit Values (V Components Carbon black (CAS 1333-86-4) Regulatory status: Indicative Greece. OELs (Decree No. 90/1998 Components Carbon black (CAS 1333-86-4) Hungary. OELs. Joint Decree on Components Carbon black (CAS 1333-86-4) Iceland. OELs. Regulation 154/198 Components Carbon black (CAS 1333-86-4) Carbon black (CAS 1333-86-4)	Type STEL TWA LEP) for Occupational Exposurity VME e limit (VL) g, as amended) Type STEL TWA Chemical Safety of Workplaces Type TWA 99 on occupational exposure limits	Value 7 mg/m3 3,5 mg/m3 ure to Chemicals in France, II Value 3,5 mg/m3 Value 7 mg/m3 3,5 mg/m3 Value 3 mg/m3	Form
Carbon black (CAS 1333-86-4) France. Threshold Limit Values (V Components Carbon black (CAS 1333-86-4) Regulatory status: Indicative Components Carbon black (CAS 1333-86-4) Hungary. OELs. Joint Decree on Components Carbon black (CAS 1333-86-4) Carbon black (CAS 1333-86-4) Celand. OELs. Regulation 154/198 Components Carbon black (CAS 1333-86-4)	Type STEL TWA LEP) for Occupational Exposury Type VME e limit (VL) 9, as amended) Type STEL TWA Chemical Safety of Workplaces Type TWA 99 on occupational exposure liftype TWA	Value 7 mg/m3 3,5 mg/m3 ure to Chemicals in France, II Value 3,5 mg/m3 Value 7 mg/m3 3,5 mg/m3 Value 3 mg/m3 imits Value	Form
Carbon black (CAS 1333-86-4) France. Threshold Limit Values (V Components Carbon black (CAS 1333-86-4) Regulatory status: Indicative Greece. OELs (Decree No. 90/1998 Components Carbon black (CAS 1333-86-4) Hungary. OELs. Joint Decree on C Components Carbon black (CAS 1333-86-4) celand. OELs. Regulation 154/198 Components Carbon black (CAS	Type STEL TWA LEP) for Occupational Exposury Type VME e limit (VL) 9, as amended) Type STEL TWA Chemical Safety of Workplaces Type TWA 99 on occupational exposure liftype TWA	Value 7 mg/m3 3,5 mg/m3 ure to Chemicals in France, II Value 3,5 mg/m3 Value 7 mg/m3 3,5 mg/m3 Value 3 mg/m3 imits Value	Form

Italy. Occupational Exposure Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Lithuania. OELs. Limit Valu Components	es for Chemical Substances, Go Type	eneral Requirements Value	
L-Carvone (CAS 6485-40-1)	STEL	300 mg/m3	
		50 ppm	
	TWA	150 mg/m3	
		25 ppm	
Norway. Administrative Nori Components	ms for Contaminants in the Wor Type	rkplace Value	
Carbon black (CAS 1333-86-4)	TLV	3,5 mg/m3	
Poland. Ordinance of the Mi		icy on 6 June 2014 on the maximo	
Components	Туре	Value	Form
Carbon black (CAS	TWA	4 mg/m3	Inhalable fraction.
1333-86-4)		•	
		0 ppm	Inhalable fraction.
	cupational exposure to chemic	= :	_
Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Fume.
Slovakia. OELs. Regulation Components	No. 300/2007 concerning protect Type	ction of health in work with chemi Value	cal agents
Carbon black (CAS 1333-86-4)	TWA	2 mg/m3	
Spain. Occupational Exposu Components	ure Limits Type	Value	
Carbon black (CAS 1333-86-4)	TWA	3,5 mg/m3	
Sweden. OELs. Work Enviro	onment Authority (AV), Occupat Type	ional Exposure Limit Values (AFS Value	2015:7) Form
Carbon black (CAS 1333-86-4)	TWA	5 mg/m3	Inhalable dusts and mis
1000 00 1)		1 mg/m3	Inhalable dust.
L-Carvone (CAS 6485-40-1)	STEL	300 mg/m3	
,		50 ppm	
	TWA	150 mg/m3	
		25 ppm	
IIK EHAN Warkalaan Evana	ura l imite (MEI e)	11	
UK. EH40 Workplace Exposicomponents	Type	Value	
		7 mg/m3	
Carbon black (CAS 1333-86-4)	STEL	· ·	
	STEL TWA	3,5 mg/m3	
	TWA No biological exposure limits no	3,5 mg/m3 sted for the ingredient(s).	
1333-86-4)	TWA	3,5 mg/m3 sted for the ingredient(s).	
1333-86-4) ogical limit values ommended monitoring	TWA No biological exposure limits no	3,5 mg/m3 sted for the ingredient(s).	

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

General information

Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection

Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

- Hand protection

Wear appropriate chemical resistant gloves.

- Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Solid, Liquid. Physical state **Form** Liauid. Colourless. Colour Not available. Odour Not available. Melting point/freezing point

Boiling point or initial boiling

point and boiling range

Not available.

Flammability (solid, gas)

Not applicable. Not available.

Flash point

> 100 °C (> 212 °F)

Auto-ignition temperature **Decomposition temperature** Not available. Not available.

рΗ

Not available.

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available. (n-octanol/water)

Vapour pressure

0.000024 hPa estimated

Not available. Vapour density Not available. Relative density Not available. Particle characteristics

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Density 1,111 g/cm3 estimated

Explosive properties Not explosive. **Oxidising properties** Not oxidising. Specific gravity 1,11109 estimated

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

No dangerous reaction known under conditions of normal use.

reactions

10.4. Conditions to avoidContact with incompatible materials.

10.5. Incompatible materials Stro

Strong oxidising agents.

10.6. Hazardous

No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

InhalationProlonged inhalation may be harmful.Skin contactMay cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on toxicological effects

Acute toxicity

Components Species Test Results

Carbon black (CAS 1333-86-4)

Acute Oral

LD50 Rat > 8000 mg/kg

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible.

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Carcinogenicity Risk of cancer cannot be excluded with prolonged exposure.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Coumarin (CAS 91-64-5) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Aspiration hazardDue to partial or complete lack of data the classification is not possible.

No information available.

Mixture versus substance

information

Due to partial of complete lack of data the classification is not p

11.2. Information on other hazards

Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information Not available.

SECTION 12: Ecological information

12.1. ToxicityToxic to aquatic life with long lasting effects. Based on available data, the classification criteria are

not met for hazardous to the aquatic environment, acute hazard.

Components Species Test Results

Coumarin (CAS 91-64-5)

Aquatic Acute

Fish LC50 Guppy (Poecilia reticulata) >= 32 - <= 100 mg/l, 96 hours

Material name: CAR AIR FRESHENER ICON "CLASSIC" VIOLA - MINERAL GOLD 17CARVI Version #: 01 Issue date: 20-April-2022

Components Species **Test Results**

Ethyl vanillin (CAS 121-32-4)

Aquatic Acute

LC50 Fathead minnow (Pimephales promelas) >= 81,4 - <= 94,3 mg/l, 96 hours Fish

Geraniol (CAS 106-24-1)

Aquatic

Acute

LC50 Brown trout (Salmo trutta) >= 2.3 - <= 3 mg/l, 96 hoursFish

Vanillin (CAS 121-33-5)

Aquatic

Acute

LC50 Fathead minnow (Pimephales promelas) >= 53 - <= 61,3 mg/l, 96 hours Fish

12.2. Persistence and

No data is available on the degradability of any ingredients in the mixture.

degradability

12.3. Bioaccumulative potential

Partition coefficient

n-octanol/water (log Kow)

otalion hator (log rton)	
1,4-Dioxacyclohexadecane-5,16-dione	3,65
AHTN	5,4
Benzoic acid, 2-hydroxy-, (3Z)-3-hexen-1-yl ester	4,8
Benzyl salicylate	4
beta-Caryophyllene	6,23
Cinnamyl alcohol	1,452
Coumarin	1,39
Cyclohexanol, (1,7,7-trimethylbicyclo(2.2.1)hept-2-yl)-	5,058
Cyclopentadecanone	5,6
Ethyl vanillin	1,58
Galaxolide	5,3
Geraniol	3,56
L-Carvone	3,07
Linalool	2,97
Methoxyhydratropaldehyde	2,3
Methylenedioxyphenyl methylpropanal	2,4
Nerol	2,76
Oxacycloheptadec-10-en-2-one	6,7
Piperonal	1,05
trans-Anethole	3,388
Undecanal, 2-methyl-	4,9
Vanillin	1,37

Bioconcentration factor (BCF)

Not available.

12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

No data available.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

12.8. Additional information

Estonia Dangerous substances in soil Data

Geraniol (CAS 106-24-1) Chemical pesticides (As the total sum of the active substances)

0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN3082

14.2. UN proper shipping

g

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Galaxolide)

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Hazard No. (ADR) 90
Tunnel restriction code E
14.4. Packing group III
14.5. Environmental hazards Yes

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

RID

14.1. UN number UN3077

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Galaxolide)

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
14.4. Packing group III
14.5. Environmental hazards Yes

14.6. Special precautions Rea

Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

14.1. UN number UN3082

14.2. UN proper shipping

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Galaxolide)

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
14.4. Packing group III
14.5. Environmental hazards Yes

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

14.1. UN number UN3082

14.2. UN proper shipping Environmentally hazardous substance, liquid, n.o.s. (Galaxolide)

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk 14.4. Packing group III
14.5. Environmental hazards Yes
ERG Code 9L

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

Allowed with restrictions.

aircraft
Cargo aircraft only

Allowed with restrictions.

IMDG

14.1. UN number UN3082

14.2. UN proper shipping

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Galaxolide), MARINE

name POLLUTANT

14.3. Transport hazard class(es)

Class 9 Subsidiary risk 14.4. Packing group Ш 14.5. Environmental hazards

Marine pollutant Yes F-A. S-F


14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

14.7. Maritime transport in bulk

Not established.

according to IMO instruments



Marine pollutant



General information IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Geraniol (CAS 106-24-1) L-Carvone (CAS 6485-40-1) Linalool (CAS 78-70-6)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Galaxolide (CAS 1222-05-5)

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under Sections 2 to 15

Not available.

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Revision information

Product and Company Identification: Product and Company Identification

Training information

Follow training instructions when handling this material.

Disclaimer

Home Fragrance Italia cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: CAR AIR FRESHENER ICON "CLASSIC" VIOLA - MINERAL GOLD 17CARVI Version #: 01 Issue date: 20-April-2022