SAFETY DATA SHEET



Version #: 01

Issue date: 23-December-2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

Synonyms

Product code

CAR AIR FRESHENER ICON "CLASSIC" NERO - OXYGEN 17CARBK

Registration number

None. 17CARBK

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesGeneral PublicUses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

Cummilian

Company name Home Fragrance Italia **Address** Via A. Tonale 26

Milano 20125 IT

Division

Telephone

e-mail Not available.

Contact person Not available.

1.4. Emergency telephone

number

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons Information Centre

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National Toxicological Information

Centre

+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Czech Republic National Poisons Information

Centre

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons Control Center +45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Estonia National Poisons Information Centre 16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Hungary National Emergency Phone Number 36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and Emergency Department 2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Material name: CAR AIR FRESHENER ICON "CLASSIC" NERO - OXYGEN 17CARBK

1.4. Emergency telephone number

Netherlands National Poisons Information Center (NVIC)

030-274 88 88 (Only for the purpose of informing medical personnel in cases of

acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Portugal Poison Centre

800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM, SDS/Product information may not be

available for the Emergency Service.)

Slovakia National

Toxicological Information Centre

+421 2 5477 4166 (Available 24 hours a day, SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day, SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin sensitisation Category 1A H317 - May cause an allergic skin

reaction.

Environmental hazards

long-term aquatic hazard

Hazardous to the aquatic environment, Category 2

H411 - Toxic to aquatic life with

long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 1-(2,3,8,8-tetramethyl-1,3,4,6,7,8a-hexahydronaphthalen-2-yl)ethanone,

1-(2,3,8,8-tetramethyl-1,3,5,6,7,8a-hexahydronaphthalen-2-yl)ethanone,

1,4-Methanonaphthalen-6(2H)-one, octahydro-7-methyl-, 2,4-Dimethyl-3-cyclohexene carboxaldehyde, 3-(o-Ethylphenyl)-2.2-dimethylpropionaldehyde, Allyl cyclohexanepropionate. Alpha-isomethyl ionone, alpha-Pinene, Benzoic acid, 2,4-dihydroxy-3,6-dimethyl-, methyl ester, beta-Pinene, Citral, Citronellol, Cyclododecane, (ethoxymethoxy)-, delta-Damascone, Dihydro pentamethylindanone, d-Limonene, Eugenol, Isocyclemone E, Isoeugenol, Methylenedioxyphenyl

methylpropanal

Hazard pictograms



Signal word Warning

Hazard statements

May cause an allergic skin reaction. H317

Toxic to aquatic life with long lasting effects. H411

Precautionary statements

Prevention

Keep out of reach of children. P102

Response

IF ON SKIN: Wash with plenty of water. P302 + P352

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313

Not applicable. **Storage**

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information None.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Material name: CAR AIR FRESHENER ICON "CLASSIC" NERO - OXYGEN 17CARBK 17CARBK Version #: 01 Issue date: 23-December-2022

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name		%		REACH Registration No	. Index No.	Notes
2,6-Dimethyl-7-octen-		1 - 3	18479-58-8 242-362-4	-	-	
		Skin Irrit.	2;H315, Eye Irrit. 2;H3	319 		
3a,4,5,6,7,7a-Hexahyo o-1H-inden-6-yl propic	nate	1 - 3	17511-60-3 241-514-7	-	-	
	Classification:	Aquatic C	hronic 2;H411			
d-Limonene		1 - 3	5989-27-5 227-813-5	-	601-029-00-7	
	Classification:			H315, Skin Sens. 1;H317, Aquatic Chronic 1;H410	Asp. Tox.	С
Isocyclemone E		1 - 3	54464-57-2 259-174-3	-	-	
	Classification:	Skin Irrit.	2;H315, Skin Sens. 1	B;H317, Aquatic Chronic 1;	H410	
1-(2,3,8,8-tetramethyl- xahydronaphthalen-2-		≤ 1	68155-67-9 268-979-9	-	-	
	Classification:	Skin Irrit.	2;H315, Skin Sens. 1	B;H317, Aquatic Chronic 1;	H410	
1-(2,3,8,8-tetramethyl- xahydronaphthalen-2-		≤ 1	68155-66-8 268-978-3	-	-	
	Classification:	Skin Irrit.	2;H315, Skin Sens. 1	B;H317, Aquatic Chronic 1;	H410	
3-(o-Ethylphenyl)-2,2-	dimethylpropion	≤ 1	67634-14-4 266-818-7	-	-	
·	Classification:	Skin Irrit. Chronic 2		B;H317, Aquatic Acute 1;H	400, Aquatic	
Allyl cyclohexaneprop	ionate	≤ 1	2705-87-5 220-292-5	-	-	
	Classification:	mg/kg), A		ng/kg), Acute Tox. 4;H312; E: 11 mg/l), Skin Sens. 1;H 1;H410		
Alpha-isomethyl ionon	e	≤ 1	127-51-5 204-846-3	-	-	
	Classification:	Skin Sens	s. 1B;H317, Aquatic C	hronic 2;H411		
Carbon black		≤ 1	1333-86-4 215-609-9	-	-	
	Classification:	Carc. 2;H	351			
Citral		≤ 1	5392-40-5 226-394-6	-	605-019-00-3	
	Classification:	Skin Irrit.	2;H315, Eye Irrit. 2;H3	319, Skin Sens. 1;H317		
Cyclododecane, (etho	xymethoxy)-	≤ 1	58567-11-6 261-332-1	-	-	
	Classification:	Skin Irrit.	2;H315, Skin Sens. 1	B;H317, Aquatic Chronic 2	H411	
Dihydro pentamethylir		≤ 1	33704-61-9 251-649-3	-	-	
	Classification:	Skin Irrit. Chronic 2	2;H315, Eye Irrit. 2;H	319, Skin Sens. 1B;H317, A	Aquatic	
Methylenedioxyphenyl methylpropanal		≤ 1	1205-17-0 214-881-6	-	-	
	Classification:	Skin Sens	s. 1B;H317, Repr. 2;H	361, Aquatic Chronic 2;H4	11	
Oxacyclohexadecen-2	-one	≤ 1	34902-57-3 -	-	-	
	Classification:	Aquatic A	cute 1;H400, Aquatic	Chronic 2;H411		
1,4-Methanonaphthaleoctahydro-7-methyl-		≤ 0,2	41724-19-0 255-517-6	-	-	
•	Classification:	Acute Tox mg/kg), S	c. 4;H302;(ATE: 500 n	ng/kg), Acute Tox. 4;H312; quatic Chronic 3;H412	(ATE: 1100	

Chemical name 2,4-Dimethyl-3-cyclohe	vono	% ≤ 0.2	68039		REACH Registration	n No. Index No.	Notes
carboxaldehyde	Kelle	≥ 0,2	268-2		-	-	
(Classification	Skin Irrit. 2 Chronic 2	2;H315, Eye ;H411	Irrit. 2;H3	19, Skin Sens. 1B;H3	17, Aquatic	
alpha-Cedrene		≤ 0,2	469-6 207-4		-	-	
(Classification	: Asp. Tox.	1;H304, Aqu	atic Acut	∍ 1;H400, Aquatic Chr	onic 1;H410	
alpha-Pinene		≤ 0,2	80-5 201-2		-	-	
(Classification	2;H315, S		B;H317, A	;H302;(ATE: 500 mg/l sp. Tox. 1;H304, Aqua		
Benzoic acid, 2,4-dihydroxy-3,6-dime ester	thyl-, methyl	≤ 0,2	4707- 225-1		-	-	
(Classification	: Skin Sens	. 1B;H317				
beta-Pinene		≤ 0,2	127-9 204-8		-	-	
(Classification				l315, Skin Sens. 1B;⊦ Aquatic Chronic 1;H4		
Citronellol		≤ 0,2	106-2 203-3		-	-	
(Classification		2;H315, Eye quatic Chro		1318, Skin Sens. 1;H3 1	17, Asp. Tox.	
delta-Damascone		≤ 0,2	57378 260-7		-	-	
(Classification				g/kg), Skin Irrit. 2;H31 , Aquatic Chronic 1;H		
Eugenol		≤ 0,2	97-5 202-5		-	-	
(Classification	Eye Irrit. 2 Chronic 4;		Sens. 1;l	H317, Asp. Tox. 1;H30	4, Aquatic	
Isoeugenol		≤ 0,2	97-5 202-5		-	604-094-00-X	
(Classification		kin Irrit. 2;H3		ng/kg), Acute Tox. 4;H rrit. 2;H319, Skin Sens		
Specific Concent	ration Limits	: Skin Sens	. 1A;H317: (C >= 0.01	%		

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

List of abbreviations and symbols that may be used above

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. #: This substance has been assigned Union workplace exposure limit(s).

Composition comments

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion May cause an allergic skin reaction. Dermatitis. Rash. 4.2. Most important symptoms

and effects, both acute and

delayed

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards

No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

6.4. Reference to other

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance	e (GwV), BGBI. II, no. 184/2001
----------------------------------	---------------------------------

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	MAK	5 mg/m3	Inhalable dust.
	STEL	10 mg/m3	Inhalable dust.
Belgium. Exposure Limit Values			
Components	Туре	Value	Form
alpha-Pinene (CAS 80-56-8)	TWA	20 ppm	
beta-Pinene (CAS 127-91-3)	TWA	20 ppm	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	
Citral (CAS 5392-40-5)	TWA	32 mg/m3	Vapour and aerosol.
		5 ppm	Vapour and aerosol.

Bulgaria. OELs. Regulation No 13 on p Components	rotection of workers agai Type	nst risks of exposure to che Value	mical agents at work Form
alpha-Cedrene (CAS 469-61-4)	TWA	3,5 mg/m3	Inhalable fraction.
Croatia. Dangerous Substance Exposu Components	re Limit Values in the Wo	orkplace (ELVs), Annexes 1 a Value	nd 2, Narodne Novine, 13/0
Carbon black (CAS 1333-86-4)	MAC	3,5 mg/m3	
	STEL	7 mg/m3	
Cyprus. OELs. Control of factory atmos Components	sphere and dangerous su Type	ıbstances in factories regula Value	tion, PI 311/73, as amended
alpha-Cedrene (CAS 469-61-4)	TWA	0,2 mg/m3	
Carbon black (CAS 1333-86-4)	TWA	3,5 mg/m3	
Czech Republic. OELs. Government De			
Components	Туре	Value	Form
alpha-Cedrene (CAS 469-61-4)	TWA	2 mg/m3	Dust.
Carbon black (CAS 1333-86-4)	TWA	10 mg/m3	Dust.
Denmark. Exposure Limit Values Components	Туре	Value	
alpha-Pinene (CAS	TLV	25 ppm	
80-56-8) peta-Pinene (CAS	TLV	25 ppm	
27-91-3)	TLV		
Carbon black (CAS 333-86-4)		3,5 mg/m3	
d-Limonene (CAS 5989-27-5)	TLV	25 ppm	
Estonia. OELs. Occupational Exposure Components	Limits of Hazardous Sul Type	ostances (Regulation No. 105 Value	5/2001, Annex), as amended
alpha-Pinene (CAS	STEL	300 mg/m3	
30-56-8)		50 ppm	
	TWA	150 mg/m3	
		25 ppm	
peta-Pinene (CAS 127-91-3)	STEL	300 mg/m3	
,		50 ppm	
	TWA	150 mg/m3	
		25 ppm	
	Type		
Components Carbon black (CAS	Type STEL	25 ppm Value 7 mg/m3	
Components Carbon black (CAS	STEL	Value 7 mg/m3	
Carbon black (CAS 1333-86-4)	STEL	Value 7 mg/m3 3,5 mg/m3	
Components Carbon black (CAS 1333-86-4) d-Limonene (CAS	STEL	Value 7 mg/m3 3,5 mg/m3 280 mg/m3	
Components Carbon black (CAS 1333-86-4) d-Limonene (CAS	STEL TWA STEL	Value 7 mg/m3 3,5 mg/m3 280 mg/m3 50 ppm	
Components Carbon black (CAS 1333-86-4) d-Limonene (CAS	STEL	Value 7 mg/m3 3,5 mg/m3 280 mg/m3 50 ppm 140 mg/m3	
Carbon black (CAS 1333-86-4) d-Limonene (CAS 5989-27-5)	STEL TWA STEL TWA	Value 7 mg/m3 3,5 mg/m3 280 mg/m3 50 ppm 140 mg/m3 25 ppm	
Carbon black (CAS 1333-86-4) d-Limonene (CAS 5989-27-5) France. Threshold Limit Values (VLEP)	STEL TWA STEL TWA	Value 7 mg/m3 3,5 mg/m3 280 mg/m3 50 ppm 140 mg/m3 25 ppm	NRS ED 984
Finland. Workplace Exposure Limits Components Carbon black (CAS 1333-86-4) d-Limonene (CAS 5989-27-5) France. Threshold Limit Values (VLEP) Components Carbon black (CAS 1333-86-4)	STEL TWA STEL TWA for Occupational Exposi	Value 7 mg/m3 3,5 mg/m3 280 mg/m3 50 ppm 140 mg/m3 25 ppm	NRS ED 984

n the Work Area (DFG) Components	Туре	Value	
d-Limonene (CAS	TWA	28 mg/m3	
5989-27-5)		5 ppm	
Sermany. TRGS 900, Limit Values in the A	mbient Air at the Work	olace	
Components	Туре	Value	
d-Limonene (CAS	AGW	28 mg/m3	
5989-27-5)		5 ppm	
Greece. OELs (Decree No. 90/1999, as ame	anded)	- FF	
Components	Туре	Value	
Carbon black (CAS	STEL	7 mg/m3	
1333-86-4)	TWA	3,5 mg/m3	
Hungary. OELs. Joint Decree on Chemical		0,0 mg/m0	
Components	Type	Value	Form
Carbon black (CAS	TWA	3 mg/m3	Inhalable dust.
1333-86-4)			
celand. OELs. Regulation 154/1999 on oc Components	cupational exposure lir Type	nits Value	Form
alpha-Cedrene (CAS	TWA	0,2 mg/m3	
169-61-4)		-	
2 1 1 1 (010	- 1444	0,2 mg/m3	Particulate.
Carbon black (CAS I333-86-4)	TWA	3,5 mg/m3	
reland. Occupational Exposure Limits			
Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Citral (CAS 5392-40-5)	TWA	5 ppm	Inhalable fraction and
			vapour.
taly. Occupational Exposure Limits Components	Туре	Value	Form
alpha-Pinene (CAS	TWA	20 ppm	
30-56-8)	T10/0	20 nnm	
peta-Pinene (CAS 127-91-3)	TWA	20 ppm	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Citral (CAS 5392-40-5)	TWA	5 ppm	Inhalable fraction and
			vapour.
_atvia. OELs. Occupational exposure limit Components	values of chemical su Type	ostances in work environment Value	Form
alpha-Cedrene (CAS	TWA	4 mg/m3	Dust.
169-61-4)		i iligililo	_ 40
Lithuania. OELs. Limit Values for Chemic			
Components	Type	Value	
llpha-Pinene (CAS 0-56-8)	STEL	300 mg/m3	
		50 ppm	
	TWA	150 mg/m3	
		25 ppm	
peta-Pinene (CAS 127-91-3)	STEL	300 mg/m3	
2. 0. 0)		50 ppm	

Lithuania. OELs. Limit Values for C Components	Type	Value	
		25 ppm	
letherlands. OELs (binding)			
Components	Туре	Value	
lpha-Cedrene (CAS 69-61-4)	TWA	550 ng/m3	
lorway. Administrative Norms for Components	Contaminants in the Workpl Type	ace Value	
lpha-Cedrene (CAS 69-61-4)	TLV	0,04 mg/m3	
lpha-Pinene (CAS 0-56-8)	TLV	140 mg/m3	
		25 ppm	
eta-Pinene (CAS 27-91-3)	TLV	140 mg/m3	
		25 ppm	
arbon black (CAS 333-86-4)	TLV	3,5 mg/m3	
-Limonene (CAS 989-27-5)	TLV	140 mg/m3	
		25 ppm	
oland. Ordinance of the Minister	of Labour and Social Policy	on 6 June 2014 on the maxim	um permissible
oncentrations and intensities of homponents	narmful health factors in the Type	work environment, Journal of Value	Laws 2014, item 817 Form
pha-Cedrene (CAS	TWA	0,002 mg/m3	
69-61-4)	IWA		
		0 ppm	
arbon black (CAS 333-86-4)	TWA	4 mg/m3	Inhalable fraction.
		0 ppm	Inhalable fraction.
itral (CAS 5392-40-5)	STEL	54 mg/m3	
		0 ppm	
	TWA	27 mg/m3	
		0 ppm	
ortugal. VLEs. Norm on occupation		=	
omponents	Туре	Value	Form
pha-Pinene (CAS)-56-8)	TWA	20 ppm	
,	TWA		
	IVVA	20 ppm	
27-91-3) arbon black (CAS	TWA	20 ppm 3 mg/m3	Fume.
27-91-3) arbon black (CAS 333-86-4)			Fume. Inhalable fraction and vapour.
27-91-3) Parbon black (CAS) 333-86-4) Parbon black (CAS) Parbon black (CAS) Parbon black (CAS) Parbon bla	TWA TWA kers from exposure to chemi	3 mg/m3 5 ppm	Inhalable fraction and
eta-Pinene (CAS 27-91-3) Carbon black (CAS 333-86-4) Citral (CAS 5392-40-5) Comania. OELs. Protection of work Components Ipha-Cedrene (CAS 69-61-4)	TWA TWA	3 mg/m3 5 ppm ical agents at the workplace	Inhalable fraction and
27-91-3) Earbon black (CAS 333-86-4) Eitral (CAS 5392-40-5) Eomania. OELs. Protection of work Eomponents Ipha-Cedrene (CAS 69-61-4)	TWA TWA kers from exposure to chemi Type TWA	3 mg/m3 5 ppm ical agents at the workplace Value 0,2 mg/m3	Inhalable fraction and vapour.
27-91-3) arbon black (CAS 333-86-4) itral (CAS 5392-40-5) omania. OELs. Protection of work omponents pha-Cedrene (CAS 59-61-4) lovakia. OELs. Regulation No. 30	TWA TWA kers from exposure to chemi Type TWA	3 mg/m3 5 ppm ical agents at the workplace Value 0,2 mg/m3	Inhalable fraction and vapour.
27-91-3) Earbon black (CAS 333-86-4) Eitral (CAS 5392-40-5) Ecomania. OELs. Protection of work Ecomponents Ipha-Cedrene (CAS 69-61-4) Hovakia. OELs. Regulation No. 30 Ecomponents Earbon black (CAS	TWA TWA kers from exposure to chemi Type TWA 0/2007 concerning protection	3 mg/m3 5 ppm ical agents at the workplace Value 0,2 mg/m3 n of health in work with chem	Inhalable fraction and vapour.
27-91-3) Carbon black (CAS 333-86-4) Citral (CAS 5392-40-5) Comania. OELs. Protection of work Components Ipha-Cedrene (CAS 69-61-4) Clovakia. OELs. Regulation No. 30 Components Carbon black (CAS 333-86-4) Clovenia. OELs. Regulations conce	TWA TWA kers from exposure to chemical Type TWA 0/2007 concerning protection Type TWA TWA erning protection of workers	3 mg/m3 5 ppm ical agents at the workplace Value 0,2 mg/m3 n of health in work with chem Value 2 mg/m3	Inhalable fraction and vapour.
27-91-3) Farbon black (CAS 333-86-4) Fitral (CAS 5392-40-5) Comania. OELs. Protection of work Components Ipha-Cedrene (CAS 69-61-4) Iovakia. OELs. Regulation No. 30 Components Farbon black (CAS 333-86-4) Iovenia. OELs. Regulations concedificial Gazette of the Republic of	TWA TWA kers from exposure to chemical Type TWA 0/2007 concerning protection Type TWA TWA erning protection of workers	3 mg/m3 5 ppm ical agents at the workplace Value 0,2 mg/m3 n of health in work with chem Value 2 mg/m3	Inhalable fraction and vapour.
27-91-3) Farbon black (CAS 333-86-4) Fitral (CAS 5392-40-5) Comania. OELs. Protection of work Components Ipha-Cedrene (CAS 69-61-4) Iovakia. OELs. Regulation No. 30 Components Farbon black (CAS 333-86-4)	TWA TWA Kers from exposure to chemically a service of the service	3 mg/m3 5 ppm ical agents at the workplace Value 0,2 mg/m3 n of health in work with chem Value 2 mg/m3 against risks due to exposur	Inhalable fraction and vapour.

Components	Type		V	alue	Form
alpha-Pinene (CAS	TWA		1′	13 mg/m3	
80-56-8)			20) ppm	
beta-Pinene (CAS	TWA			13 mg/m3	
127-91-3)	1 7 7 7		,	io ilig/ilio	
			20) ppm	
Carbon black (CAS 1333-86-4)	TWA		3,	5 mg/m3	
Citral (CAS 5392-40-5)	TWA		5	ppm	Inhalable fraction and
d-Limonene (CAS	TWA		16	68 mg/m3	vapour.
5989-27-5)			30) ppm	
Sweden. OELs. Work Environment Aut), Occupational E			
Components	Туре			alue	Form
alpha-Pinene (CAS 80-56-8)	STEL			00 mg/m3	
	T) 4 / 4) ppm	
	TWA			50 mg/m3 -	
L L D: (0A0	OTEL			5 ppm	
beta-Pinene (CAS 127-91-3)	STEL		30	00 mg/m3	
·			50) ppm	
	TWA		15	50 mg/m3	
			25	5 ppm	
Carbon black (CAS 1333-86-4)	TWA		5	mg/m3	Inhalable dusts and mi
1000 00 1)			4		
			1	mg/m3	Inhalable dust.
Switzerland. SUVA Grenzwerte am Arb	eitsplatz				Inhalable dust.
Switzerland. SUVA Grenzwerte am Arb Components	eitsplatz Type			mg/m3	inhalable dust.
Components alpha-Pinene (CAS	-		V		Inhalable dust.
Components	Туре		V a	alue 24 mg/m3	Inhalable dust.
Components alpha-Pinene (CAS	STEL		V i 22 40	alue 24 mg/m3 0 ppm	Inhalable dust.
Components alpha-Pinene (CAS	Туре		V i 22 40 11	alue 24 mg/m3 0 ppm 12 mg/m3	Inhalable dust.
Components alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS	STEL		V i 22 40 11 20	alue 24 mg/m3 0 ppm	Inhalable dust.
Components alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS	Type STEL TWA		V: 22 40 11 20 22	alue 24 mg/m3 0 ppm 12 mg/m3 0 ppm 24 mg/m3	Inhalable dust.
Components alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS	Type STEL TWA STEL		V 22 40 11 20 22 40	alue 24 mg/m3 0 ppm 12 mg/m3 0 ppm 24 mg/m3	Inhalable dust.
Components alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS	Type STEL TWA		Vi 22 40 11 20 22 40 11	alue 24 mg/m3 0 ppm 12 mg/m3 0 ppm 24 mg/m3 0 ppm 12 mg/m3	Inhalable dust.
Components alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS 127-91-3)	Type STEL TWA STEL		V 22 40 11 20 22 40 11 20	alue 24 mg/m3 0 ppm 12 mg/m3 0 ppm 24 mg/m3	Inhalable dust.
Components alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS 127-91-3)	Type STEL TWA STEL TWA		40 22 40 22 40 11 20 80	alue 24 mg/m3 0 ppm 12 mg/m3 0 ppm 24 mg/m3 0 ppm 12 mg/m3 0 ppm 10 mg/m3	Inhalable dust.
Components alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS 127-91-3)	Type STEL TWA STEL TWA		Vi 22 40 11 20 22 40 11 20 80	alue 24 mg/m3 0 ppm 12 mg/m3 0 ppm 24 mg/m3 0 ppm 12 mg/m3 0 ppm	Inhalable dust.
Components alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS 127-91-3)	Type STEL TWA STEL TWA STEL		40 22 40 11 20 22 40 11 20 80	alue 24 mg/m3 2 ppm 12 mg/m3 2 ppm 24 mg/m3 2 ppm 12 mg/m3 2 ppm 10 ppm 2 mg/m3 2 ppm 2 mg/m3	Inhalable dust.
Components alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS 127-91-3)	Type STEL TWA STEL TWA STEL		40 22 40 11 20 22 40 11 20 80	alue 24 mg/m3 D ppm 12 mg/m3 D ppm 24 mg/m3 D ppm 12 mg/m3 D ppm D mg/m3 4 ppm D mg/m3	Innalable dust.
alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS 127-91-3) d-Limonene (CAS 5989-27-5)	Type STEL TWA STEL TWA STEL		Vi 22 40 11 20 22 40 11 20 80 14 40 7	alue 24 mg/m3 D ppm 12 mg/m3 D ppm 24 mg/m3 D ppm 12 mg/m3 D ppm D mg/m3 4 ppm D mg/m3	Innalable dust.
alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS 127-91-3) d-Limonene (CAS 5989-27-5) UK. EH40 Workplace Exposure Limits (Components Carbon black (CAS	Type STEL TWA STEL TWA STEL TWA		Va 22 40 11 20 80 14 40 7	alue 24 mg/m3 D ppm 12 mg/m3 D ppm 24 mg/m3 D ppm 12 mg/m3 D ppm D mg/m3 4 ppm D mg/m3 ppm	Innalable dust.
Components alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS 127-91-3) d-Limonene (CAS 5989-27-5) UK. EH40 Workplace Exposure Limits (Components	Type STEL TWA STEL TWA STEL TWA (WELS) Type		Vi 22 40 11 20 22 40 11 20 80 14 40 7	24 mg/m3 2 ppm 12 mg/m3 2 ppm 24 mg/m3 2 ppm 12 mg/m3 2 ppm 12 mg/m3 2 ppm 2 mg/m3 2 ppm 3 mg/m3 4 ppm 5 mg/m3 5 ppm	Inhalable dust.
alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS 127-91-3) d-Limonene (CAS 5989-27-5) UK. EH40 Workplace Exposure Limits (Components Carbon black (CAS 1333-86-4)	Type STEL TWA STEL TWA STEL TWA WELS) Type STEL		Vi 22 40 11 20 22 40 11 20 80 14 40 7	alue 24 mg/m3 D ppm 12 mg/m3 D ppm 24 mg/m3 D ppm 12 mg/m3 D ppm D mg/m3 4 ppm D mg/m3 ppm alue mg/m3	Inhalable dust.
alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS 127-91-3) d-Limonene (CAS 5989-27-5) UK. EH40 Workplace Exposure Limits (Components Carbon black (CAS	Type STEL TWA STEL TWA STEL TWA WELS) Type STEL TWA		Vi 22 40 11 20 22 40 11 20 80 14 40 7	alue 24 mg/m3 D ppm 12 mg/m3 D ppm 24 mg/m3 D ppm 12 mg/m3 D ppm D mg/m3 4 ppm D mg/m3 ppm alue mg/m3	

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines

Belgium OELs: Skin designation

alpha-Cedrene (CAS 469-61-4) Can be absorbed through the skin. Citral (CAS 5392-40-5) Can be absorbed through the skin.

Croatia ELVs: Skin designation

alpha-Cedrene (CAS 469-61-4) Can be absorbed through the skin.

EU. OELs from Annex III, Part A to Directive 2004/37/EC: Skin designation

alpha-Cedrene (CAS 469-61-4) Can be absorbed through the skin.

Finland Exposure Limit Values: Skin designation

alpha-Cedrene (CAS 469-61-4) Can be absorbed through the skin.

Germany DFG MAK (advisory): Skin designation

d-Limonene (CAS 5989-27-5) Can be absorbed through the skin.

Germany TRGS 900 Limit Values: Skin designation

d-Limonene (CAS 5989-27-5) Can be absorbed through the skin.

Iceland OELs: Skin designation

alpha-Cedrene (CAS 469-61-4) Can be absorbed through the skin.

Ireland Exposure Limit Values: Skin designation

alpha-Cedrene (CAS 469-61-4) Can be absorbed through the skin.

Italy OELs: Skin designation

Citral (CAS 5392-40-5) Danger of cutaneous absorption

Netherlands OELs (binding): Skin designation

alpha-Cedrene (CAS 469-61-4) Can be absorbed through the skin.

Norway Exposure Limit Values: Skin designation

alpha-Pinene (CAS 80-56-8) Can be absorbed through the skin.

Portugal VLEs Norm on Occupatioinal Exposure: Skin designation

Citral (CAS 5392-40-5) Can be absorbed through the skin.

Slovakia OELs for Carcinogens and Mutagens: Skin designation

alpha-Cedrene (CAS 469-61-4) Can be absorbed through the skin.

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working

(Official Gazette of the Republic of Slovenia)

d-Limonene (CAS 5989-27-5) Can be absorbed through the skin.

Spain OELs: Skin designation

Citral (CAS 5392-40-5) Can be absorbed through the skin. d-Limonene (CAS 5989-27-5) Can be absorbed through the skin.

Switzerland SUVA Limit Values at the Workplace: Skin designation

alpha-Pinene (CAS 80-56-8) Can be absorbed through the skin. beta-Pinene (CAS 127-91-3) Can be absorbed through the skin.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Personal protection equipment should be chosen according to the CEN standards and in **General information**

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. - Other

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid.
Form Solid.

ColourNot available.OdourNot available.

Melting point/freezing point

Boiling point or initial boiling

3 °C (37,4 °F) estimated Not available.

Boiling point or initial boiling

point and boiling range

Flammability (solid, gas) Not available.

Flash point > 100 °C (> 212 °F)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.pHNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Vapour pressure 0,000125 hPa estimated

Vapour densityNot available.Relative densityNot available.Particle characteristicsNot available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Density 0.889 g/cm3 estimated

Explosive properties Not explosive.

Oxidising properties Not oxidising.

Specific gravity 0,88901 estimated

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoidContact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

InhalationProlonged inhalation may be harmful.Skin contactMay cause an allergic skin reaction.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on toxicological effects

Acute toxicity

Components Species **Test Results**

Carbon black (CAS 1333-86-4)

Acute Oral

Rat LD50 > 8000 mg/kg

Skin corrosion/irritation

Respiratory sensitisation

Due to partial or complete lack of data the classification is not possible.

Serious eve damage/eve

irritation

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

May cause an allergic skin reaction. Skin sensitisation

Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity

Risk of cancer cannot be excluded with prolonged exposure. Carcinogenicity

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

d-Limonene (CAS 5989-27-5) 3 Not classifiable as to carcinogenicity to humans. Eugenol (CAS 97-53-0) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity repeated exposure

Due to partial or complete lack of data the classification is not possible. Aspiration hazard

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Not available. Other information

SECTION 12: Ecological information

12.1. Toxicity Toxic to aquatic life with long lasting effects. Based on available data, the classification criteria are

not met for hazardous to the aquatic environment, acute hazard.

Test Results Components **Species**

alpha-Cedrene (CAS 469-61-4)

Aquatic Acute

> EC50 Water flea (Daphnia pulex) 0,044 mg/l, 48 hours Crustacea

d-Limonene (CAS 5989-27-5)

Aquatic

Acute

Crustacea Water flea (Daphnia pulex) FC50 69.6 ma/l. 48 hours

Fathead minnow (Pimephales promelas) >= 0,619 - <= 0,796 mg/l, 96 hours Fish LC50

Eugenol (CAS 97-53-0)

Aquatic Acute

LC50 Fish Fathead minnow (Pimephales promelas) 24 mg/l, 96 hours

12.2. Persistence and

No data is available on the degradability of any ingredients in the mixture.

degradability

12.3. Bioaccumulative potential

Partition coefficient

n-octanol/water (log Kow)

2,6-Dimethyl-7-octen-2-ol 3,25 Allyl cyclohexanepropionate 4,276 Alpha-isomethyl ionone 4.288 alpha-Pinene 4,83 Benzoic acid, 2,4-dihydroxy-3,6-dimethyl-, methyl ester 2,6

beta-Pinene Citral	4,16 2,76
Citronellol	3,45 3,41
Cyclododecane, (ethoxymethoxy)-	5,4
delta-Damascone	3,4
	4,2
Dihydro pentamethylindanone	4,2
d-Limonene	4,57
Eugenol	2,49
Isoeugenol	3,04
Methylenedioxyphenyl methylpropanal	2,4

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB This m

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

12.7. Other adverse effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

12.8. Additional information

Estonia Dangerous substances in soil Data

alpha-Cedrene (CAS 469-61-4) PAH (Polycyclic aromatic hydrocarbons) (As the total sum of the

substances) 20 mg/kg

PAH (Polycyclic aromatic hydrocarbons) (As the total sum of the

substances) 200 mg/kg

PAH (Polycyclic aromatic hydrocarbons) (As the total sum of the

substances) 5 mg/kg

Citronellol (CAS 106-22-9) Chemical pesticides (As the total sum of the active substances)

0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

ma/ka

Eugenol (CAS 97-53-0) Chemical pesticides (As the total sum of the active substances)

0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN3077

14.2. UN proper shipping

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Hazard No. (ADR) 90
Tunnel restriction code E

Ш 14.4. Packing group 14.5. Environmental hazards Yes 14.6. Special precautions for user

Read safety instructions, SDS and emergency procedures before handling.

RID

14.1. UN number UN3077

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

name

14.3. Transport hazard class(es)

Class 9 Subsidiary risk 9 Label(s) 14.4. Packing group Ш 14.5. Environmental hazards Yes

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

14.1. UN number UN3077

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

name

14.3. Transport hazard class(es)

Class Subsidiary risk Label(s) 9 14.4. Packing group Ш 14.5. Environmental hazards Yes

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

14.1. UN number UN3077

Environmentally hazardous substance, solid, n.o.s. 14.2. UN proper shipping

14.3. Transport hazard class(es)

Class 9 Subsidiary risk Ш 14.4. Packing group 14.5. Environmental hazards Yes **ERG Code**

Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions

for user

Other information

aircraft

Passenger and cargo

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

14.1. UN number UN3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., MARINE POLLUTANT 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Class 9 Subsidiary risk 14.4. Packing group Ш 14.5. Environmental hazards Marine pollutant Yes


EmS F-A. S-F 14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user d-Limonene alpha-Pinene

14.7. Maritime transport in bulk Not applicable.

according to IMO instruments

ADN; ADR; IATA; IMDG; RID



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Isoeugenol (CAS 97-54-1)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

alpha-Cedrene (CAS 469-61-4)

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

d-Limonene (CAS 5989-27-5)

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work, as amended Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

No Chemical Safety Assessment has been carried out.

assessment

15.2. Chemical safety

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under Sections 2 to 15 Not available.

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
H413 May cause long lasting harmful effects to aquatic life.

Revision information

Product and Company Identification: Product and Company Identification

SECTION 2: Hazards identification: Response

SECTION 3: Composition/information on ingredients: Component information

SECTION 16: Other information: References

Training information

Disclaimer

Follow training instructions when handling this material.

Home Fragrance Italia cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.