



HOME FRAGRANCE ITALIA S.R.L.

a socio unico – Società soggetta a direzione e coordinamento di
Yankee Candle Company (Europe) Ltd
Capitale sociale Euro 10.920 i.v.
P.IVA IT12886810154 REA 1593831 Cod. Mecc. MI314449

Tel. +39 039 9220979
Fax +39 039 9220943
Mail info@millefiorimilano.com

Sede legale
Via Tonale, 26
20125 Milano (MI)

Sede operativa
Via del Commercio, 28
20881 Bernareggio (MB)

SAFETY DATA SHEET

Issue Date 26-Aug-2019

Revision Date 18-Mar-2020

Version 4

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name / designation Water Soluble Fragrance MELA MI
Product Code 7FIMC
Product Name WATER-SOLUBLE FRAGRANCE MELA & CANNELLA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Consumer use
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

Newell Brands Home Fragrance Italia srl
Via Tonale, 26
20125 Milano Italia
Tel: +39 039 9220979 ; Fax: 39 039 9220943
info@millefiorimilano.com
<http://www.millefiorimilano.com/>

For further information, please contact

E-mail address info@millefiorimilano.com

1.4. Emergency telephone number

Emergency Telephone - §45 - (EC)1272/2008
Europe 008 008 658 8466

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Skin sensitization	Category 1A - (H317)
Chronic aquatic toxicity	Category 2 - (H411)

2.2. Label elements



Contains Benzenemethanol, Cinnamal, Limonene, Eugenol, beta-Caryophyllene

Warning

Harmful if inhaled
 Causes skin irritation
 Causes serious eye irritation
 May cause an allergic skin reaction
 Toxic to aquatic life with long lasting effects

Keep out of reach of children

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of water.

If skin irritation or rash occurs: Get medical advice/attention

Dispose of contents/containers in accordance with local regulations

Contains Coumarin, delta-3-Carene, Benzaldehyde, 3,4-dimethoxy-, beta-Pinene, alpha-Pinenes May produce an allergic reaction

2.3. Other hazards

None known

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1-Butanol, 3-methyl-, 1-acetate	204-662-3	123-92-2	NF	EUH066 Flam. Liq. 3 (H226) Aquatic Acute 3 (H402)
Ethanol, 2-(2-ethoxyethoxy)-	203-919-7	111-90-0	>=20 <50%	Flam. Liq. 4 (H227)
Cinnamal	203-213-9	104-55-2	>=5 <10%	Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Skin Sens. 1A (H317) Eye Irrit. 2 (H319)
Benzenemethanol	202-859-9	100-51-6	>=5 <10%	Acute Tox. 4 (H302) Eye Irrit. 2 (H319) Acute Tox. 4 (H332)
Limonene	227-813-5	5989-27-5	>=1 <3%	Flam. Liq. 3 (H226) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Skin Sens. 1B (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Eugenol	202-589-1	97-53-0	>=1 <3%	Skin Sens. 1B (H317) Eye Irrit. 2 (H319)
Resin acids and Rosin acids, hydrogenated, Me esters	232-476-2	8050-15-5	>=1 <3%	Aquatic Acute 3 (H402) Aquatic Chronic 3 (H412)
Propanol, oxybis-	246-770-3	25265-71-8	>=1 <3%	Not Classified
beta-Caryophyllene	201-746-1	87-44-5	>=1 <3%	Asp. Tox. 1 (H304) Skin Sens. 1B (H317) Aquatic Chronic 4 (H413)
Benzaldehyde, 4-hydroxy-3-methoxy-	204-465-2	121-33-5	>=1 <3%	Eye Irrit. 2 (H319)
Benzaldehyde, 3-ethoxy-4-hydroxy-	204-464-7	121-32-4	>=1 <3%	Eye Irrit. 2 (H319)
Coumarin	202-086-7	91-64-5	>=0.1 <1%	Acute Tox. 4 (H302)

delta-3-Carene	236-719-3	13466-78-9	>=0.1 <1%	Skin Sens. 1B (H317) Flam. Liq. 3 (H226) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Benzaldehyde, 3,4-dimethoxy-	204-373-2	120-14-9	>=0.1 <1%	Acute Tox. 4 (H302) Skin Sens. 1B (H317)
Benzaldehyde	202-860-4	100-52-7	>=0.1 <1%	Acute Tox. 4 (H302) Eye Irrit. 2 (H319) Acute Tox. 4 (H332) STOT SE 3 (H335)
1,4-Cyclohexadiene, 1-methyl-4-(1-methylethyl)-	202-794-6	99-85-4	>=0.1 <1%	Flam. Liq. 3 (H226) Acute Tox. 5 (H303) Asp. Tox. 1 (H304) Skin Irrit. 3 (H316)
beta-Pinene	204-872-5	127-91-3	>=0.1 <1%	Flam. Liq. 3 (H226) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Skin Sens. 1B (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
alpha-Pinenes	201-291-9	80-56-8	>=0.1 <1%	Flam. Liq. 3 (H226) Acute Tox. 4 (H302) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Skin Sens. 1B (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Benzyl benzoate	204-402-9	120-51-4	>=0.1 <1%	Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)
Citral	226-394-6	5392-40-5	<0.01%	Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Eye Irrit. 2 (H319)

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice	If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. Wash off immediately with soap and plenty of water.
Eye contact	If symptoms persist, call a physician. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Ingestion	Do NOT induce vomiting. Drink plenty of water. Rinse mouth. Immediate medical attention is not required.
Self-protection of the first aider	Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	None known.
-----------------	-------------

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization of susceptible persons.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

No information available

5.2. Special hazards arising from the substance or mixture

In the event of fire and/or explosion do not breathe fumes May cause sensitization by inhalation and skin contact Thermal decomposition can lead to release of irritating and toxic gases and vapors

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment as required. Avoid contact with eyes and skin.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.

6.3. Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. After cleaning, flush away traces with water. Prevent product from entering drains.

6.4. Reference to other sections

See Section 12: ECOLOGICAL INFORMATION.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas.

When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep container tightly closed. Keep containers tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

To avoid risks to human health and the environment, comply with the instructions for use.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical Name	European Union	United Kingdom	France	Spain	Germany
1-Butanol, 3-methyl-, 1-acetate 123-92-2	TWA 50 ppm TWA 270 mg/m ³ STEL 100 ppm STEL 540 mg/m ³	TWA: 50 ppm TWA: 270 mg/m ³	TWA: 50 ppm TWA: 270 mg/m ³ STEL: 100 ppm STEL: 540 mg/m ³	STEL: 100 ppm STEL: 540 mg/m ³ TWA: 50 ppm TWA: 270 mg/m ³	TWA: 50 ppm TWA: 270 mg/m ³ Ceiling / Peak: 50 ppm Ceiling / Peak: 270 mg/m ³
Ethanol, 2-(2-ethoxyethoxy)- 111-90-0					TWA: 50 mg/m ³ Ceiling / Peak: 100 mg/m ³ TWA: 6 ppm TWA: 35 mg/m ³
Benzenemethanol 100-51-6					TWA: 22 mg/m ³ TWA: 5 ppm Ceiling / Peak: 44 mg/m ³ Ceiling / Peak: 10 ppm Skin
(R)-p-mentha-1,8-diene 5989-27-5			TWA: 1000 mg/m ³ STEL: 1500 mg/m ³		TWA: 5 ppm TWA: 28 mg/m ³ Ceiling / Peak: 20 ppm Ceiling / Peak: 112 mg/m ³ Skin
Propanol, oxybis- 25265-71-8					TWA: 100 mg/m ³ Ceiling / Peak: 200 mg/m ³
Bicyclo[4.1.0]hept-3-ene, 3,7,7-trimethyl- 13466-78-9			TWA: 1000 mg/m ³ STEL: 1500 mg/m ³	TWA: 20 ppm TWA: 113 mg/m ³	
1,4-Cyclohexadiene, 1-methyl-4-(1-methylethyl)- 99-85-4			TWA: 1000 mg/m ³ STEL: 1500 mg/m ³		
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene- 127-91-3			TWA: 1000 mg/m ³ STEL: 1500 mg/m ³	TWA: 20 ppm TWA: 113 mg/m ³	
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl- 80-56-8			TWA: 1000 mg/m ³ STEL: 1500 mg/m ³	TWA: 20 ppm TWA: 113 mg/m ³	
2,6-Octadienal, 3,7-dimethyl- 5392-40-5				S* TWA: 5 ppm	
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
1-Butanol, 3-methyl-, 1-acetate 123-92-2	TWA: 50 ppm TWA: 270 mg/m ³ STEL: 100 ppm STEL: 540 mg/m ³	STEL: 100 ppm STEL: 540 mg/m ³ TWA: 50 ppm TWA: 270 mg/m ³	STEL: 530 mg/m ³	TWA: 50 ppm TWA: 270 mg/m ³ STEL: 100 ppm STEL: 540 mg/m ³	TWA: 50 ppm TWA: 271 mg/m ³
Benzenemethanol 100-51-6				TWA: 10 ppm TWA: 45 mg/m ³	
(R)-p-mentha-1,8-diene 5989-27-5				TWA: 25 ppm TWA: 140 mg/m ³ STEL: 50 ppm STEL: 280 mg/m ³	

Bicyclo[4.1.0]hept-3-ene, 3,7,7-trimethyl-13466-78-9		TWA: 20 ppm				
Benzaldehyde 100-52-7					TWA: 1 ppm TWA: 4.4 mg/m ³ STEL: 4 ppm STEL: 17.4 mg/m ³ Ceiling: 4 ppm Ceiling: 17.4 mg/m ³	
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-127-91-3		TWA: 20 ppm				
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-80-56-8		TWA: 20 ppm				
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland	Czech Republic
1-Butanol, 3-methyl-, 1-acetate 123-92-2	STEL 100 ppm STEL 540 mg/m ³ TWA: 50 ppm TWA: 270 mg/m ³	STEL: 50 ppm STEL: 260 mg/m ³ TWA: 50 ppm TWA: 260 mg/m ³	STEL: 500 mg/m ³ TWA: 250 mg/m ³	TWA: 50 ppm TWA: 260 mg/m ³ STEL: 75 ppm STEL: 325 mg/m ³	TWA: 50 ppm TWA: 260 mg/m ³ STEL: 100 ppm STEL: 520 mg/m ³	Ceiling: 540 mg/m ³
Ethanol, 2-(2-ethoxyethoxy)-111-90-0	STEL 24 ppm STEL 140 mg/m ³ TWA: 6 ppm TWA: 35 mg/m ³	STEL: 100 mg/m ³ TWA: 50 mg/m ³				
Benzenemethanol 100-51-6			TWA: 240 mg/m ³			Ceiling: 80 mg/m ³ TWA: 40 mg/m ³
(R)-p-mentha-1,8-diene 5989-27-5		STEL: 14 ppm STEL: 80 mg/m ³ TWA: 7 ppm TWA: 40 mg/m ³		TWA: 25 ppm TWA: 140 mg/m ³ STEL: 37.5 ppm STEL: 175 mg/m ³		
Propanol, oxybis-25265-71-8		STEL: 280 mg/m ³ TWA: 140 mg/m ³				
Bicyclo[4.1.0]hept-3-ene, 3,7,7-trimethyl-13466-78-9				TWA: 25 ppm TWA: 140 mg/m ³ STEL: 37.5 ppm STEL: 175 mg/m ³		
Benzaldehyde 100-52-7			STEL: 40 mg/m ³ TWA: 10 mg/m ³			
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-127-91-3				TWA: 25 ppm TWA: 140 mg/m ³ STEL: 37.5 ppm STEL: 175 mg/m ³		
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-80-56-8				TWA: 25 ppm TWA: 140 mg/m ³ Skin STEL: 37.5 ppm STEL: 175 mg/m ³		
2,6-Octadienal, 3,7-dimethyl-5392-40-5			STEL: 54 mg/m ³ TWA: 27 mg/m ³			

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Tight sealing safety goggles.
Skin and body protection Suitable protective clothing.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	liquid	Odor	Characteristic
Appearance	liquid	Odor threshold	No information available
Color	No information available		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH		Not Applicable
Melting point/freezing point		No information available
Boiling point / boiling range		No information available
Flash point	>= 82 °C	
Evaporation rate		No information available
Flammability (solid, gas)		No information available
Flammability Limit in Air		
Upper flammability limit:		No information available
Lower flammability limit:		No information available
Vapor Pressure @20°C (kPa)	No information available	No information available
Vapor density		No information available
Specific Gravity		No information available
Water solubility	Miscible in water	
Solubility(ies)		No information available
Partition coefficient		No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Kinematic viscosity		No information available
Dynamic viscosity		No information available
Explosive properties	No information available	
Oxidizing properties	No information available	

9.2. Other information

Softening point	No information available
Molecular weight	Not Applicable
VOC Content (%)	646.04
Density	No information available
Bulk density	No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product information

Product does not present an acute toxicity hazard based on known or supplied information.

Unknown Acute Toxicity 76.71% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	4,988.00 mg/kg
ATEmix (dermal)	3,368.00 mg/kg
ATEmix (inhalation-gas)	18,884.00 ppm
ATEmix (inhalation-dust/mist)	5.41 mg/l
ATEmix (inhalation-vapor)	124.00 mg/l

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
1-Butanol, 3-methyl-, 1-acetate	= 16600 mg/kg (Rat)	> 5 g/kg (Rabbit)	
Ethanol, 2-(2-ethoxyethoxy)-	= 10502 mg/kg (Rat)	= 9143 mg/kg (Rabbit) = 4200 μ L/kg (Rabbit) = 6 mL/kg (Rat)	> 5240 mg/m ³ (Rat) 4 h
2-Propenal, 3-phenyl-	= 2220 mg/kg (Rat)	= 1260 mg/kg (Rabbit)	
Benzenemethanol	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h
(R)-p-mentha-1,8-diene	= 5200 mg/kg (Rat) = 4400 mg/kg (Rat)	> 5 g/kg (Rabbit)	
Bicyclo[4.1.0]hept-3-ene, 3,7,7-trimethyl-	= 4800 mg/kg (Rat)		
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	= 3700 mg/kg (Rat)	> 5000 mg/kg (Rat)	
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-	= 4700 mg/kg (Rat) > 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	
2,6-Octadienal, 3,7-dimethyl-	= 4960 mg/kg (Rat)	= 2250 mg/kg (Rabbit)	

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation Contact with eyes may cause irritation.

Sensitization Repeated or prolonged contact may cause allergic reactions in very susceptible persons.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard

No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

49.14% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethanol, 2-(2-ethoxyethoxy)-		11400 - 15700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 11600 - 16700: 96 h Pimephales promelas mg/L LC50 flow-through 10000: 96 h Lepomis macrochirus mg/L LC50 static 19100 - 23900: 96 h Lepomis macrochirus mg/L LC50 flow-through 13400: 96 h Salmo gairdneri mg/L LC50 flow-through	3940 - 4670: 48 h Daphnia magna mg/L EC50
Benzenemethanol	35: 3 h Anabaena variabilis mg/L EC50	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	23: 48 h water flea mg/L EC50
(R)-p-mentha-1,8-diene		35: 96 h Oncorhynchus mykiss mg/L LC50 0.619 - 0.796: 96 h Pimephales promelas mg/L LC50 flow-through	
Propanol, oxybis-		5000: 24 h Carassius auratus mg/L LC50 static	
Benzaldehyde, 4-hydroxy-3-methoxy-		88: 96 h Pimephales promelas mg/L LC50 static 53 - 61.3: 96 h Pimephales promelas mg/L LC50 flow-through 57: 96 h Pimephales promelas mg/L LC50 semi-static	180: 24 h Daphnia magna mg/L EC50
Benzaldehyde, 3-ethoxy-4-hydroxy-		81.4 - 94.3: 96 h Pimephales promelas mg/L LC50 flow-through	
Benzaldehyde		10.6 - 11.8: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 12.69: 96 h Oncorhynchus mykiss mg/L LC50 static 6.8 - 8.53: 96 h Pimephales promelas mg/L LC50 flow-through 0.8 - 1.44: 96 h Lepomis macrochirus mg/L LC50 flow-through 7.5: 96 h Lepomis macrochirus mg/L LC50 static	50: 24 h Daphnia magna mg/L EC50
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-		0.28: 96 h Pimephales promelas mg/L LC50 static	41: 48 h Daphnia magna mg/L LC50
2,6-Octadienal, 3,7-dimethyl-	19: 96 h Desmodemus subspicatus mg/L EC50 16: 72 h Desmodemus subspicatus mg/L EC50	4.6 - 10: 96 h Leuciscus idus mg/L LC50 static	7: 48 h Daphnia magna mg/L EC50

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Chemical Name	Partition coefficient
Ethanol, 2-(2-ethoxyethoxy)-	-0.8
2-Propenal, 3-phenyl-	2.22
Benzenemethanol	1.1
Benzaldehyde, 4-hydroxy-3-methoxy-	1.23
Benzaldehyde	1.48

Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	4.1
Benzoic acid, phenylmethyl ester	4
2,6-Octadienal, 3,7-dimethyl-	2.76

12.4. Mobility in soil**Mobility in soil**

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods****Waste from Residues / Unused Products**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Improper disposal or reuse of this container may be dangerous and illegal.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION**IMDG**

Proper shipping name Not regulated

RID

Proper shipping name Not regulated

ADR

Proper shipping name Not regulated

ICAO (air)

Proper shipping name Not regulated

IATA

Proper shipping name Not regulated

Section 15: REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Chemical Name	French RG number	Title
1-Butanol, 3-methyl-, 1-acetate 123-92-2	RG 84	
Ethanol, 2-(2-ethoxyethoxy)- 111-90-0	RG 84	
Benzenemethanol	RG 84	

100-51-6		
(R)-p-mentha-1,8-diene 5989-27-5	RG 84	

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

- H302 - Harmful if swallowed
- H319 - Causes serious eye irritation
- H332 - Harmful if inhaled
- H335 - May cause respiratory irritation
- H312 - Harmful in contact with skin
- H315 - Causes skin irritation
- H317 - May cause an allergic skin reaction
- H227 - Combustible liquid
- H400 - Very toxic to aquatic life
- H411 - Toxic to aquatic life with long lasting effects
- H226 - Flammable liquid and vapor
- H402 - Harmful to aquatic life
- H304 - May be fatal if swallowed and enters airways
- H410 - Very toxic to aquatic life with long lasting effects
- H412 - Harmful to aquatic life with long lasting effects
- H413 - May cause long lasting harmful effects to aquatic life
- H303 - May be harmful if swallowed
- H316 - Causes mild skin irritation

Classification procedure

Classification according to calculation method of the CLP regulation.

Key literature references and sources for data

IFRA-IOFI Labelling Manual, RIFM/FEMA database, Supplier Information

Issue Date 26-Aug-2019
Revision Date 18-Mar-2020
Revision Note Not Applicable.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

This document was prepared to the requirements of the jurisdiction specified in Section 2 above and may not meet regulatory requirements in other countries. The information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations. The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

End of Safety Data Sheet