SAFETY DATA SHEET

Version #: 02

Issue date: 19-July-2023

Revision date: 29-September-2023 Supersedes date: 19-July-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

FRAGRANCE DIFFUSER 100ml - LEGNI & SPEZIE 41MDLS

Registration number

Synonyms None.

Product code 41MDLS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Air Care Products
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Home Fragrance Italia S.r.L.

Address Via del Commercio 28

Bernareggio (MB)

20881 IT

Division Telephone

e-mail Not available.

Contact person Not available.

1.4. Emergency telephone

number

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons Information Centre

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons Control Centre

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Czech Republic National

Centre

Poisons Information

Centre

+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons Control Centre

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Estonia National Poisons Information Centre

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Centre

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Centre

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Hungary National Emergency Phone Number 36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone number

Malta Accident and Emergency Department 2545 4030 (Hours of operation not provided. SDS/Product information may not be

available for the Emergency Service.)

Netherlands National Poisons Information Centre (NVIC)

030-274 88 88 (Only for the purpose of informing medical personnel in cases of $\,$

acute intoxications)

Norway Norwegian Poison

Information Centre

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Portugal Poison Centre 800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information

Toxicological Information Centre

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Centre

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Flammable liquids Category 2 H225 - Highly flammable liquid and

vapour.

Health hazards

Serious eye damage/eye irritation Category 2

H319 - Causes serious eye

irritation.

Environmental hazards

Hazardous to the aquatic environment,

long-term aquatic hazard

Category 3 H412 - Harmful to aquatic life with

long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms



Signal word Danger

Hazard statements

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P102 Keep out of reach of children.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Storage Not applicable.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information EUH208 - Contains Isocyclemone E, Nopyl acetate, Linalyl acetate, Linalool, 1,6-Nonadien-3-ol,

3,7-dimethyl-, Oils, eucalyptus, Citrus Aurantium Dulcis Flower Extract, Coumarin, g-Methoxycedrane, Acetylcedrene, Dihydro pentamethylindanone, Oils, star anise, Oils, rosemary, Oils, cardamom, Oils, cedar leaf, Oils, patchouli, Cinnamal. May produce an allergic

reaction.

Material name: FRAGRANCE DIFFUSER 100ml - LEGNI & SPEZIE 41MDLS

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name		%	CAS-No. / EC	No. REACH Registration No.	. Index No.	Notes
Ethanol		90 - 100	64-17-5 200-578-6	-	603-002-00-5	
	Classification: F	Flam. Liq. 2	2;H225, Eye Irrit	. 2;H319		
2,6-Dimethyl-7-octen-	2-ol	1 - 3	18479-58-8 242-362-4	-	-	
	Classification: 8	Skin Irrit. 2;	H315, Eye Irrit.	2;H319		
1,6-Nonadien-3-ol, 3,7	'-dimethyl-	≤ 1	10339-55-6 233-732-6	-	-	
	Classification: [Eye Irrit. 2;I	H319, Skin Sen	s. 1B;H317		
Citrus Aurantium Dulc Extract	is Flower	≤ 1	8028-48-6 232-433-8	-	-	
				t. 2;H315, Eye Irrit. 2;H319, Sk Aquatic Chronic 2;H411	in Sens.	
Coumarin		≤ 1	91-64-5 202-086-7	01-2119949300-45	-	
	Classification: /	Acute Tox.	3;H301;(ATE: 1	00 mg/kg bw), Skin Sens. 1B;F	1 317	
Cyclopentadecanone		≤ 1	502-72-7 207-951-2	-	-	
	Classification: /	Aquatic Acı	ute 1;H400(M=1), Aquatic Chronic 1;H410(M=	1)	
Isocyclemone E		≤ 1	54464-57-2 259-174-3	-	-	
	Classification: S	Skin Irrit. 2;	H315, Skin Ser	s. 1B;H317, Aquatic Chronic 2	;H411	
Linalool		≤ 1	78-70-6 201-134-4	01-2119474016-42	603-235-00-2	
	Classification: S	Skin Irrit. 2;	H315, Eye Irrit.	2;H319, Skin Sens. 1B;H317		
Linalyl acetate		≤ 1	115-95-7 204-116-4	-	-	
	Classification: S	Skin Irrit. 2;	H315, Eye Irrit.	2;H319, Skin Sens. 1B;H317		
Nopyl acetate		≤ 1	128-51-8 204-891-9	-	-	
	Classification: [Eye Irrit. 2;	H319, Skin Sen	s. 1B;H317, Aquatic Chronic 2	H411	
Oils, eucalyptus		≤ 1	8000-48-4 616-775-9	-	-	
				t. 2;H315, Skin Sens. 1;H317, Acute 1;H400, Aquatic Chronic		
Acetylcedrene		≤ 0,3	32388-55-9 251-020-3		-	
		Skin Sens. Chronic 1;F		tic Acute 1;H400(M=1), Aquatio		
g-Methoxycedrane		≤ 0,3	19870-74-7 243-384-7		-	
		Skin Sens. Chronic 1;F		tic Acute 1;H400(M=1), Aquatio		
Dihydro pentamethylir	ndanone	≤ 0,2	33704-61-9 251-649-3	<u> </u>	-	
		Skin Irrit. 2;		2;H319, Skin Sens. 1B;H317,	Aquatic	

Chronic 2;H411

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Oils, cardamom	≤ 0,2	8000-66-6 616-779-0	-	-	
		3;H226, Skin Irrit. 2;H .sp. Tox. 1;H304, Aqu	H315, Eye Irrit. 2;H319, Skin atic Chronic 2;H411	Sens.	
Oils, cedar leaf	≤ 0,2	8007-20-3 616-907-5	-	-	
			;H302;(ATE: 500 mg/kg bw) p. Tox. 1;H304, Aquatic Chro		
Oils, patchouli	≤ 0,2	8014-09-3 616-944-7	-	-	
	Classification: Skin Sens	s. 1B;H317, Asp. Tox.	1;H304, Aquatic Chronic 2;F	1411	
Oils, rosemary	≤ 0,2	8000-25-7 616-767-5	-	-	
			H315, Eye Irrit. 2;H319, Skin . Tox. 1;H304, Aquatic Chrol		
Oils, star anise	≤ 0,2	68952-43-2 -	-	-	
	Classification: Skin Sens	s. 1;H317, Muta. 2;H3	41, Carc. 2;H351, Aquatic Cl	nronic 3;H412	
Cinnamal	≤ 0,1	104-55-2 203-213-9	-	-	
			ng/kg bw), Skin Irrit. 2;H315 quatic Chronic 3;H412	, Eye Irrit.	

Other components below reportable levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information

Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical Skin contact

attention if irritation develops and persists.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and delayed

Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and

blurred vision. Coughing.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation.

Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards Highly flammable liquid and vapour.

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not touch damaged containers or spilled material unless wearing appropriate protective

For emergency responders

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk, Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s)

Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (G Components	Туре	Value
Ethanol (CAS 64-17-5)	Ceiling	3800 mg/m3
		2000 ppm
	MAK	1900 mg/m3
		1000 ppm
Belgium. Exposure Limit Values		
Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1907 mg/m3
		1000 ppm

Components Type Value Ethanol (CAS 64-17-5) TWA 1000 mg/m3

Components		Туре	Value
Ethanol (CAS 64-17-5)		MAC	1900 mg/m3
			1000 ppm
Czech Republic. OELs.	Government Decre	e 361	
Components		Туре	Value
Ethanol (CAS 64-17-5)		Ceiling	3000 mg/m3
		TWA	1000 mg/m3
Denmark. Exposure Lim	nit Values		
Components		Туре	Value
Ethanol (CAS 64-17-5)		TLV	1900 mg/m3
			1000 ppm
Estonia. OELs. Occupat Components	tional Exposure Lir	nits of Hazardous Substances (R Type	egulation No. 105/2001, Annex), as amende Value
Ethanol (CAS 64-17-5)		STEL	1900 mg/m3
-manor (OAO 04-17-0)		OILL	1900 mg/ms 1000 ppm
		TWA	1000 ppm 1000 mg/m3
			500 ppm
Finland Markelage F	ocura l imita		rr
Finland. Workplace Exp Components	voure Lillins	Туре	Value
 Ethanol (CAS 64-17-5)		STEL	2500 mg/m3
		0122	1300 ppm
		TWA	1900 mg/m3
			1000 ppm
France Threehold Limit	• \/ala. (\/ ED\ fa::	Occupational Functions to Cham	• •
France. Threshold Limit Components	values (VLEP) for	Occupational Exposure to Chem Type	Value
Ethanol (CAS 64-17-5)		VLE	9500 mg/m3
Regulatory status:	Indicative limit (VI	-)	
			5000 ppm
Regulatory status:	Indicative limit (VL	,	
		VME	1900 mg/m3
Regulatory status:	Indicative limit (VL	-)	4000
Pogulatom, atatua	Indicative limit (VI	`	1000 ppm
Regulatory status:	`	•	
Germany. DFG MAK Lis in the Work Area (DFG)		Commission for the investigation	of Health Hazards of Chemical Compounds
(= ,		Туре	Value
Components		TWA	380 mg/m3
		1 4 4 7	000 1119/1110
		IVVA	200 ppm
Ethanol (CAS 64-17-5)	mit Values in the Δ		· ·
Ethanol (CAS 64-17-5) Germany. TRGS 900, Lii	mit Values in the A	mbient Air at the Workplace Type	· ·
Ethanol (CAS 64-17-5) Germany. TRGS 900, Lin Components	mit Values in the A	mbient Air at the Workplace	200 ppm
Ethanol (CAS 64-17-5) Germany. TRGS 900, Lin Components	mit Values in the A	mbient Air at the Workplace Type	200 ppm Value 380 mg/m3
Germany. TRGS 900, Lincomponents Ethanol (CAS 64-17-5) Greece. OELs (Decree N		mbient Air at the Workplace Type AGW ended)	200 ppm Value 380 mg/m3 200 ppm
Ethanol (CAS 64-17-5) Germany. TRGS 900, Lin Components Ethanol (CAS 64-17-5) Greece. OELs (Decree No		mbient Air at the Workplace Type AGW ended) Type	200 ppm Value 380 mg/m3 200 ppm Value
Ethanol (CAS 64-17-5) Germany. TRGS 900, Lin Components Ethanol (CAS 64-17-5) Greece. OELs (Decree N Components		mbient Air at the Workplace Type AGW ended)	200 ppm Value 380 mg/m3 200 ppm Value 1900 mg/m3
Ethanol (CAS 64-17-5) Germany. TRGS 900, Lin Components Ethanol (CAS 64-17-5) Greece. OELs (Decree N Components Ethanol (CAS 64-17-5)	No. 90/1999, as ame	mbient Air at the Workplace Type AGW ended) Type TWA	200 ppm Value 380 mg/m3 200 ppm Value
Ethanol (CAS 64-17-5) Germany. TRGS 900, Lin Components Ethanol (CAS 64-17-5) Greece. OELs (Decree N Components Ethanol (CAS 64-17-5) Hungary. OELs. Joint Decree N	No. 90/1999, as ame	mbient Air at the Workplace Type AGW ended) Type TWA Safety of Workplaces	200 ppm Value 380 mg/m3 200 ppm Value 1900 mg/m3 1000 ppm
Germany. TRGS 900, Lin Components Ethanol (CAS 64-17-5) Greece. OELs (Decree Notes) Ethanol (CAS 64-17-5) Ethanol (CAS 64-17-5) Hungary. OELs. Joint Decomponents	No. 90/1999, as ame	mbient Air at the Workplace Type AGW ended) Type TWA Safety of Workplaces Type	200 ppm Value 380 mg/m3 200 ppm Value 1900 mg/m3 1000 ppm Value
Components Ethanol (CAS 64-17-5) Germany. TRGS 900, Lin Components Ethanol (CAS 64-17-5) Greece. OELs (Decree N Components Ethanol (CAS 64-17-5) Hungary. OELs. Joint De Components Ethanol (CAS 64-17-5)	No. 90/1999, as ame	mbient Air at the Workplace Type AGW ended) Type TWA Safety of Workplaces	200 ppm Value 380 mg/m3 200 ppm Value 1900 mg/m3 1000 ppm

Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3
		1000 ppm
Ireland. Occupational Exposure Lin	nits	
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Italy. Occupational Exposure Limits		Well-re
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Latvia. OELs. Occupational exposu Components	re limit values of chemical s Type	substances in work environment Value
Ethanol (CAS 64-17-5)	TWA	1000 mg/m3
Lithuania. OELs. Limit Values for C	homical Substances Gone	·
Components	Type	Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
		1000 ppm
	TWA	1000 mg/m3
		500 ppm
Netherlands. OELs (binding)		
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
	TWA	260 mg/m3
Norway. Administrative Norms for 0	Contaminants in the Workpl	ace
O	Type	
Components	Туре	Value
Components Ethanol (CAS 64-17-5)	TLV	950 mg/m3
<u> </u>		
Ethanol (CAS 64-17-5) Poland. Ordinance of the Minister of	TLV	950 mg/m3
Ethanol (CAS 64-17-5) Poland. Ordinance of the Minister of the concentrations and intensities of heads.	TLV of Labour and Social Policy of armful health factors in the	950 mg/m3 500 ppm on 6 June 2014 on the maximum permissible work environment, Journal of Laws 2014, item 817
Ethanol (CAS 64-17-5) Poland. Ordinance of the Minister of concentrations and intensities of he Components	TLV of Labour and Social Policy of armful health factors in the Type TWA	950 mg/m3 500 ppm on 6 June 2014 on the maximum permissible work environment, Journal of Laws 2014, item 817 Value 1900 mg/m3
Ethanol (CAS 64-17-5) Poland. Ordinance of the Minister of concentrations and intensities of he Components Ethanol (CAS 64-17-5)	TLV of Labour and Social Policy of armful health factors in the Type TWA	950 mg/m3 500 ppm on 6 June 2014 on the maximum permissible work environment, Journal of Laws 2014, item 817 Value 1900 mg/m3
Ethanol (CAS 64-17-5) Poland. Ordinance of the Minister of concentrations and intensities of he Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupation Components	TLV of Labour and Social Policy of armful health factors in the Type TWA onal exposure to chemical agents.	950 mg/m3 500 ppm on 6 June 2014 on the maximum permissible work environment, Journal of Laws 2014, item 817 Value 1900 mg/m3 gents (NP 1796)
Ethanol (CAS 64-17-5) Poland. Ordinance of the Minister of concentrations and intensities of he Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupation Components Ethanol (CAS 64-17-5)	TLV of Labour and Social Policy of armful health factors in the Type TWA onal exposure to chemical action Type TWA	950 mg/m3 500 ppm on 6 June 2014 on the maximum permissible work environment, Journal of Laws 2014, item 817 Value 1900 mg/m3 gents (NP 1796) Value 1000 ppm
Ethanol (CAS 64-17-5) Poland. Ordinance of the Minister of concentrations and intensities of he Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupation Components Ethanol (CAS 64-17-5) Romania. OELs. Protection of work	TLV of Labour and Social Policy of armful health factors in the Type TWA onal exposure to chemical active Type TWA	950 mg/m3 500 ppm on 6 June 2014 on the maximum permissible work environment, Journal of Laws 2014, item 817 Value 1900 mg/m3 gents (NP 1796) Value 1000 ppm
Ethanol (CAS 64-17-5) Poland. Ordinance of the Minister of concentrations and intensities of he Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupation Components Ethanol (CAS 64-17-5) Romania. OELs. Protection of work Components	TLV of Labour and Social Policy of armful health factors in the Type TWA onal exposure to chemical action Type TWA TWA ers from exposure to chemical action to the mice.	950 mg/m3 500 ppm on 6 June 2014 on the maximum permissible work environment, Journal of Laws 2014, item 817 Value 1900 mg/m3 gents (NP 1796) Value 1000 ppm ical agents at the workplace
Ethanol (CAS 64-17-5) Poland. Ordinance of the Minister of concentrations and intensities of he Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupation Components Ethanol (CAS 64-17-5) Romania. OELs. Protection of work Components	TLV of Labour and Social Policy of armful health factors in the Type TWA onal exposure to chemical active Type TWA ers from exposure to chemical active Type	950 mg/m3 500 ppm on 6 June 2014 on the maximum permissible work environment, Journal of Laws 2014, item 817 Value 1900 mg/m3 gents (NP 1796) Value 1000 ppm ical agents at the workplace Value
Ethanol (CAS 64-17-5) Poland. Ordinance of the Minister of concentrations and intensities of he Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupation	TLV of Labour and Social Policy of armful health factors in the Type TWA onal exposure to chemical active Type TWA ers from exposure to chemical active Type	950 mg/m3 500 ppm on 6 June 2014 on the maximum permissible work environment, Journal of Laws 2014, item 817 Value 1900 mg/m3 gents (NP 1796) Value 1000 ppm ical agents at the workplace Value 9500 mg/m3
Ethanol (CAS 64-17-5) Poland. Ordinance of the Minister of concentrations and intensities of he Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupation Components Ethanol (CAS 64-17-5) Romania. OELs. Protection of work Components	TLV of Labour and Social Policy of armful health factors in the Type TWA onal exposure to chemical active Type TWA ers from exposure to chemical active Type STEL	950 mg/m3 500 ppm on 6 June 2014 on the maximum permissible work environment, Journal of Laws 2014, item 817 Value 1900 mg/m3 gents (NP 1796) Value 1000 ppm ical agents at the workplace Value 9500 mg/m3 5000 ppm
Ethanol (CAS 64-17-5) Poland. Ordinance of the Minister of concentrations and intensities of his Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupation Components Ethanol (CAS 64-17-5) Romania. OELs. Protection of work Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulation No. 300	TLV of Labour and Social Policy of armful health factors in the Type TWA onal exposure to chemical active Type TWA ers from exposure to chemical active Type STEL TWA	950 mg/m3 500 ppm on 6 June 2014 on the maximum permissible work environment, Journal of Laws 2014, item 817 Value 1900 mg/m3 gents (NP 1796) Value 1000 ppm ical agents at the workplace Value 9500 mg/m3 5000 ppm 1900 mg/m3
Ethanol (CAS 64-17-5) Poland. Ordinance of the Minister of concentrations and intensities of his Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupation Components Ethanol (CAS 64-17-5) Romania. OELs. Protection of work Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulation No. 300 Components	TLV of Labour and Social Policy of armful health factors in the Type TWA onal exposure to chemical active Type TWA ers from exposure to chemical active Type STEL TWA	950 mg/m3 500 ppm on 6 June 2014 on the maximum permissible work environment, Journal of Laws 2014, item 817 Value 1900 mg/m3 gents (NP 1796) Value 1000 ppm ical agents at the workplace Value 9500 mg/m3 5000 ppm 1900 mg/m3 1000 ppm in of health in work with chemical agents Value
Ethanol (CAS 64-17-5) Poland. Ordinance of the Minister of concentrations and intensities of his Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupation Components Ethanol (CAS 64-17-5) Romania. OELs. Protection of work Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulation No. 300 Components	TLV of Labour and Social Policy of armful health factors in the Type TWA onal exposure to chemical active Type TWA ers from exposure to chemical rype STEL TWA //2007 concerning protection Type	950 mg/m3 500 ppm on 6 June 2014 on the maximum permissible work environment, Journal of Laws 2014, item 817 Value 1900 mg/m3 gents (NP 1796) Value 1000 ppm ical agents at the workplace Value 9500 mg/m3 5000 ppm 1900 mg/m3 1000 ppm
Ethanol (CAS 64-17-5) Poland. Ordinance of the Minister of concentrations and intensities of his Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupation Components Ethanol (CAS 64-17-5) Romania. OELs. Protection of work Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulation No. 300 Components	TLV of Labour and Social Policy of armful health factors in the Type TWA onal exposure to chemical active Type TWA ers from exposure to chemical rype STEL TWA //2007 concerning protection Type	950 mg/m3 500 ppm on 6 June 2014 on the maximum permissible work environment, Journal of Laws 2014, item 817 Value 1900 mg/m3 gents (NP 1796) Value 1000 ppm ical agents at the workplace Value 9500 mg/m3 5000 ppm 1900 mg/m3 1000 ppm in of health in work with chemical agents Value 1920 mg/m3
Ethanol (CAS 64-17-5) Poland. Ordinance of the Minister of concentrations and intensities of his Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupation Components Ethanol (CAS 64-17-5) Romania. OELs. Protection of work Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulation No. 300 Components	TLV of Labour and Social Policy of armful health factors in the Type TWA onal exposure to chemical active Type TWA ers from exposure to chemical Type STEL TWA //2007 concerning protection Type STEL	950 mg/m3 500 ppm on 6 June 2014 on the maximum permissible work environment, Journal of Laws 2014, item 817 Value 1900 mg/m3 gents (NP 1796) Value 1000 ppm ical agents at the workplace Value 9500 mg/m3 5000 ppm 1900 mg/m3 1000 ppm in of health in work with chemical agents Value 1920 mg/m3 1000 ppm
Ethanol (CAS 64-17-5) Poland. Ordinance of the Minister of concentrations and intensities of he Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupation Components Ethanol (CAS 64-17-5) Romania. OELs. Protection of work Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulation No. 300 Components Ethanol (CAS 64-17-5)	TLV of Labour and Social Policy of armful health factors in the Type TWA onal exposure to chemical age Type TWA ers from exposure to chemical rype STEL TWA o/2007 concerning protection Type STEL TWA TWA rning protection of workers	950 mg/m3 500 ppm on 6 June 2014 on the maximum permissible work environment, Journal of Laws 2014, item 817 Value 1900 mg/m3 gents (NP 1796) Value 1000 ppm ical agents at the workplace Value 9500 mg/m3 5000 ppm 1900 mg/m3 1000 ppm in of health in work with chemical agents Value 1920 mg/m3 1000 ppm 960 mg/m3 500 ppm
Ethanol (CAS 64-17-5) Poland. Ordinance of the Minister of concentrations and intensities of he Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupation Components Ethanol (CAS 64-17-5) Romania. OELs. Protection of work Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulation No. 300 Components Ethanol (CAS 64-17-5)	TLV of Labour and Social Policy of armful health factors in the Type TWA onal exposure to chemical age Type TWA ers from exposure to chemical rype STEL TWA o/2007 concerning protection Type STEL TWA TWA rning protection of workers	950 mg/m3 500 ppm on 6 June 2014 on the maximum permissible work environment, Journal of Laws 2014, item 817 Value 1900 mg/m3 gents (NP 1796) Value 1000 ppm ical agents at the workplace Value 9500 mg/m3 5000 ppm 1900 mg/m3 1000 ppm in of health in work with chemical agents Value 1920 mg/m3 1000 ppm 960 mg/m3
Ethanol (CAS 64-17-5) Poland. Ordinance of the Minister of concentrations and intensities of he Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupation Components Ethanol (CAS 64-17-5) Romania. OELs. Protection of work Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulation No. 300 Components Ethanol (CAS 64-17-5)	TLV of Labour and Social Policy of armful health factors in the Type TWA onal exposure to chemical and Type TWA ers from exposure to chemical Type STEL TWA o/2007 concerning protection Type STEL TWA TWA rning protection of workers Slovenia)	950 mg/m3 500 ppm on 6 June 2014 on the maximum permissible work environment, Journal of Laws 2014, item 817 Value 1900 mg/m3 gents (NP 1796) Value 1000 ppm ical agents at the workplace Value 9500 mg/m3 5000 ppm 1900 mg/m3 1000 ppm in of health in work with chemical agents Value 1920 mg/m3 1000 ppm 960 mg/m3 500 ppm 960 mg/m3 500 ppm

Spain. Occupational E	Exposure	Limits
-----------------------	----------	--------

Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1910 mg/m3	
		1000 ppm	

Components	Type	l Exposure Limit Values (AFS 2015:7) Value	
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3	
		1000 ppm	
	TWA	1000 mg/m3	
		500 ppm	
Switzerland. SUVA Grenzwerte a	am Arbeitsplatz		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1920 mg/m3	
		1000 ppm	
	TWA	960 mg/m3	
		500 ppm	
UK. EH40 Workplace Exposure I	Limits (WELs)		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	Τ\Λ/Λ	1020 mg/m3	

Ethanol (CAS 64-17-5)

TWA 1920 mg/m3 1000 ppm

No biological exposure limits noted for the ingredient(s). **Biological limit values** Recommended monitoring

Follow standard monitoring procedures.

procedures

Not available.

Derived no effect levels (DNELs)

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines

Netherlands OELs (binding): Skin designation

Ethanol (CAS 64-17-5)

Can be absorbed through the skin.

8.2. Exposure controls

Appropriate engineering controls

Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

When using do not smoke. Always observe good personal hygiene measures, such as washing Hygiene measures

after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid. **Form** Liquid. Colour Not available. Odour Not available.

Melting point/freezing point -114,1 °C (-173,38 °F) estimated Boiling point or initial boiling 78,29 °C (172,92 °F) estimated

point and boiling range

Flammability Not applicable.

Flash point 13 °C (55,4 °F) estimated 363 °C (685,4 °F) estimated **Auto-ignition temperature**

Decomposition temperature Not available. Not available. Not available. Kinematic viscosity

Solubility

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water) (log value)

79.06 hPa estimated Vapour pressure

Density and/or relative density

0,793 g/cm3 estimated Density

Not available. Vapour density Not available **Particle characteristics**

9.2. Other information

No relevant additional information available. 9.2.1. Information with regard to physical hazard classes

9.2.2. Other safety characteristics

Percent volatile 90.21 % estimated 0,79322 estimated Specific gravity VOC 90,11 % estimated

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Strong oxidising agents. 10.5. Incompatible materials

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

Occupational exposure to the substance or mixture may cause adverse effects. **General information**

Information on likely routes of exposure

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation Inhalation

may be harmful.

Skin contact May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and **Symptoms**

blurred vision. Coughing.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity No data available.

Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye

irritation

Causes serious eye irritation.

Due to partial or complete lack of data the classification is not possible. Respiratory sensitisation Skin sensitisation Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Carcinogenicity

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed

IARC Monographs. Overall Evaluation of Carcinogenicity

Coumarin (CAS 91-64-5) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

Other information

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

May cause allergic respiratory and skin reactions.

SECTION 12: Ecological information

12.1. Toxicity Harmful to aquatic life with long lasting effects. Based on available data, the classification criteria

are not met for hazardous to the aquatic environment, acute hazard.

Components		Species	Test Results
Coumarin (CAS 91-64-5)			
Aquatic			
Acute			
Fish	LC50	Guppy (Poecilia reticulata)	32 - 100 mg/l, 96 hours
Ethanol (CAS 64-17-5)			
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Water flea (Daphnia magna)	7,7 - 11,2 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout	42 mg/l, 4 days

42 mg/l, 4 days (Oncorhynchus mykiss)

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient

n-octanol/water (log Kow)

1,6-Nonadien-3-ol, 3,7-dimethyl-	3,3
2,6-Dimethyl-7-octen-2-ol	3,25
Acetylcedrene	5,9
Cinnamal	1,9
	2,1
	2,107
Citrus Aurantium Dulcis Flower Extract	4,38
Coumarin	1,39
Cyclopentadecanone	5,6
Dihydro pentamethylindanone	4,2
Ethanol	-0,31
Linalool	2,97
Linalyl acetate	3,9
	3,93
Oils, cedar leaf	2,65

Oils, eucalyptus 2,84 Oils, rosemary 6,23

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a

concentration equal to or greater than 0.1% by weight.

12.7. Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation

potential.

12.8. Additional information

Estonia Dangerous substances in soil Data

Ethanol (CAS 64-17-5) Chemical pesticides (As the total sum of the active substances)

0.5 ma/ka

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of in accordance with local regulations. Empty containers or liners may retain some Residual waste

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow Disposal methods/information

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN1170

ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 14.2. UN proper shipping

(Ethanol) name

14.3. Transport hazard class(es)

3 Class Subsidiary risk Label(s) 3 Hazard No. (ADR) 33 Tunnel restriction code D/E 14.4. Packing group Ш 14.5. Environmental hazards No.

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

RID

14.1. UN number UN1170

14.2. UN proper shipping ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

(Ethanol) name

14.3. Transport hazard class(es)

Class 3 Subsidiary risk 3 Label(s) Ш 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

14.1. UN number UN1170

ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 14.2. UN proper shipping

(Ethanol) name

14.3. Transport hazard class(es)

Class 3 Subsidiary risk Label(s) 3 Ш 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

14.1. UN number UN1170

Ethanol solution (Ethanol) 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

3 Class Subsidiary risk 14.4. Packing group П 14.5. Environmental hazards Yes **ERG Code** 3L

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

Other information

Allowed with restrictions. Passenger and cargo

aircraft

Cargo aircraft only Allowed with restrictions.

IMDG

UN1170 14.1. UN number

ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 14.2. UN proper shipping

(Ethanol), MARINE POLLUTANT name

14.3. Transport hazard class(es)

Class 3 Subsidiary risk 14.4. Packing group Ш 14.5. Environmental hazards Marine pollutant Yes **EmS**

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

Not established.

14.7. Maritime transport in bulk

according to IMO instruments



Marine pollutant



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Ethanol (CAS 64-17-5) Linalool (CAS 78-70-6)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Ethanol (CAS 64-17-5)

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Other regulations

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

Material name: FRAGRANCE DIFFUSER 100ml - LEGNI & SPEZIE 41MDLS

41MDLS Version #: 02 Revision date: 29-September-2023 Issue date: 19-July-2023

References

Information on evaluation method leading to the classification of mixture

Full text of any statements, which are not written out in full under sections 2 to 15

Not available.

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H371 May cause damage to organs. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Revision information Training information

Disclaimer

Product and Company Identification: Product and Company Identification

Follow training instructions when handling this material.

Home Fragrance Italia S.r.L. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.