home fragrance

SAFETY DATA SHEET

Version #: 01

Issue date: 05-April-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

CAR AIR FRESHENER ICON "URBAN" 17 - COLD WATER 17CAR17

of the mixture

Registration number

Synonyms None **Product code** 17CAR17

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses General Public Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Home Fragrance Italia Address

Via A. Tonale 26

Milano 20125 IT

Division Telephone

Not available. e-mail Not available. Contact person

1.4. Emergency telephone

number

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons Information Centre

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons Control Centre

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National Toxicological Information

Centre

available for the Emergency Service.)

Czech Republic National Poisons Information Centre

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons Control Centre

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons Information Centre

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)

Finland National Poison Information Centre

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Centre

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Hungary National Emergency Phone Number

36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus +370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone number

Malta Accident and **Emergency Department** 2545 4030 (Hours of operation not provided. SDS/Product information may not be

available for the Emergency Service.)

Netherlands National Poisons Information Centre (NVIC)

030-274 88 88 (Only for the purpose of informing medical personnel in cases of

acute intoxications)

Norway Norwegian Poison

Information Centre

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Portugal Poison Centre

800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National **Toxicological Information**

Centre

+421 2 5477 4166 (Available 24 hours a day, SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Centre

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day, SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation Category 2 Skin sensitisation Category 1A

H317 - May cause an allergic skin

reaction.

Environmental hazards

Hazardous to the aquatic environment.

long-term aquatic hazard

Category 2

H411 - Toxic to aquatic life with

H315 - Causes skin irritation.

long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

Austria: T6RH-G5XY-Q008-657D Belgium: T6RH-G5XY-Q008-657D Bulgaria: T6RH-G5XY-Q008-657D Croatia: T6RH-G5XY-Q008-657D Cyprus: T6RH-G5XY-Q008-657D

Czech Republic: T6RH-G5XY-Q008-657D Denmark: T6RH-G5XY-Q008-657D Estonia: T6RH-G5XY-Q008-657D EU: T6RH-G5XY-Q008-657D Finland: T6RH-G5XY-Q008-657D France: T6RH-G5XY-Q008-657D Germany: T6RH-G5XY-Q008-657D Great Britain: T6RH-G5XY-Q008-657D Greece: T6RH-G5XY-Q008-657D Hungary: T6RH-G5XY-Q008-657D Iceland: T6RH-G5XY-Q008-657D Ireland: T6RH-G5XY-Q008-657D Italy: T6RH-G5XY-Q008-657D Latvia: T6RH-G5XY-Q008-657D Lithuania: T6RH-G5XY-Q008-657D Luxembourg: T6RH-G5XY-Q008-657D Malta: T6RH-G5XY-Q008-657D Netherlands: T6RH-G5XY-Q008-657D Norway: T6RH-G5XY-Q008-657D Poland: T6RH-G5XY-Q008-657D Portugal: T6RH-G5XY-Q008-657D Romania: T6RH-G5XY-Q008-657D Slovakia: T6RH-G5XY-Q008-657D Slovenia: T6RH-G5XY-Q008-657D

Spain: T6RH-G5XY-Q008-657D Sweden: T6RH-G5XY-Q008-657D

Material name: CAR AIR FRESHENER ICON "URBAN" 17 - COLD WATER 17CAR17 17CAR17 Version #: 01 Issue date: 05-April-2023

(-)-Pin-2(3)-ene, 1-(2,3,8,8-tetramethyl-1,3,4,6,7,8a-hexahydronaphthalen-2-yl)ethanone, Contains:

1-(2,3,8,8-tetramethyl-1,3,5,6,7,8a-hexahydronaphthalen-2-yl)ethanone,

2,4-Dimethyl-3-cyclohexene carboxaldehyde, 3-Octanol, 3,7-dimethyl-, Alpha-isomethyl ionone,

alpha-Pinene, beta-Caryophyllene, beta-Pinene, Citral, Citronellol, Citronellyl formate,

Cyclohexene, 1-methyl-4-(1-methylethylidene)-, d-Limonene, Eucalyptol, Eucalyptus globulus, ext., Geraniol, Geranyl acetate, Isocyclemone E, Lavender, Lavandula hybrida grosso, ext.,

Linalool, Linalyl acetate, Lyral, Nopyl acetate, p-mentha-1,3-diene;

1-isopropyl-4-methylcyclohexa-1,3-diene; alpha-terpinene, trans-Menthone, trans-Rose Ketone-1,

trans-Rose Ketone-2

Hazard pictograms



Signal word Warning

Hazard statements

Causes skin irritation. H315

May cause an allergic skin reaction. H317

Toxic to aquatic life with long lasting effects. H411

Precautionary statements

Prevention

Keep out of reach of children. P102

Response

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313

IF ON SKIN: Wash with plenty of water/. P302 + P352

Not applicable. Storage

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

None. Supplemental label information

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

/ FO No. DEAOU Desistantion No.

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
2,6-Dimethyl-7-octen-2-ol	5 - 10	18479-58-8 242-362-4	-	-	
Classificat	t ion: Skin Irrit. 2	2;H315, Eye Irrit. 2;H3	319		
d-Limonene	3 - 5	5989-27-5 227-813-5	-	601-096-00-2	
Classificat	•		H315, Skin Sens. 1B;H317, M=1), Aquatic Chronic 3;H4	•	
Acetic acid, 2-(3-methylbutoxy)-, 2-propen-1-yl ester	1 - 3	67634-00-8 266-803-5	-	-	
Classificat	tion: Acute Tox.	4;H302;(ATE: 500 m	ng/kg bw), Skin Irrit. 2;H315		
Alpha-isomethyl ionone	1 - 3	127-51-5 204-846-3	-	-	
Classificat	t ion: Skin Sens	. 1B;H317, Aquatic C	hronic 2;H411		
Linalyl acetate	1 - 3	115-95-7 204-116-4	-	-	
Classificat	tion: Skin Irrit. 2	2;H315, Eye Irrit. 2;H3	319, Skin Sens. 1B;H317		
Lyral	1 - 3	31906-04-4 250-863-4	-	605-040-00-8	
Classificat	i on: Skin Sens	. 1A;H317			
Oxacyclohexadecen-2-one	1 - 3	34902-57-3	-	-	

Classification: Aquatic Acute 1;H400, Aquatic Chronic 2;H411

						Notes
1-(2,3,8,8-tetramethyl- xahydronaphthalen-2-y	/l)ethanone	≤ 1	68155-67-9 268-979-9	-	-	
	Classification:	Skin Irrit.	2;H315, Skin Sens. 1	B;H317, Aquatic Chronic 1;	H410	
1-(2,3,8,8-tetramethyl- xahydronaphthalen-2-y		≤ 1	68155-66-8 268-978-3	-	-	
	Classification:	Skin Irrit.	2;H315, Skin Sens. 1	B;H317, Aquatic Chronic 1;	H410	
1,4-Cyclohexadiene, 1-methyl-4-(1-methylet	:hyl)-	≤ 1	99-85-4 202-794-6	-	-	
	Classification:	Flam. Liq Chronic 2		1, Asp. Tox. 1;H304, Aquat	iic	
2,4-Dimethyl-3-cyclohecarboxaldehyde	exene	≤ 1	68039-49-6 268-264-1	-	-	
·	Classification:	Skin Irrit. Chronic 2		319, Skin Sens. 1B;H317, A	Aquatic	
Acetic acid ethenyl est	er	≤ 1	108-05-4 203-545-4	-	607-023-00-0	#
	Classification:		. 2;H225, Acute Tox. 4 3;H335, Aquatic Chro	l;H332;(ATE: 11 mg/l), Card onic 3;H412	c. 2;H351,	
beta-Pinene		≤ 1	127-91-3 204-872-5	-	-	
	Classification:			H315, Skin Sens. 1B;H317, Aquatic Chronic 1;H410	Asp. Tox.	
Carbon black		≤ 1	1333-86-4 215-609-9	-	-	
_	Classification:	Carc. 2;H	351			
Citral		≤ 1	5392-40-5 226-394-6	-	605-019-00-3	
	Classification:	Skin Irrit.	2;H315, Eye Irrit. 2;H	319, Skin Sens. 1;H317		
Isocyclemone E		≤ 1	54464-57-2 259-174-3	-	-	
	Classification:	Skin Irrit.	2;H315, Skin Sens. 1	B;H317, Aquatic Chronic 1;	H410	
Lavender, Lavandula h ext.		≤ 1	93455-97-1 297-385-2	-	-	
	Classification:	Eye Irrit. 2	2;H319, Skin Sens. 1E	3;H317, Aquatic Chronic 3;F	H412	
Nopyl acetate		≤ 1	128-51-8 204-891-9	-	-	
	Classification:	Eye Irrit. 2	2;H319, Skin Sens. 1	3;H317, Aquatic Chronic 2;	H411	
(-)-Pin-2(3)-ene		≤ 0,2	7785-26-4 232-077-3	-	-	
	Classification:	2;H315, S		;H302;(ATE: 500 mg/kg bw sp. Tox. 1;H304, Aquatic A		
1,6-Octadiene, 7-meth	yl-3-methylene-	≤ 0,2	123-35-3 204-622-5	-	-	
	Classification:		. 3;H226, Skin Irrit. 2; cute 1;H400, Aquatic	H315, Eye Irrit. 2;H319, Asր Chronic 2;H411	o. Tox. 1;H304,	
3-Octanol, 3,7-dimethy	/ -	≤ 0,2	78-69-3 201-133-9	-	-	
	Classification:	Skin Irrit.	2;H315, Eye Irrit. 2;H	319, Skin Sens. 1B;H317		
alpha-Pinene		≤ 0,2	80-56-8 201-291-9	-	-	
	Classification:	2;H315, S	. 3;H226, Acute Tox. 4 Skin Sens. 1B;H317, <i>A</i> hronic 1;H410	;H302;(ATE: 500 mg/kg bw sp. Tox. 1;H304, Aquatic A	v), Skin Irrit. cute 1;H400,	
Benzene, 1-methyl-4-(1-methylethyl)-	≤ 0,2	99-87-6 202-796-7	-	601-094-00-1	

hata Camurul "		<u>%</u>		REACH Registration No.	Index No.	Notes
beta-Caryophyllene		≤ 0,2	87-44-5 201-746-1	-	-	
	Classification:		H319, Skin Sens. 1; Juatic Chronic 1;H41	H317, Asp. Tox. 1;H304, Ad)	quatic Acute	
Bicyclo[2.2.1]heptane, 2,2-dimethyl-3-methyl		≤ 0,2	79-92-5 201-234-8	-	-	
	Classification:	Flam. Sol. Chronic 1;I		l319, Aquatic Acute 1;H400), Aquatic	
Citronellol		≤ 0,2	106-22-9 203-375-0	-	-	
	Classification:			g/kg bw), Skin Irrit. 2;H315 p. Tox. 1;H304, Aquatic Ch		
Citronellyl formate		≤ 0,2	105-85-1 203-338-9	-	-	
	Classification:	Skin Irrit. 2	;H315, Skin Sens. 1	3;H317		
Cyclohexene, 1-methyl-4-(1-methyle	thylidene)-	≤ 0,2	586-62-9 209-578-0	-	-	
	Classification:	Skin Sens. Chronic 1;I		1;H304, Aquatic Acute 1;H	400, Aquatic	
decyl acetate		≤ 0,2	112-17-4 203-942-2	-	-	
	Classification:	Aquatic Ac	ute 1;H400, Aquatic	Chronic 1;H410		
Eucalyptol		≤ 0,2	470-82-6 207-431-5	-	-	
	Classification:	Flam. Liq.	3;H226, Eye Irrit. 2;H	319, Skin Sens. 1B;H317		
Eucalyptus globulus, e	ext.	≤ 0,2	84625-32-1 283-406-2	-	-	
	Classification:		3;H226, Skin Irrit. 2;F ;H304, Aquatic Chro	l315, Skin Sens. 1;H317, F nic 2;H411	Repr. 2;H361,	
Geraniol		≤ 0,2	106-24-1 203-377-1	-	603-241-00-5	
	Classification:	1;H318, Sk		g/kg bw), Skin Irrit. 2;H315 p. Tox. 1;H304, Aquatic Acı		
Geranyl acetate		≤ 0,2	105-87-3 203-341-5	-	-	
	Classification:	1;H318, Sk		g/kg bw), Skin Irrit. 2;H315 p. Tox. 1;H304, Aquatic Act		
Linalool		≤ 0,2	78-70-6 201-134-4	-	603-235-00-2	
	Classification:	Skin Irrit. 2	;H315, Eye Irrit. 2;H3	19, Skin Sens. 1B;H317		
Ocimene		≤ 0,2	13877-91-3 237-641-2	-	-	
	Classification:		3;H226, Skin Irrit. 2;I quatic Chronic 2;H41	Н315, Asp. Tox. 1;Н304, Ac 1	juatic Acute	
Phenol, 2,6-bis(1,1-dimethyletl		≤ 0,2	128-37-0 204-881-4	-	-	
	Classification:	Aquatic Ac	ute 1;H400, Aquatic	Chronic 1;H410		
p-mentha-1,3-diene; 1-isopropyl-4-methylcy ne; alpha-terpinene	yclohexa-1,3-die	≤ 0,2	99-86-5 202-795-1	-	601-095-00-7	
• •	Classification:		3;H226, Acute Tox. 4 sp. Tox. 1;H304, Aqu	;H302;(ATE: 1680 mg/kg b atic Chronic 2;H411	w), Skin Sens.	
trans-Menthone		≤ 0,2	89-80-5 201-941-1	-	-	
	Classification:	Acute Tox	4·H302·(ΔΤΕ· 500 m	g/kg bw), Skin Irrit. 2;H315	Skin Sens	

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
trans-Rose Ketone-1	≤ 0,2	24720-09-0 246-430-4	-	-	
Classifi	cation: Acute Tox.	4;H302;(ATE: 500 m	ıg/kg bw), Skin Sens. 1B;H3	17, Aquatic	
	Chronic 2;ł	-1 411			
trans-Rose Ketone-2		1411 23726-91-2 245-842-1	-	-	

Other components below reportable

levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. #: This substance has been assigned Union workplace exposure limit(s).

Composition comments

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Eve contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

delayed 4.3. Indication of any immediate medical attention

and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk

through spilled material.

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be For emergency responders

advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS

6.2. Environmental precautions Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground. Material name: CAR AIR FRESHENER ICON "URBAN" 17 - COLD WATER 17CAR17

6.3. Methods and material for containment and cleaning up

Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	MAK	5 mg/m3	Inhalable dust.
	STEL	10 mg/m3	Inhalable dust.
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	MAK	10 mg/m3	
Austria. TRK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001		
Components	Туре	Value	
Acetic acid ethenyl ester (CAS 108-05-4)	TWA	17,6000000000 014 mg/m3	0000
		5 ppm	
Belgium. Exposure Limit Values			
Components	Туре	Value	Form
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35,2000000000 028 mg/m3	0000
		10 ppm	
	TWA	17,6000000000 014 mg/m3	0000
		5 ppm	
alpha-Pinene (CAS 80-56-8)	TWA	20 ppm	
beta-Pinene (CAS 127-91-3)	TWA	20 ppm	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	
Citral (CAS 5392-40-5)	TWA	32 mg/m3	Vapour and aerosol.
		5 ppm	Vapour and aerosol.
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	2 mg/m3	Vapour and aerosol.
Bulgaria. OELs. Regulation No 13 o	on protection of workers aga Type	inst risks of exposure to che Value	mical agents at work
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35,2000000000 028 mg/m3	0000
		10 ppm	
	TWA	17,6000000000	0000

014 mg/m3

Bulgaria. OELs. Regulation No 13 on Components	Туре	Value	
		5 ppm	
Phenol,	STEL	50 mg/m3	
2,6-bis(1,1-dimethylethyl)-4-		G	
methyl- (CAS 128-37-0)			
	TWA	10 mg/m3	
Croatia. Dangerous Substance Expos Components	sure Limit Values in the W	orkplace (ELVs), Annexes 1 a Value	nd 2, Narodne Novine, 13/0
Acetic acid ethenyl ester	MAC	17,6000000000	000
(CAS 108-05-4)		014 mg/m3	
		5 ppm	
	STEL	35,2000000000	000
	0122	028 mg/m3	.000
		10 ppm	
Carbon black (CAS	MAC	• •	
1333-86-4)	IVIAC	3,5 mg/m3	
,	STEL	7 mg/m3	
Dhanal	MAC		
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	MAC	10 mg/m3	
Cyprus. OELs. Control of factory atm Components	osphere and dangerous s Type	ubstances in factories regula Value	tion, PI 311/73, as amende
Acetic acid ethenyl ester (CAS 108-05-4)	TWA	30 mg/m3	
,		10 ppm	
Carbon black (CAS	TWA	3,5 mg/m3	
1333-86-4)	TVVA	3,3 mg/m3	
Czech Republic. OELs. Government [_
Components	Туре	Value	Form
Acetic acid ethenyl ester (CAS 108-05-4)	Ceiling	36 mg/m3	
	TWA	18 mg/m3	
Carbon black (CAS 1333-86-4)	TWA	10 mg/m3	Dust.
Denmark. Exposure Limit Values			
Components	Туре	Value	
•			
Acetic acid ethenyl ester (CAS 108-05-4)	TLV	18 mg/m3	
(0/10 100 00 4)		5 ppm	
	 1.1.4		
alpha-Pinene (CAS 80-56-8)	TLV	25 ppm	
•	TLV	125 ma/m2	
Benzene, 1-methyl-4-(1-methylethyl)-	ILV	135 mg/m3	
(CAS 99-87-6)			
•		25 ppm	
beta-Pinene (CAS	TLV	25 ppm	
127-91-3)	I L V	20 μριτι	
Carbon black (CAS	TLV	3,5 mg/m3	
1333-86-4)	TI \/	25 nnm	
d-Limonene (CAS 5989-27-5)	TLV	25 ppm	
Phenol,	TLV	10 mg/m3	
2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TLV	10 mg/m3	
Estonia. OELs. Occupational Exposu	re Limits of Hazardous Su	bstances (Regulation No. 105	5/2001, Annex), as amende
Components	Type	Value	,ion,, as amonae
Componento			
•	STEI	35.200000000	000
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35,2000000000 028 mg/m3	000

Components	Туре	bstances (Regulation No. 105/2001, Annex), as amen Value
	TWA	17,60000000000
		014 mg/m3
		5 ppm
alpha-Pinene (CAS 80-56-8)	STEL	300 mg/m3
		50 ppm
	TWA	150 mg/m3
		25 ppm
Benzene, -methyl-4-(1-methylethyl CAS 99-87-6)	STEL)-	190 mg/m3
		35 ppm
	TWA	140 mg/m3
		25 ppm
eta-Pinene (CAS 27-91-3)	STEL	300 mg/m3
,		50 ppm
	TWA	150 mg/m3
		25 ppm
inland. Workplace Exp	osure Limits	
Components	Туре	Value
Acetic acid ethenyl ester CAS 108-05-4)	STEL	35 mg/m3
		10 ppm
	TWA	18 mg/m3
		5 ppm
Carbon black (CAS 333-86-4)	STEL	7 mg/m3
	TWA	3,5 mg/m3
-Limonene (CAS 989-27-5)	STEL	280 mg/m3
		50 ppm
	TWA	140 mg/m3
		25 ppm
Phenol, ,6-bis(1,1-dimethylethyl)-	STEL 4-	20 mg/m3
nethyl- (CAS 128-37-0)	TWA	10 mg/m3
France. OELs. Occupation	onal Exposure Limits as Prescribed by <i>i</i> Type	Art. R.4412-149 of Labor Code, as amended Value
Acetic acid ethenyl ester CAS 108-05-4)	VLE	35,20000000000 028 mg/m3
	VME	10 ppm 17,600000000000 014 mg/m3
		5 ppm
rance Threshold Limit	Values (VI FP) for Occupational Exposi	ure to Chemicals in France, INRS ED 984
Components	Type	Value
	VLE	35,200000000000
		028 mg/m3
CAS 108-05-4)	Regulatory hinding (VPC)	
	Regulatory binding (VRC)	10 nnm
CAS 108-05-4) Regulatory status:		10 ppm
Acetic acid ethenyl ester CAS 108-05-4) Regulatory status: Regulatory status:	Regulatory binding (VRC) Regulatory binding (VRC) VME	10 ppm 17,600000000000 014 mg/m3

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984 Components Value Type

5 ppm Regulatory status: Regulatory binding (VRC) Carbon black (CAS 3,5 mg/m3 1333-86-4) Regulatory status: Indicative limit (VL) Phenol, 10 mg/m3 **VME** 2,6-bis(1,1-dimethylethyl)-4methyl- (CAS 128-37-0)

Regulatory status: Indicative limit (VL)

n the Work Area (DFG) Components	Туре	Value	Form
cetic acid ethenyl ester CAS 108-05-4)	TWA	36 mg/m3	
5/16 166 66 1)		10 ppm	
d-Limonene (CAS 5989-27-5)	TWA	28 mg/m3	
		5 ppm	
Phenol, 2,6-bis(1,1-dimethylethyl)-4- nethyl- (CAS 128-37-0)	TWA	10 mg/m3	Vapor and aerosol, inhalable fraction.
Germany. TRGS 900, Limit Values	in the Ambient Air at the Wor	kplace	
Components	Туре	Value	Form
Acetic acid ethenyl ester (CAS 108-05-4)	AGW	36 mg/m3	
		10 ppm	
Benzene, 1-methyl-4-(1-methylethyl)- (CAS 99-87-6)	AGW	100 mg/m3	
d-Limonene (CAS 5989-27-5)	AGW	28 mg/m3	
		5 ppm	
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	AGW	10 mg/m3	Inhalable fraction.
Greece. OELs (Decree No. 90/1999), as amended)		
Components	Туре	Value	
Acetic acid ethenyl ester	STEL	35,2000000000	0000
(CAS 108-05-4)		028 mg/m3 10 ppm	
	TWA	17,600000000	0000
	IVVA	014 mg/m3	0000
		5 ppm	
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	10 mg/m3	
Hungary. OELs. Joint Decree on C	hemical Safety of Workplace	S	
Components	Туре	Value	Form
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35,2000000000 028 mg/m3	0000
	TWA	17,6000000000 014 mg/m3	0000
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable dust.

Components	Туре	Value	
cetic acid ethenyl ester CAS 108-05-4)	TWA	30 mg/m3	
		10 ppm	
enzene, -methyl-4-(1-methylethyl)- CAS 99-87-6)	TWA	135 mg/m3	
		25 ppm	
Carbon black (CAS 333-86-4)	TWA	3,5 mg/m3	
Phenol, ,6-bis(1,1-dimethylethyl)-4- nethyl- (CAS 128-37-0)	TWA	10 mg/m3	
reland. Occupational Exposure Limits Components	Туре	Value	Form
cetic acid ethenyl ester CAS 108-05-4)	STEL	35,20000000000000 028 mg/m3	
0,10,100,00,1,		10 ppm	
	TWA	17,6000000000000000000000000000000000000	
		5 ppm	
Carbon black (CAS 333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Citral (CAS 5392-40-5)	TWA	5 ppm	Inhalable fraction and vapour.
Phenol, ,6-bis(1,1-dimethylethyl)-4- nethyl- (CAS 128-37-0)	TWA	2 mg/m3	
taly. Occupational Exposure Limits Components	Туре	Value	Form
Acetic acid ethenyl ester CAS 108-05-4)	STEL	35,2000000000000 028 mg/m3	
		10 ppm	
	TWA	17,60000000000000 014 mg/m3	
		5 ppm	
lpha-Pinene (CAS 0-56-8)	TWA	20 ppm	
eta-Pinene (CAS 27-91-3)	TWA	20 ppm	
Carbon black (CAS 333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Citral (CAS 5392-40-5)	TWA	5 ppm	Inhalable fraction and vapour.
Phenol,	TWA	2 mg/m3	Inhalable fraction and vapour.
2,6-bis(1,1-dimethylethyl)-4- nethyl- (CAS 128-37-0)		work environment	
	t values of chemical substances ir Type	Value	
nethyl- (CAS 128-37-0) / atvia. OELs. Occupational exposure limicomponents acetic acid ethenyl ester		Value 35,2000000000000000000000000000000000000	
nethyl- (CAS 128-37-0) .atvia. OELs. Occupational exposure limi	Туре	Value 35,20000000000000	

Components	Chemical Substances, Gener Type	Value
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35,200000000000 028 mg/m3
		10 ppm
	TWA	17,600000000000 014 mg/m3
		5 ppm
ılpha-Pinene (CAS :0-56-8)	STEL	300 mg/m3
,		50 ppm
	TWA	150 mg/m3
		25 ppm
Benzene, I-methyl-4-(1-methylethyl)- CAS 99-87-6)	STEL	190 mg/m3
		35 ppm
	TWA	140 mg/m3
		25 ppm
peta-Pinene (CAS	STEL	300 mg/m3
127-91-3)		50 ppm
	TWA	150 mg/m3
		25 ppm
District Constitution		
Luxembourg. Binding Occupation Components	Type	ex I), Memorial A Value
Acetic acid ethenyl ester CAS 108-05-4)	STEL	35,200000000000 028 mg/m3
		10 ppm
	TWA	17,60000000000
	TWA	17,600000000000 014 mg/m3
		17,600000000000 014 mg/m3 5 ppm
		17,600000000000 014 mg/m3
Malta. OELs. Occupational Expos Schedules I and V) Components		17,600000000000 014 mg/m3 5 ppm
Schedules I and V) Components Acetic acid ethenyl ester	sure Limit Values (L.N. 227. of	17,6000000000000000000000000000000000000
Schedules I and V)	ure Limit Values (L.N. 227. of 0	17,60000000000000000000000000000014 mg/m3 5 ppm Occupational Health and Safety Authority Act (CAP. Value 35,2000000000000000000000000000000000000
Schedules I and V) Components Acetic acid ethenyl ester	rure Limit Values (L.N. 227. of o	17,6000000000000000000000000014 mg/m3 5 ppm Occupational Health and Safety Authority Act (CAP. Value 35,2000000000000000000000000000000000000
Schedules I and V) Components Acetic acid ethenyl ester	ure Limit Values (L.N. 227. of 0	17,60000000000000000000000000000014 mg/m3 5 ppm Occupational Health and Safety Authority Act (CAP. Value 35,2000000000000000000000000000000000000
Schedules I and V) Components Acetic acid ethenyl ester	rure Limit Values (L.N. 227. of o	17,6000000000000000000000000000000000000
Schedules I and V) Components Acetic acid ethenyl ester CAS 108-05-4)	rure Limit Values (L.N. 227. of o	17,6000000000000000000000000000000000000
Schedules I and V) Components Acetic acid ethenyl ester CAS 108-05-4) Netherlands. OELs (binding)	rure Limit Values (L.N. 227. of o	17,6000000000000000000000000000000000000
Schedules I and V) Components Acetic acid ethenyl ester (CAS 108-05-4) Netherlands. OELs (binding) Components Acetic acid ethenyl ester	sure Limit Values (L.N. 227. of o Type STEL TWA	17,6000000000000000000000000000000000000
Schedules I and V) Components Acetic acid ethenyl ester (CAS 108-05-4) Netherlands. OELs (binding) Components	Type STEL TWA	17,600000000000000000000000014 mg/m3 5 ppm Occupational Health and Safety Authority Act (CAP. Value 35,2000000000000000000000000000000000000
Schedules I and V) Components Acetic acid ethenyl ester (CAS 108-05-4) Netherlands. OELs (binding) Components Acetic acid ethenyl ester (CAS 108-05-4)	Type STEL Type STEL Type STEL Type STEL TWA	17,600000000000000000000000014 mg/m3 5 ppm Occupational Health and Safety Authority Act (CAP. Value 35,2000000000000000000000000000000000000
Schedules I and V) Components Acetic acid ethenyl ester CAS 108-05-4) Netherlands. OELs (binding) Components Acetic acid ethenyl ester CAS 108-05-4) Norway. Administrative Norms for	Type STEL Type STEL Type STEL Type STEL TWA	17,600000000000000000000000014 mg/m3 5 ppm Occupational Health and Safety Authority Act (CAP. Value 35,2000000000000000000000000000000000000
Schedules I and V) Components Acetic acid ethenyl ester (CAS 108-05-4) Netherlands. OELs (binding) Components Acetic acid ethenyl ester (CAS 108-05-4) Norway. Administrative Norms for Components Acetic acid ethenyl ester	Type STEL Type STEL TWA Type STEL TWA TWA TWA TWA	17,6000000000000000000000000000000000000
Schedules I and V) Components Acetic acid ethenyl ester (CAS 108-05-4) Netherlands. OELs (binding) Components Acetic acid ethenyl ester	Type STEL Type STEL TWA Type STEL TWA TYPE STEL TWA TWA TONTAMINANTS in the Workplatory	17,6000000000000000000000000000000000000
Schedules I and V) Components Acetic acid ethenyl ester (CAS 108-05-4) Netherlands. OELs (binding) Components Acetic acid ethenyl ester (CAS 108-05-4) Norway. Administrative Norms for Components Acetic acid ethenyl ester	Type STEL TWA TWA TWA TWA TONIA TYPE STEL TWA TONIA TONIA TYPE STEL TWA TYPE STEL TWA TYPE STEL TYPE STEL	17,6000000000000000000000000000000000000
Schedules I and V) Components Acetic acid ethenyl ester (CAS 108-05-4) Netherlands. OELs (binding) Components Acetic acid ethenyl ester (CAS 108-05-4) Norway. Administrative Norms for Components Acetic acid ethenyl ester	Type STEL Type STEL TWA Type STEL TWA TYPE STEL TWA TWA TONTAMINANTS in the Workplatory	17,6000000000000000000000000000000000000
Schedules I and V) Components Acetic acid ethenyl ester (CAS 108-05-4) Netherlands. OELs (binding) Components Acetic acid ethenyl ester (CAS 108-05-4) Norway. Administrative Norms for Components Acetic acid ethenyl ester	Type STEL TWA TWA TWA TWA TONIA TYPE STEL TWA TONIA TONIA TYPE STEL TWA TYPE STEL TWA TYPE STEL TYPE STEL	17,6000000000000000000000000000000000000
Schedules I and V) Components Acetic acid ethenyl ester (CAS 108-05-4) Netherlands. OELs (binding) Components Acetic acid ethenyl ester (CAS 108-05-4) Norway. Administrative Norms for Components Acetic acid ethenyl ester	Type STEL TWA TWA TWA TWA TONIA TYPE STEL TWA TONIA TONIA TYPE STEL TWA TYPE STEL TWA TYPE STEL TYPE STEL	17,6000000000000000000000000000000000000

Components	Туре	Value	
peta-Pinene (CAS 127-91-3)	TLV	140 mg/m3	
127-31-0)		25 ppm	
Carbon black (CAS	TLV	3,5 mg/m3	
1333-86-4) d-Limonene (CAS	TLV	140 mg/m3	
5989-27-5)		25 ppm	
Poland. Ordinance of the Minister	of Labour and Social Policy		ım permissible
concentrations and intensities of	harmful health factors in the		
Components	Туре		FOIII
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	30 mg/m3	
	TWA	10 mg/m3	
Carbon black (CAS 1333-86-4)	TWA	4 mg/m3	Inhalable fraction.
		0 ppm	Inhalable fraction.
Citral (CAS 5392-40-5)	STEL	54 mg/m3	
	TWA	27 mg/m3	
Portugal. OELs. Decree-Law n. 29 Components	0/2001 (Journal of the Repub Type	lic - 1 Series A, n.266) Value	
Acetic acid ethenyl ester	STEL	35,2000000000	000
(CAS 108-05-4)		028 mg/m3	
		10 ppm	
	T\\/\		000
	TWA	17,6000000000 014 mg/m3	000
	TWA	17,6000000000	000
•	ional exposure to chemical a	17,6000000000 014 mg/m3 5 ppm gents (NP 1796)	
Components	ional exposure to chemical aq Type	17,6000000000 014 mg/m3 5 ppm gents (NP 1796) Value	000 Form
Components Acetic acid ethenyl ester	ional exposure to chemical ag Type STEL	17,6000000000 014 mg/m3 5 ppm gents (NP 1796)	
Components Acetic acid ethenyl ester	ional exposure to chemical ag Type STEL TWA	17,6000000000 014 mg/m3 5 ppm gents (NP 1796) Value	
Components Acetic acid ethenyl ester (CAS 108-05-4) Alpha-Pinene (CAS	ional exposure to chemical ag Type STEL	17,6000000000 014 mg/m3 5 ppm gents (NP 1796) Value 15 ppm	
Components Acetic acid ethenyl ester (CAS 108-05-4) Alpha-Pinene (CAS 80-56-8) Deta-Pinene (CAS	ional exposure to chemical ag Type STEL TWA	17,6000000000 014 mg/m3 5 ppm gents (NP 1796) Value 15 ppm	
Components Acetic acid ethenyl ester (CAS 108-05-4) Alpha-Pinene (CAS 80-56-8) Deta-Pinene (CAS 127-91-3) Carbon black (CAS	ional exposure to chemical aq Type STEL TWA TWA	17,6000000000 014 mg/m3 5 ppm gents (NP 1796) Value 15 ppm 10 ppm 20 ppm	
Components Acetic acid ethenyl ester (CAS 108-05-4) alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS 127-91-3) Carbon black (CAS 1333-86-4)	Type STEL TWA TWA TWA TWA	17,6000000000 014 mg/m3 5 ppm gents (NP 1796) Value 15 ppm 10 ppm 20 ppm	Form
Portugal. VLEs. Norm on occupation Components Acetic acid ethenyl ester (CAS 108-05-4) alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS 127-91-3) Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5) Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0)	Type STEL TWA TWA TWA TWA TWA TWA	17,6000000000 014 mg/m3 5 ppm gents (NP 1796) Value 15 ppm 10 ppm 20 ppm 20 ppm 3 mg/m3	Form Fume. Inhalable fraction and
Components Acetic acid ethenyl ester (CAS 108-05-4) alpha-Pinene (CAS 30-56-8) beta-Pinene (CAS 127-91-3) Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5) Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0)	Type STEL TWA	17,6000000000000000014 mg/m3 5 ppm gents (NP 1796) Value 15 ppm 10 ppm 20 ppm 20 ppm 3 mg/m3 5 ppm 2 mg/m3	Form Fume. Inhalable fraction and vapour. Inhalable fraction and
Components Acetic acid ethenyl ester (CAS 108-05-4) alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS 127-91-3) Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5) Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0) Romania. OELs. Protection of wor	Type STEL TWA	17,6000000000000000014 mg/m3 5 ppm gents (NP 1796) Value 15 ppm 10 ppm 20 ppm 20 ppm 3 mg/m3 5 ppm 2 mg/m3	Form Fume. Inhalable fraction and vapour. Inhalable fraction and
Components Acetic acid ethenyl ester (CAS 108-05-4) alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS 127-91-3) Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5) Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0) Romania. OELs. Protection of wor Components Acetic acid ethenyl ester	Type STEL TWA	17,6000000000000000014 mg/m3 5 ppm gents (NP 1796) Value 15 ppm 10 ppm 20 ppm 20 ppm 3 mg/m3 5 ppm 2 mg/m3	Form Fume. Inhalable fraction and vapour. Inhalable fraction and vapour.
Components Acetic acid ethenyl ester (CAS 108-05-4) alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS 127-91-3) Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5) Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0) Romania. OELs. Protection of wor Components Acetic acid ethenyl ester	Type STEL TWA	17,6000000000000000000000000000000000000	Form Fume. Inhalable fraction and vapour. Inhalable fraction and vapour.
Components Acetic acid ethenyl ester (CAS 108-05-4) alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS 127-91-3) Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5) Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0) Romania. OELs. Protection of wor Components Acetic acid ethenyl ester	Type STEL TWA	17,6000000000000000000000000000000000000	Fume. Inhalable fraction and vapour. Inhalable fraction and vapour.
Components Acetic acid ethenyl ester (CAS 108-05-4) alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS 127-91-3) Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5) Phenol, 2,6-bis(1,1-dimethylethyl)-4-	Type STEL TWA TWA TWA TWA TWA TWA TWA TW	17,6000000000000000000000000000000000000	Fume. Inhalable fraction and vapour. Inhalable fraction and vapour.
Acetic acid ethenyl ester (CAS 108-05-4) alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS 127-91-3) Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5) Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0) Romania. OELs. Protection of wor Components Acetic acid ethenyl ester (CAS 108-05-4)	Type STEL TWA TWA TWA TWA TWA TWA TWA TW	17,6000000000000000000000000000000000000	Form Fume. Inhalable fraction and vapour. Inhalable fraction and vapour. 0000
Acetic acid ethenyl ester (CAS 108-05-4) Alpha-Pinene (CAS 30-56-8) Deta-Pinene (CAS 127-91-3) Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5) Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0) Romania. OELs. Protection of wor Components Acetic acid ethenyl ester (CAS 108-05-4)	Type STEL TWA TWA TWA TWA TWA TWA TWA TW	17,6000000000000000000000000000000000000	Form Fume. Inhalable fraction and vapour. Inhalable fraction and vapour. 0000
Components Acetic acid ethenyl ester (CAS 108-05-4) alpha-Pinene (CAS 80-56-8) beta-Pinene (CAS 127-91-3) Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5) Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0) Romania. OELs. Protection of wor Components Acetic acid ethenyl ester	Type STEL TWA TWA TWA TWA TWA TWA TWA TW	17,6000000000000000000000000000000000000	Form Fume. Inhalable fraction and vapour. Inhalable fraction and vapour. 0000 0000

Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

Components	Туре	Value	Form
Acetic acid ethenyl ester (CAS 108-05-4)	TWA	17,600000000000 014 mg/m3	0
		5 ppm	
d-Limonene (CAS 5989-27-5)	TWA	28 mg/m3	
		5 ppm	
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	10 mg/m3	Inhalable fraction.
Spain. Occupational Exposure Limits			
Components	Туре	Value	Form
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35,200000000000 028 mg/m3	0

10 ppm 17,6000000000000 **TWA** 014 mg/m3 5 ppm alpha-Pinene (CAS TWA 113 mg/m3 80-56-8) 20 ppm beta-Pinene (CAS **TWA** 113 mg/m3 127-91-3) 20 ppm Carbon black (CAS **TWA** 3,5 mg/m3 1333-86-4) Citral (CAS 5392-40-5) **TWA** Inhalable fraction and 5 ppm vapour. d-Limonene (CAS **TWA** 168 mg/m3 5989-27-5) 30 ppm Phenol, TWA 10 mg/m3 2,6-bis(1,1-dimethylethyl)-4-

Sweden. OELs. Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2015:7)

Components	Туре	Value Form	
Acetic acid ethenyl ester (CAS 108-05-4)	Ceiling	35 mg/m3	
		10 ppm	
	TWA	18 mg/m3	
		5 ppm	
alpha-Pinene (CAS 80-56-8)	STEL	300 mg/m3	
		50 ppm	
	TWA	150 mg/m3	
		25 ppm	
Benzene, 1-methyl-4-(1-methylethyl)- (CAS 99-87-6)	STEL	190 mg/m3	
		35 ppm	
	TWA	140 mg/m3	

methyl- (CAS 128-37-0)

Sweden. OELs. Work Environmer Components	Type	Value	Form
		25 ppm	
beta-Pinene (CAS 127-91-3)	STEL	300 mg/m3	
		50 ppm	
	TWA	150 mg/m3	
		25 ppm	
Carbon black (CAS 1333-86-4)	TWA	5 mg/m3	Inhalable dusts and mist
Switzenland SUNA Creenwarts and	A uh cita u late	1 mg/m3	Inhalable dust.
Switzerland. SUVA Grenzwerte ar Components	Type	Value	Form
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35 mg/m3	
		10 ppm	
	TWA	35 mg/m3	
		10 ppm	
alpha-Pinene (CAS 80-56-8)	STEL	224 mg/m3	
		40 ppm	
	TWA	112 mg/m3	
		20 ppm	
beta-Pinene (CAS 127-91-3)	STEL	224 mg/m3	
		40 ppm	
	TWA	112 mg/m3	
		20 ppm	
Bicyclo[2.2.1]heptane, 2,2-dimethyl-3-methylene- (CAS 79-92-5)	STEL	224 mg/m3	
		40 ppm	
	TWA	112 mg/m3	
		20 ppm	
d-Limonene (CAS 5989-27-5)	STEL	80 mg/m3	
		14 ppm	
	TWA	40 mg/m3	
		7 ppm	
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	STEL	40 mg/m3	Vapor and aerosol, inhalable.
	TWA	10 mg/m3	Vapor and aerosol, inhalable.
UK. EH40 Workplace Exposure Li			
Components	Туре	Value	
Acetic acid ethenyl ester (CAS 108-05-4)	STEL	35,2000000000 028 mg/m3 10 ppm	000
	TWA	17,6000000000 014 mg/m3	0000
		5 ppm	
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	10 mg/m3	

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU

Components Type Value

STEL (CAS 108-05-4) 028 mg/m3 10 ppm

TWA

17.60000000000000

014 mg/m3 5 ppm

35.20000000000000

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring

Acetic acid ethenyl ester

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines

Belgium OELs: Skin designation

Citral (CAS 5392-40-5) Can be absorbed through the skin.

Germany DFG MAK (advisory): Skin designation

Acetic acid ethenyl ester (CAS 108-05-4) Can be absorbed through the skin. d-Limonene (CAS 5989-27-5) Can be absorbed through the skin.

Germany TRGS 900 Limit Values: Skin designation

Acetic acid ethenyl ester (CAS 108-05-4) Can be absorbed through the skin. d-Limonene (CAS 5989-27-5) Can be absorbed through the skin.

Italy OELs: Skin designation

Citral (CAS 5392-40-5) Danger of cutaneous absorption

Malta OELs: Skin designation

Acetic acid ethenyl ester (CAS 108-05-4) Can be absorbed through the skin.

Norway Exposure Limit Values: Skin designation

alpha-Pinene (CAS 80-56-8) Can be absorbed through the skin.

Portugal VLEs Norm on Occupational Exposure: Skin designation

Citral (CAS 5392-40-5) Can be absorbed through the skin.

Slovenia, OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working

(Official Gazette of the Republic of Slovenia)

d-Limonene (CAS 5989-27-5) Can be absorbed through the skin.

Spain OELs: Skin designation

Citral (CAS 5392-40-5) Can be absorbed through the skin. d-Limonene (CAS 5989-27-5) Can be absorbed through the skin.

Switzerland SUVA Limit Values at the Workplace: Skin designation

alpha-Pinene (CAS 80-56-8) Can be absorbed through the skin. beta-Pinene (CAS 127-91-3) Can be absorbed through the skin. Bicyclo[2.2.1]heptane, 2,2-dimethyl-3-methylene-Can be absorbed through the skin.

(CAS 79-92-5)

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety

shower.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

Wear appropriate chemical resistant gloves. - Hand protection

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Solid. **Physical state** Solid. **Form**

Colour Not available. Not available. Odour

Melting point/freezing point 3 °C (37,4 °F) estimated

Boiling point or initial boiling

point and boiling range

Not available.

Flammability Not available. Flash point >100 °C (>212 °F) Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. Not available. Kinematic viscosity

Solubility

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water) (log value)

0,042476 hPa estimated Vapour pressure

Density and/or relative density

0,891 g/cm3 estimated Density

Vapour density Not available. Particle characteristics Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Percent volatile 0,3 % estimated Specific gravity 0,89129 estimated

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. 10.4. Conditions to avoid

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation. May cause an allergic skin reaction. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis.

Rash.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Components Species Test Results

Acetic acid ethenyl ester (CAS 108-05-4)

Acute Dermal

LD50 Rabbit 2335 mg/kg

Oral

LD50 Rat 2920 mg/kg

Carbon black (CAS 1333-86-4)

Acute

Oral

LD50 Rat > 8000 mg/kg

Skin corrosion/irritationCauses skin irritation.

Serious eye damage/eye

Direct contact with eyes may cause temporary irritation.

irritation

Respiratory sensitisationDue to partial or complete lack of data the classification is not possible.

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Carcinogenicity Risk of cancer cannot be excluded with prolonged exposure.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Acetic acid ethenyl ester (CAS 108-05-4)

IARC Monographs. Overall Evaluation of Carcinogenicity

1,6-Octadiene, 7-methyl-3-methylene- (CAS 123-35-3)

Acetic acid ethenyl ester (CAS 108-05-4)

2B Possibly carcinogenic to humans.

2B Possibly carcinogenic to humans.

Carbon black (CAS 1333-86-4)

d-Limonene (CAS 5989-27-5)

2B Possibly carcinogenic to humans.

3 Not classifiable as to carcinogenicity to humans.

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl
3 Not classifiable as to carcinogenicity to humans.

(Official Gazette of the Republic of Slovenia)

Acetic acid ethenyl ester (CAS 108-05-4) Carcinogenic, Category 2.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

(CAS 128-37-0)

single exposure

Due to partial or complete lack of data the classification is not possible.

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects. Based on available data, the classification criteria are

not met for hazardous to the aquatic environment, acute hazard.

Components Species Test Results

Acetic acid ethenyl ester (CAS 108-05-4)

Aquatic Acute

Fish LC50 Fathead minnow (Pimephales promelas) 15 mg/l, 96 hours

Material name: CAR AIR FRESHENER ICON "URBAN" 17 - COLD WATER 17CAR17 17CAR17 Version #: 01 Issue date: 05-April-2023

Test Results Components **Species** Benzene, 1-methyl-4-(1-methylethyl)- (CAS 99-87-6) **Aquatic** Acute Fish LC50 Sheepshead minnow (Cyprinodon 36 - 64 mg/l, 96 hours variegatus) Bicyclo[2.2.1]heptane, 2,2-dimethyl-3-methylene- (CAS 79-92-5) Aquatic Acute Fish LC50 Sheepshead minnow (Cyprinodon 1,6 - 2,2 mg/l, 96 hours variegatus) d-Limonene (CAS 5989-27-5) Aquatic Acute EC50 Water flea (Daphnia pulex) Crustacea 69,6 mg/l, 48 hours Fathead minnow (Pimephales promelas) 0,619 - 0,796 mg/l, 96 hours Fish LC50

Eucalyptol (CAS 470-82-6)

Aquatic

Acute

Fish LC50 Fathead minnow (Pimephales promelas) 95,4 - 109 mg/l, 96 hours

Geraniol (CAS 106-24-1)

Aquatic

Acute

Fish LC50 Brown trout (Salmo trutta) 2,3 - 3 mg/l, 96 hours

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia pulex) 1,44 mg/l, 48 hours

12.2. Persistence and

No data is available on the degradability of any ingredients in the mixture.

3,93

5,4

5,1 5,2

2,295

3,66

3,68

degradability

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ocimene

trans-Menthone

12.4. Mobility in soil

1,4-Cyclohexadiene, 1-methyl-4-(1-methylethyl)-	5,4
1,6-Octadiene, 7-methyl-3-methylene-	4,33
2,6-Dimethyl-7-octen-2-ol	3,25
3-Octanol, 3,7-dimethyl-	3,3
Acetic acid ethenyl ester	0,73
Alpha-isomethyl ionone	4,288
alpha-Pinene	4,83
Benzene, 1-methyl-4-(1-methylethyl)-	4,1
beta-Caryophyllene	6,23
beta-Pinene	4,16
Bicyclo[2.2.1]heptane, 2,2-dimethyl-3-methylene-	4,22
Citral	2,76
	3,45
Citronellol	3,41
Cyclohexene, 1-methyl-4-(1-methylethylidene)-	4,47
d-Limonene	4,57
Eucalyptol	2,74
Geraniol	3,56
Geranyl acetate	4,04
Linalool	2,97
Linalyl acetate	3,9

trans-Rose Ketone-1 trans-Rose Ketone-2 **Bioconcentration factor (BCF)** Not available.

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-

No data available.

12.5. Results of PBT and vPvB assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

12.8. Additional information

Estonia Dangerous substances in soil Data

Citronellol (CAS 106-22-9) Chemical pesticides (As the total sum of the active substances)

0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

Geraniol (CAS 106-24-1) Chemical pesticides (As the total sum of the active substances)

0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

Geranyl acetate (CAS 105-87-3) Chemical pesticides (As the total sum of the active substances)

0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN3077

14.2. UN proper shipping

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Hazard No. (ADR) 90
Tunnel restriction code E
14.4. Packing group III

14.5. Environmental hazards Yes

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

RID

14.1. UN number UN3077

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
14.4. Packing group ||||

14.5. Environmental hazards Yes

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

14.1. UN number UN3077

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
14.4. Packing group III
14.5. Environmental hazards Yes

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

14.1. UN number UN3077

14.2. UN proper shipping Environmentally hazardous substance, solid, n.o.s.

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk 14.4. Packing group III
14.5. Environmental hazards Yes
ERG Code 9L

14.6. Special precautions

for user

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

14.1. UN number UN3077

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., MARINE POLLUTANT

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk 14.4. Packing group III
14.5. Environmental hazards
Marine pollutant Yes

EmS F-A, S-F

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.


Read safety instructions, SDS and emergency procedures before handling.

for user d-Limonene alpha-Pinene

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

ADN; ADR; IATA; IMDG; RID



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Carbon black (CAS 1333-86-4)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

UFI:

Austria: T6RH-G5XY-Q008-657D Belgium: T6RH-G5XY-Q008-657D Bulgaria: T6RH-G5XY-Q008-657D Croatia: T6RH-G5XY-Q008-657D Cyprus: T6RH-G5XY-Q008-657D

Czech Republic: T6RH-G5XY-Q008-657D Denmark: T6RH-G5XY-Q008-657D Estonia: T6RH-G5XY-Q008-657D EU: T6RH-G5XY-Q008-657D Finland: T6RH-G5XY-Q008-657D France: T6RH-G5XY-Q008-657D Germany: T6RH-G5XY-Q008-657D Great Britain: T6RH-G5XY-Q008-657D Greece: T6RH-G5XY-Q008-657D Hungary: T6RH-G5XY-Q008-657D Iceland: T6RH-G5XY-Q008-657D Ireland: T6RH-G5XY-Q008-657D Italy: T6RH-G5XY-Q008-657D Latvia: T6RH-G5XY-Q008-657D Lithuania: T6RH-G5XY-Q008-657D Luxembourg: T6RH-G5XY-Q008-657D Malta: T6RH-G5XY-Q008-657D Netherlands: T6RH-G5XY-Q008-657D Norway: T6RH-G5XY-Q008-657D

Poland: T6RH-G5XY-Q008-657D Portugal: T6RH-G5XY-Q008-657D Romania: T6RH-G5XY-Q008-657D Slovakia: T6RH-G5XY-Q008-657D Slovenia: T6RH-G5XY-Q008-657D Spain: T6RH-G5XY-Q008-657D Sweden: T6RH-G5XY-Q008-657D

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Geraniol (CAS 106-24-1) Linalool (CAS 78-70-6)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Acetic acid ethenyl ester (CAS 108-05-4)

Benzene, 1-methyl-4-(1-methylethyl)- (CAS 99-87-6)

d-Limonene (CAS 5989-27-5)

p-mentha-1,3-diene; 1-isopropyl-4-methylcyclohexa-1,3-diene; alpha-terpinene (CAS 99-86-5)

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work, as amended Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

Not available.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data. if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H228 Flammable solid. H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled. H332 Harmful if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Revision information

Product and Company Identification: EU Poison Centre

Training information Disclaimer

Follow training instructions when handling this material.

Home Fragrance Italia cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.