SAFETY DATA SHEET



Version #: 01

Issue date: 19-April-2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

CAR AIR FRESHENER ICON "METAL SHADES" 84 - VANILLA & WOOD

Registration number

Synonyms None. 17CAR84 **Product code**

1.2. Relevant identified uses of the substance or mixture and uses advised against

General Public Identified uses None known. Uses advised against 1.3. Details of the supplier of the safety data sheet

Company name Home Fragrance Italia **Address** Via A. Tonale 26

> Milano 20125 IT

Division

Telephone

Not available. e-mail Not available. Contact person

1.4. Emergency telephone

number

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Centre

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National Toxicological Information

Centre

+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Czech Republic National Poisons Information

Centre

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Estonia National Poisons Information Centre

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Hungary National Emergency Phone Number

36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Lithuania Neatidėliotina

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department**

informacija apsinuodijus

2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Material name: CAR AIR FRESHENER ICON "METAL SHADES" 84 - VANILLA & WOOD

17CAR84 Version #: 01 Issue date: 19-April-2022

1.4. Emergency telephone number

Netherlands National Poisons Information Center (NVIC)

030-274 88 88 (Only for the purpose of informing medical personnel in cases of

acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Portugal Poison Centre

800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM, SDS/Product information may not be

available for the Emergency Service.)

Slovakia National

Toxicological Information Centre

+421 2 5477 4166 (Available 24 hours a day, SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info

145 (Available 24 hours a day, SDS/Product information may not be available for

the Emergency Service.) Suisse

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin sensitisation Category 1A H317 - May cause an allergic skin

reaction.

Environmental hazards

Hazardous to the aquatic environment, Category 2

long-term aquatic hazard long lasting effects.

H411 - Toxic to aquatic life with

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 1-(2.3.8.8-tetramethyl-1.3.4.6.7.8a-hexahydronaphthalen-2-yl)ethanone.

1-(2,3,8,8-tetramethyl-1,3,5,6,7,8a-hexahydronaphthalen-2-yl)ethanone, Acetylcedrene, alpha-Pinene, beta-Pinene, Citral, Coumarin, d-Limonene, Ethoxy-Methoxymethyl-Phenol,

Eucalyptol, Isocyclemone E, Linalool, Lvral

Hazard pictograms



Signal word Warning

Hazard statements

May cause an allergic skin reaction. H317

Toxic to aquatic life with long lasting effects. H411

Precautionary statements

Prevention

Keep out of reach of children. P102

Avoid breathing dust/fume/gas/mist/vapours/spray. P261

Contaminated work clothing should not be allowed out of the workplace. P272

Avoid release to the environment. P273

Wear protective gloves. P280

Response

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364

Collect spillage. P391 Storage Not applicable.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information 2,5 % of the mixture consists of component(s) of unknown acute oral toxicity. 2,5 % of the mixture

consists of component(s) of unknown acute dermal toxicity. 2,5 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 2,5 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

Material name: CAR AIR FRESHENER ICON "METAL SHADES" 84 - VANILLA & WOOD 17CAR84 Version #: 01 Issue date: 19-April-2022

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| General | inform | nation |
|---------|--------|--------|
| Generai | HIIOH | nauon |

| Chemical name | | % | CAS-No. | / EC No. | REACH Regist | ration No. | Index No. | Notes |
|---|-------------------------------|-------------------------|-----------------|----------------|------------------------------------|--------------|--------------|-------|
| 8-Cyclohexadecen-1-one | | 1 - 3 | 3100- 401-7 | | - | | 606-046-00-3 | |
| Cla | assification: Aq | uatic Acu | te 1;H400 | , Aquatic | Chronic 1;H410 | | | |
| Acetylcedrene | | 1 - 3 | 32388 251-0 | | - | | - | |
| Cla | assification: Sk | in Sens. ´ | IB;H317, | Aquatic A | cute 1;H400, Aq | uatic Chroni | c 1;H410 | |
| Benzyl benzoate | | 1 - 3 | 120- 204-4 | | - | | 607-085-00-9 | |
| Cla | assification: Ac Ch | ute Tox. 4 ronic 2;H | | TE: 500 m | ng/kg), Aquatic A | cute 1;H400 |), Aquatic | |
| d-Limonene | | 1 - 3 | 5989- 227-8 | | - | | 601-029-00-7 | |
| Cla | assification: Fla 1;F | | | | 1315, Skin Sens Aquatic Chronic | | вр. Тох. | С |
| Galaxolide | | 1 - 3 | 1222- 214-9 | | - | | 603-212-00-7 | |
| Cla | assification: Aq | uatic Acu | te 1;H400 | , Aquatic | Chronic 1;H410 | | | |
| Isocyclemone E | | 1 - 3 | 54464 259-1 | - | - | | - | |
| Cla | assification: Sk | in Irrit. 2;H | 1315, Skiı | n Sens. 1I | 3;H317, Aquatic | Chronic 1;H | 410 | |
| Lyral | | 1 - 3 | 31906 250-8 | | - | | 605-040-00-8 | |
| Cla | assification: Sk | in Sens. 1 | A;H317 | | | | | |
| Vanillin | | 1 - 3 | 121-3 204-4 | | - | | - | |
| Cla | assification: Ey | e Irrit. 2;F | 1319 | | | | | |
| 1-(2,3,8,8-tetramethyl-1,3 xahydronaphthalen-2-yl)e | | ≤ 1 | 68155 268-9 | | - | | - | |
| Cla | assification: Sk | in Irrit. 2;H | 1315, Skiı | n Sens. 1I | 3;H317, Aquatic | Chronic 1;H | 410 | |
| 1-(2,3,8,8-tetramethyl-1,3 xahydronaphthalen-2-yl)e | | ≤ 1 | 68155 268-9 | | - | | - | |
| Cla | assification: Sk | in Irrit. 2;H | 1315, Skiı | n Sens. 1I | 3;H317, Aquatic | Chronic 1;H | 410 | |
| 4-Penten-2-ol, 3,3-dimethyl-5-(2,2,3-trim penten-1-yl)- | ethyl-3-cyclo | ≤ 1 | 107898 411-5 | 3-54-4 80-3 | - | | 603-150-00-0 | |
| . , | assification: Ski | in Irrit. 2;I | 1315, Aqu | atic Acute | e 1;H400, Aquati | c Chronic 1 | H410 | |
| Carbon black | | ≤ 1 | 1333- 215-6 | | - | | - | |
| Cla | assification: Ca | rc. 2;H35 | 1 | | | | | |
| Coumarin | | ≤ 1 | 91-6 202-0 | | - | | - | |
| Cla | assification: Ac | ute Tox. 4 | ;H302;(A | ΓΕ: 500 m | ıg/kg), Skin Sens | s. 1B;H317 | | |
| 1,4-Cyclohexadiene, 1-methyl-4-(1-methylethy | | ≤ 0,2 | 99-8 202-7 | | - | | - | |
| Cla | assification: Fla | ım. Liq. 3 | ;H226, Re | pr. 2;H36 | 1, Asp. Tox. 1;H | 304 | | |
| 1,6-Octadiene, 7-methyl- | 3-methylene- | ≤ 0,2 | 123-3 204-6 | | - | | - | |
| Cla | assification: Fla | | | | H315, Eye Irrit. 2 | ;H319, Asp. | Tox. 1;H304, | |

Aquatic Acute 1;H400, Aquatic Chronic 2;H411

Material name: CAR AIR FRESHENER ICON "METAL SHADES" 84 - VANILLA & WOOD 17CAR84 Version #: 01 Issue date: 19-April-2022

| Chemical name | | % | CAS-No. / | EC No. | REACH Registration | No. Inde | x No. | Notes |
|---------------------|----------------|------------------------|------------------------------|------------|--|----------|---------|-------|
| alpha-Pinene | | ≤ 0,2 | 80-56 201-29 | - | - | | - | |
| | Classification | 2;H315, SI | | ;H317, A | ;H302;(ATE: 500 mg/kg sp. Tox. 1;H304, Aquat | | | |
| beta-Pinene | | ≤ 0,2 | 127-9 ⁻ 204-87 | | - | | - | |
| | Classification | | | | l315, Skin Sens. 1B;H3 Aquatic Chronic 1;H410 | | X. | |
| Citral | | ≤ 0,2 | 5392-4 226-39 | | - | 605-0 | 19-00-3 | |
| | Classification | Skin Irrit. 2 | 2;H315, Eye I | rrit. 2;H3 | 19, Skin Sens. 1;H317 | | | |
| Ethoxy-Methoxymethy | /I-Phenol | ≤ 0,2 | 5595-7 447-64 | | - | | - | |
| | Classification | : Acute Tox. | 4;H302;(ATI | E: 500 m | g/kg), Skin Sens. 1B;H | 317 | | |
| Eucalyptol | | ≤ 0,2 | 470-82 207-43 | | - | | - | |
| | Classification | : Flam. Liq. | 3;H226, Eye | Irrit. 2;H | 319, Skin Sens. 1B;H3 | 17 | | |
| Linalool | | ≤ 0,2 | 78-70 201-13 | - | - | 603-23 | 35-00-2 | |
| | Classification | Skin Irrit. 2 | 2;H315, Eye I | rrit. 2;H3 | 19, Skin Sens. 1B;H31 | 7 | | |
| Other components be | | Skin Irrit. 2 83.74 | 2;H315, Eye I | rrit. 2;H3 | 19, Skin Sens. 1B;H31 | 7 | | |

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. #: This substance has been assigned Union workplace exposure limit(s).

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion May cause an allergic skin reaction. Dermatitis. Rash. 4.2. Most important symptoms

and effects, both acute and

delayed

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged For non-emergency containers or spilled material unless wearing appropriate protective clothing. personnel

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be For emergency responders advised if significant spillages cannot be contained. For personal protection, see section 8 of the

SDS.

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all 6.2. Environmental precautions environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this

is without risk. Following product recovery, flush area with water.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Not available 7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

Austria, MAK List, OEL Ordinance (GwV), BGBI, II, no. 184/2001

8.1. Control parameters

Occupational exposure limits

| Components | Туре | Value | Form |
|------------------------------------|------------------------------|--------------------------------|-------------------------------|
| Carbon black (CAS 1333-86-4) | MAK | 5 mg/m3 | Inhalable dust. |
| | STEL | 10 mg/m3 | Inhalable dust. |
| Belgium. Exposure Limit Values | | | |
| Components | Туре | Value | Form |
| alpha-Pinene (CAS 30-56-8) | TWA | 20 ppm | |
| beta-Pinene (CAS 127-91-3) | TWA | 20 ppm | |
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | |
| Citral (CAS 5392-40-5) | TWA | 32 mg/m3 | Vapour and aerosol. |
| | | 5 ppm | Vapour and aerosol. |
| Croatia. Dangerous Substance Exp | oosure Limit Values in the W | | and 2, Narodne Novine, 13/09 |
| Components | Туре | Value | |
| Carbon black (CAS 1333-86-4) | MAC | 3,5 mg/m3 | |
| | STEL | 7 mg/m3 | |
| Cyprus. OELs. Control of factory a | tmosphere and dangerous s | substances in factories regula | ition, PI 311/73, as amended. |
| Components | Туре | Value | |
| Carbon black (CAS 1333-86-4) | TWA | 3,5 mg/m3 | |
| Czech Republic. OELs. Governmer | nt Decree 361 | | |
| Components | Type | Value | Form |
| Carbon black (CAS 1333-86-4) | TWA | 10 mg/m3 | Dust. |
| Denmark. Exposure Limit Values | | | |
| Components | Type | Value | |
| alpha-Pinene (CAS 80-56-8) | TLV | 25 ppm | |

| Denmark. Exposure Limit Values | | | |
|--|---|-------------------------------|------------------------|
| Components | Туре | Value | |
| beta-Pinene (CAS 127-91-3) | TLV | 25 ppm | |
| Carbon black (CAS 1333-86-4) | TLV | 3,5 mg/m3 | |
| d-Limonene (CAS 5989-27-5) | TLV | 25 ppm | |
| Estonia. OELs. Occupational Exposure L Components | imits of Hazardous Substances (Re | gulation No. 105/200 Value | 01, Annex), as amended |
| alpha-Pinene (CAS | STEL | 300 mg/m3 | |
| 80-56-8) | 0.22 | ooo mg/mo | |
| | | 50 ppm | |
| | TWA | 150 mg/m3 | |
| | | 25 ppm | |
| beta-Pinene (CAS | STEL | 300 mg/m3 | |
| 127-91-3) | | 50 ppm | |
| | TWA | 150 mg/m3 | |
| | | 25 ppm | |
| Finland. Workplace Exposure Limits | | FF | |
| Components | Туре | Value | |
| Carbon black (CAS 1333-86-4) | STEL | 7 mg/m3 | |
| • | TWA | 3,5 mg/m3 | |
| d-Limonene (CAS 5989-27-5) | STEL | 280 mg/m3 | |
| | | 50 ppm | |
| | TWA | 140 mg/m3 | |
| | | 25 ppm | |
| France. Threshold Limit Values (VLEP) for Components | or Occupational Exposure to Chemi Type | cals in France, INRS Value | ED 984 |
| Carbon black (CAS | VME | 3,5 mg/m3 | |
| 1333-86-4) Regulatory status: Indicative limit (\) | | 3,3 mg/m3 | |
| Germany. DFG MAK List (advisory OELs) in the Work Area (DFG) | • | of Health Hazards of | Chemical Compounds |
| Components | Туре | Value | |
| d-Limonene (CAS 5989-27-5) | TWA | 28 mg/m3 | |
| 0000 21 0) | | 5 ppm | |
| Germany. TRGS 900, Limit Values in the | - | | |
| Components | Туре | Value | |
| d-Limonene (CAS 5989-27-5) | AGW | 28 mg/m3 | |
| | | 5 ppm | |
| Greece. OELs (Decree No. 90/1999, as an Components | nended) Type | Value | |
| Carbon black (CAS 1333-86-4) | STEL | 7 mg/m3 | |
| , | TWA | 3,5 mg/m3 | |
| Hungary. OELs. Joint Decree on Chemica | al Safety of Workplaces | | |
| Components | Туре | Value | Form |
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | Inhalable dust. |
| • | | | |

| Components | 999 on occupational exposure Type | Value | |
|--|--|--|--------------------------------|
| Carbon black (CAS 333-86-4) | TWA | 3,5 mg/m3 | |
| reland. Occupational Exposure Components | Limits Type | Value | Form |
| Carbon black (CAS | TWA | 3 mg/m3 | Inhalable fraction. |
| 333-86-4) | | - | |
| Citral (CAS 5392-40-5) | TWA | 5 ppm | Inhalable fraction and vapour. |
| taly. Occupational Exposure Lir | nits Type | Value | Form |
| Ipha-Pinene (CAS | TWA | 20 ppm | |
| 0-56-8) eta-Pinene (CAS | TWA | 20 ppm | |
| 27-91-3) Carbon black (CAS | TWA | 3 mg/m3 | Inhalable fraction. |
| 333-86-4) Citral (CAS 5392-40-5) | TWA | 5 ppm | Inhalable fraction and |
| ithuania. OELs. Limit Values fo | or Chemical Substances. Gener | ral Requirements | vapour. |
| components | Type | Value | |
| lpha-Pinene (CAS 0-56-8) | STEL | 300 mg/m3 | |
| , | | 50 ppm | |
| | TWA | 150 mg/m3 | |
| | | 25 ppm | |
| eta-Pinene (CAS 27-91-3) | STEL | 300 mg/m3 | |
| , | | 50 ppm | |
| | TWA | 150 mg/m3 | |
| | | 25 ppm | |
| lorway. Administrative Norms f | _ | ace Value | |
| | Туре | value | |
| • | T1. / | 440 / 0 | |
| lpha-Pinene (CAS | TLV | 140 mg/m3 | |
| Ipha-Pinene (CAS | TLV | 140 mg/m3 25 ppm | |
| Ipha-Pinene (CAS 0-56-8) eta-Pinene (CAS | TLV | • | |
| Ipha-Pinene (CAS 0-56-8) eta-Pinene (CAS | | 25 ppm | |
| Ipha-Pinene (CAS 0-56-8) eta-Pinene (CAS 27-91-3) Carbon black (CAS | | 25 ppm 140 mg/m3 | |
| Ilpha-Pinene (CAS 0-56-8) leta-Pinene (CAS 27-91-3) Carbon black (CAS 333-86-4) I-Limonene (CAS | TLV | 25 ppm 140 mg/m3 25 ppm | |
| components Ilpha-Pinene (CAS 30-56-8) Deta-Pinene (CAS 27-91-3) Carbon black (CAS 333-86-4) I-Limonene (CAS 5989-27-5) | TLV | 25 ppm 140 mg/m3 25 ppm 3,5 mg/m3 | |
| Ipha-Pinene (CAS 0-56-8) eta-Pinene (CAS 27-91-3) Carbon black (CAS 333-86-4) -Limonene (CAS 989-27-5) Poland. Ordinance of the Minister | TLV TLV TLV er of Labour and Social Policy o | 25 ppm 140 mg/m3 25 ppm 3,5 mg/m3 140 mg/m3 25 ppm on 6 June 2014 on the maxima | |
| Ilpha-Pinene (CAS 10-56-8) Peta-Pinene (CAS 27-91-3) Carbon black (CAS 333-86-4) I-Limonene (CAS 1989-27-5) Poland. Ordinance of the Minister concentrations and intensities of | TLV TLV TLV er of Labour and Social Policy o | 25 ppm 140 mg/m3 25 ppm 3,5 mg/m3 140 mg/m3 25 ppm on 6 June 2014 on the maxima | |
| Ilpha-Pinene (CAS 0-56-8) eta-Pinene (CAS 27-91-3) Carbon black (CAS 333-86-4) -Limonene (CAS 989-27-5) Coland. Ordinance of the Minister concentrations and intensities of components Carbon black (CAS | TLV TLV TLV er of Labour and Social Policy of harmful health factors in the v | 25 ppm 140 mg/m3 25 ppm 3,5 mg/m3 140 mg/m3 25 ppm on 6 June 2014 on the maximu | Laws 2014, item 817 |
| Ilpha-Pinene (CAS 0-56-8) eta-Pinene (CAS 27-91-3) Carbon black (CAS 333-86-4) -Limonene (CAS 989-27-5) Coland. Ordinance of the Minister concentrations and intensities of components Carbon black (CAS | TLV TLV TLV er of Labour and Social Policy of harmful health factors in the v | 25 ppm 140 mg/m3 25 ppm 3,5 mg/m3 140 mg/m3 25 ppm on 6 June 2014 on the maximuwork environment, Journal of Value | Laws 2014, item 817 Form |
| Ipha-Pinene (CAS 0-56-8) eta-Pinene (CAS 27-91-3) Carbon black (CAS 333-86-4) -Limonene (CAS 989-27-5) Poland. Ordinance of the Minister of | TLV TLV TLV er of Labour and Social Policy of harmful health factors in the v | 25 ppm 140 mg/m3 25 ppm 3,5 mg/m3 140 mg/m3 25 ppm on 6 June 2014 on the maximum work environment, Journal of Value 4 mg/m3 | Form Inhalable fraction. |
| Ipha-Pinene (CAS 0-56-8) eta-Pinene (CAS 27-91-3) carbon black (CAS 333-86-4) -Limonene (CAS 989-27-5) coland. Ordinance of the Minister o | TLV TLV er of Labour and Social Policy of harmful health factors in the value of Type TWA | 25 ppm 140 mg/m3 25 ppm 3,5 mg/m3 140 mg/m3 25 ppm on 6 June 2014 on the maximum work environment, Journal of Value 4 mg/m3 0 ppm | Form Inhalable fraction. |
| Ipha-Pinene (CAS 0-56-8) eta-Pinene (CAS 27-91-3) carbon black (CAS 333-86-4) -Limonene (CAS 989-27-5) coland. Ordinance of the Minister o | TLV TLV er of Labour and Social Policy of harmful health factors in the value of Type TWA | 25 ppm 140 mg/m3 25 ppm 3,5 mg/m3 140 mg/m3 25 ppm on 6 June 2014 on the maximu work environment, Journal of Value 4 mg/m3 0 ppm 54 mg/m3 | Form Inhalable fraction. |
| Ilpha-Pinene (CAS 0-56-8) Leta-Pinene (CAS 27-91-3) Carbon black (CAS 333-86-4) Limonene (CAS 989-27-5) Coland. Ordinance of the Minister of the Concentrations and intensities of Components Carbon black (CAS 333-86-4) | TLV TLV TLV er of Labour and Social Policy of harmful health factors in the volume Type TWA STEL | 25 ppm 140 mg/m3 25 ppm 3,5 mg/m3 140 mg/m3 25 ppm on 6 June 2014 on the maximum work environment, Journal of Value 4 mg/m3 0 ppm 54 mg/m3 0 ppm | Form Inhalable fraction. |
| Ipha-Pinene (CAS 0-56-8) eta-Pinene (CAS 27-91-3) carbon black (CAS 333-86-4) -Limonene (CAS 989-27-5) coland. Ordinance of the Minister oncentrations and intensities of components carbon black (CAS 333-86-4) citral (CAS 5392-40-5) | TLV TLV er of Labour and Social Policy of harmful health factors in the very Type TWA STEL TWA | 25 ppm 140 mg/m3 25 ppm 3,5 mg/m3 140 mg/m3 25 ppm on 6 June 2014 on the maximu work environment, Journal of Value 4 mg/m3 0 ppm 54 mg/m3 0 ppm 27 mg/m3 0 ppm | Form Inhalable fraction. |
| alpha-Pinene (CAS 30-56-8) Deta-Pinene (CAS 27-91-3) Carbon black (CAS 333-86-4) I-Limonene (CAS | TLV TLV er of Labour and Social Policy of harmful health factors in the very Type TWA STEL TWA | 25 ppm 140 mg/m3 25 ppm 3,5 mg/m3 140 mg/m3 25 ppm on 6 June 2014 on the maximu work environment, Journal of Value 4 mg/m3 0 ppm 54 mg/m3 0 ppm 27 mg/m3 0 ppm | Form Inhalable fraction. |

| Portugal. VLEs. Norm on occupational ex Components | posure to chemical agents (NP 179 Type | 6) Value | Form |
|--|---|-----------------------------|--------------------------------|
| beta-Pinene (CAS 127-91-3) | TWA | 20 ppm | |
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | Fume. |
| Citral (CAS 5392-40-5) | TWA | 5 ppm | Inhalable fraction and vapour. |
| Slovakia. OELs. Regulation No. 300/2007 (Components | concerning protection of health in Type | work with chemical Value | agents |
| Carbon black (CAS 1333-86-4) | TWA | 2 mg/m3 | |
| Slovenia. OELs. Regulations concerning (Official Gazette of the Republic of Sloven | | due to exposure to | chemicals while working |
| Components | Type | Value | |
| d-Limonene (CAS | TWA | 28 mg/m3 | _ |
| 5989-27-5) | | 5 ppm | |
| Spain. Occupational Exposure Limits | | | _ |
| Components | Туре | Value | Form |
| alpha-Pinene (CAS 80-56-8) | TWA | 113 mg/m3 | |
| | | 20 ppm | |
| beta-Pinene (CAS 127-91-3) | TWA | 113 mg/m3 | |
| 127-31-3) | | 20 ppm | |
| Carbon black (CAS | TWA | 3,5 mg/m3 | |
| 1333-86-4) Citral (CAS 5392-40-5) | TWA | 5 ppm | Inhalable fraction and vapour. |
| d-Limonene (CAS 5989-27-5) | TWA | 168 mg/m3 | vapour. |
| | | 30 ppm | |
| Sweden. OELs. Work Environment Author Components | rity (AV), Occupational Exposure Li Type | mit Values (AFS 20 Value | 15:7) Form |
| alpha-Pinene (CAS 80-56-8) | STEL | 300 mg/m3 | |
| 60-30-6) | | 50 ppm | |
| | TWA | 150 mg/m3 | |
| | | 25 ppm | |
| beta-Pinene (CAS 127-91-3) | STEL | 300 mg/m3 | |
| 12. 61 6) | | 50 ppm | |
| | TWA | 150 mg/m3 | |
| | | 25 ppm | |
| Carbon black (CAS 1333-86-4) | TWA | 5 mg/m3 | Inhalable dusts and mists. |
| , | | 1 mg/m3 | Inhalable dust. |
| Switzerland. SUVA Grenzwerte am Arbeits Components | splatz Type | Value | |
| alpha-Pinene (CAS | STEL | 224 mg/m3 | |
| 80-56-8) | | 40 ppm | |
| | TWA | 112 mg/m3 | |
| | | 20 ppm | |
| beta-Pinene (CAS 127-91-3) | STEL | 224 mg/m3 | |
| | | 40 ppm | |
| | TWA | 112 mg/m3 | |

Switzerland. SUVA Grenzwerte am Arbeitsplatz Components Type Value 20 ppm d-Limonene (CAS STEL 80 mg/m3 5989-27-5) 14 ppm TWA 40 mg/m3 7 ppm UK, EH40 Workplace Exposure Limits (WELs) Components Value Type STEL Carbon black (CAS 7 mg/m3 1333-86-4) TWA 3.5 ma/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines

Belgium OELs: Skin designation

Citral (CAS 5392-40-5) Can be absorbed through the skin.

Germany DFG MAK (advisory): Skin designation

d-Limonene (CAS 5989-27-5) Can be absorbed through the skin.

Germany TRGS 900 Limit Values: Skin designation

d-Limonene (CAS 5989-27-5) Can be absorbed through the skin.

Italy OELs: Skin designation

Citral (CAS 5392-40-5) Danger of cutaneous absorption

Norway Exposure Limit Values: Skin designation

alpha-Pinene (CAS 80-56-8) Can be absorbed through the skin.

Portugal VLEs Norm on Occupatioinal Exposure: Skin designation

Citral (CAS 5392-40-5) Can be absorbed through the skin.

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

d-Limonene (CAS 5989-27-5) Can be absorbed through the skin.

Spain OELs: Skin designation

Citral (CAS 5392-40-5) Can be absorbed through the skin. d-Limonene (CAS 5989-27-5) Can be absorbed through the skin.

Switzerland SUVA Limit Values at the Workplace: Skin designation

alpha-Pinene (CAS 80-56-8) Can be absorbed through the skin. beta-Pinene (CAS 127-91-3) Can be absorbed through the skin.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions, If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Wear safety glasses with side shields (or goggles). Face shield is recommended. Eye/face protection

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid.
Form Solid.

ColourNot available.OdourNot available.

Melting point/freezing point
Boiling point or initial boiling

point and boiling range

Not available.

3 °C (37,4 °F) estimated

Flammability (solid, gas) Not available.

Flash point > 100 °C (> 212 °F)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.pHNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Vapour pressure 0,000125 hPa estimated

Vapour densityNot available.Relative densityNot available.Particle characteristicsNot available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Density 0,961 g/cm3 estimated

Explosive properties Not explosive.

Oxidising properties Not oxidising.

Percent volatile 2,62 % estimated

Specific gravity 0,9606 estimated

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoidContact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

InhalationProlonged inhalation may be harmful.Skin contactMay cause an allergic skin reaction.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on toxicological effects

Acute toxicity Not known.

Components Species **Test Results**

Carbon black (CAS 1333-86-4)

Acute Oral

Rat > 8000 mg/kg LD50

Skin corrosion/irritation

Due to partial or complete lack of data the classification is not possible.

Serious eve damage/eve

irritation Respiratory sensitisation Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

May cause an allergic skin reaction. Skin sensitisation

Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity

Risk of cancer cannot be excluded with prolonged exposure. Carcinogenicity

Hungary, 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

IARC Monographs. Overall Evaluation of Carcinogenicity

1,6-Octadiene, 7-methyl-3-methylene- (CAS 123-35-3) 2B Possibly carcinogenic to humans. Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Coumarin (CAS 91-64-5) 3 Not classifiable as to carcinogenicity to humans. d-Limonene (CAS 5989-27-5) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Aspiration hazard

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Toxic to aquatic life with long lasting effects. Based on available data, the classification criteria are

not met for hazardous to the aquatic environment, acute hazard.

Components **Species** Test Results

Coumarin (CAS 91-64-5) Aquatic

Acute

Fish LC50 Guppy (Poecilia reticulata) >= 32 - <= 100 mg/l, 96 hours

d-Limonene (CAS 5989-27-5)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia pulex) 69,6 mg/l, 48 hours

Fish LC50 Fathead minnow (Pimephales promelas) >= 0,619 - <= 0,796 mg/l, 96 hours

Eucalyptol (CAS 470-82-6)

Aquatic

Acute

Fish LC50 Fathead minnow (Pimephales promelas) >= 95,4 - <= 109 mg/l, 96 hours

Vanillin (CAS 121-33-5)

Aquatic

Acute

Fish LC50 Fathead minnow (Pimephales promelas) >= 53 - <= 61,3 mg/l, 96 hours

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

| 1,4-Cyclohexadiene, 1-methyl-4-(1-methylethyl)- | 5,4 |
|--|-------|
| 1,6-Octadiene, 7-methyl-3-methylene- | 4,33 |
| 4-Penten-2-ol, | 4,989 |
| 3,3-dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)- | |
| Acetylcedrene | 5,9 |
| alpha-Pinene | 4,83 |

| Acetylcedrene | 5,9 |
|-----------------------------|------|
| alpha-Pinene | 4,83 |
| Benzyl benzoate | 3,97 |
| beta-Pinene | 4,16 |
| Citral | 2,76 |
| | 3,45 |
| Coumarin | 1,39 |
| d-Limonene | 4,57 |
| Ethoxy-Methoxymethyl-Phenol | 1,1 |
| Eucalyptol | 2,74 |
| Galaxolide | 5,3 |
| Linalool | 2,97 |
| Vanillin | 1,37 |

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7. Other adverse effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

12.8. Additional information

Estonia Dangerous substances in soil Data

Benzyl benzoate (CAS 120-51-4) Chemical pesticides (As the total sum of the active substances)

0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN3077

14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (8-Cyclohexadecen-1-one)

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Hazard No. (ADR) 90
Tunnel restriction code E
14.4. Packing group III
14.5. Environmental hazards Yes

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

```
RID
```

14.1. UN number UN3077

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (8-Cyclohexadecen-1-one)

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
14.4. Packing group III
14.5. Environmental hazards Yes

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

14.1. UN number UN3077

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (8-Cyclohexadecen-1-one)

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
14.4. Packing group III
14.5. Environmental hazards Yes

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

14.1. UN number UN3077

14.2. UN proper shipping Environmentally hazardous substance, solid, n.o.s. (8-Cyclohexadecen-1-one)

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk 14.4. Packing group III
14.5. Environmental hazards Yes
ERG Code 9L

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

IMDG

14.1. UN number UN3077

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (8-Cyclohexadecen-1-one),

name MARINE POLLUTANT

14.3. Transport hazard class(es)

Class 9
Subsidiary risk 14.4. Packing group III
14.5. Environmental hazards
Marine pollutant Yes

EmS F-A, S-F


14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user d-Limonene alpha-Pinene

14.7. Maritime transport in bulk Not applicable.

according to IMO instruments

ADN; ADR; IATA; IMDG; RID



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended 4-Penten-2-ol, 3,3-dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)- (CAS 107898-54-4) Linalool (CAS 78-70-6)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

4-Penten-2-ol, 3,3-dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)- (CAS 107898-54-4)

8-Cyclohexadecen-1-one (CAS 3100-36-5)

Benzyl benzoate (CAS 120-51-4)

d-Limonene (CAS 5989-27-5)

Galaxolide (CAS 1222-05-5)

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under Sections 2 to 15 Not available.

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
Product and Company Identification: Product Review

Revision information Training information Disclaimer

Product and Company Identification: Product Review Follow training instructions when handling this material.

Home Fragrance Italia cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: CAR AIR FRESHENER ICON "METAL SHADES" 84 - VANILLA & WOOD 17CAR84 Version #: 01 Issue date: 19-April-2022