SAFETY DATA SHEET

Version #: 04

Issue date: 21-April-2023

Revision date: 11-September-2023 Supersedes date: 08-September-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

FRAGRANCE DIFFUSER 100ml - WHITE MUSK 7MDMB

of the mixture

Registration number

Synonyms None **Product code** 7MDMB

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Air Care Products Uses advised against None known 1.3. Details of the supplier of the safety data sheet

Supplier

Company name Home Fragrance Italia S.r.L. Address Via del Commercio 28

Bernareggio (MB)

20881 IT

Division

Telephone

Not available. e-mail Not available. Contact person

1.4. Emergency telephone

number

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Centre

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Belgium National Poisons

Control Centre

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Centre

+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Czech Republic National Poisons Information

Centre

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

Control Centre

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Estonia National Poisons Information Centre

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Centre

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Centre

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Hungary National

informacija apsinuodijus

36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Emergency Phone Number Lithuania Neatidėliotina

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Material name: FRAGRANCE DIFFUSER 100ml - WHITE MUSK 7MDMB

1.4. Emergency telephone number

Malta Accident and 2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.) **Emergency Department**

Netherlands National Poisons Information Centre (NVIC)

030-274 88 88 (Only for the purpose of informing medical personnel in cases of

acute intoxications)

Norway Norwegian Poison

Information Centre

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

800 250 250 (Available 24 hours a day. SDS/Product information may not be **Portugal Poison Centre**

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National **Toxicological Information**

Centre

+421 2 5477 4166 (Available 24 hours a day, SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Centre

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day, SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Flammable liquids Category 2 H225 - Highly flammable liquid and

vapour.

Health hazards

Serious eye damage/eye irritation H319 - Causes serious eye Category 2

irritation.

Skin sensitisation Category 1A H317 - May cause an allergic skin

reaction.

Environmental hazards

Hazardous to the aquatic environment,

long-term aquatic hazard

Category 3

H412 - Harmful to aquatic life with

long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Austria: 2XY7-KSKD-3T1M-XKQX Belgium: 2XY7-KSKD-3T1M-XKQX Bulgaria: 2XY7-KSKD-3T1M-XKQX Croatia: 2XY7-KSKD-3T1M-XKQX

Cyprus: 2XY7-KSKD-3T1M-XKQX Czech Republic: 2XY7-KSKD-3T1M-XKQX Denmark: 2XY7-KSKD-3T1M-XKQX Estonia: 2XY7-KSKD-3T1M-XKQX EU: 2XY7-KSKD-3T1M-XKQX Finland: 2XY7-KSKD-3T1M-XKQX France: 2XY7-KSKD-3T1M-XKQX Germany: 2XY7-KSKD-3T1M-XKQX Great Britain: 2XY7-KSKD-3T1M-XKQX Greece: 2XY7-KSKD-3T1M-XKQX Hungary: 2XY7-KSKD-3T1M-XKQX Iceland: 2XY7-KSKD-3T1M-XKQX Ireland: 2XY7-KSKD-3T1M-XKQX Italy: 2XY7-KSKD-3T1M-XKQX Latvia: 2XY7-KSKD-3T1M-XKQX Lithuania: 2XY7-KSKD-3T1M-XKQX Luxembourg: 2XY7-KSKD-3T1M-XKQX

Malta: 2XY7-KSKD-3T1M-XKQX Netherlands: 2XY7-KSKD-3T1M-XKQX Norway: 2XY7-KSKD-3T1M-XKQX Poland: 2XY7-KSKD-3T1M-XKQX Portugal: 2XY7-KSKD-3T1M-XKQX Romania: 2XY7-KSKD-3T1M-XKQX Slovakia: 2XY7-KSKD-3T1M-XKQX Slovenia: 2XY7-KSKD-3T1M-XKQX

Spain: 2XY7-KSKD-3T1M-XKQX Sweden: 2XY7-KSKD-3T1M-XKQX

Contains: (Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one, 2H-1-Benzopyran-2-one, octahydro-, Alpha-isomethyl

ionone, Citronellol, Coumarin, Cyclohexanol, 4-(1,1-dimethylethyl)-, 1-acetate, cis-, Dodecanal,

Geraniol, Geranyl acetate, Hydroxycitronellal, Isoeugenol, isoeugenol; [1]

(E)-2-methoxy-4-(prop-1-enyl)phenol; [2] (Z)-2-methoxy-4-(prop-1-enyl)phenol [3], Linalyl acetate,

Nopyl acetate, Terpenes and Terpenoids, clove-oil

Hazard pictograms





Signal word Danger

Hazard statements

Highly flammable liquid and vapour. H225 May cause an allergic skin reaction. H317 Causes serious eye irritation. H319

Harmful to aquatic life with long lasting effects. H412

Precautionary statements

Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P210

Keep out of reach of children. P102

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing.
If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 If eye irritation persists: Get medical advice/attention. P337 + P313

If on skin: Wash with plenty of water/. P302 + P350

Not applicable. Storage

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information None

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information	General
---------------------	----------------

Chemical name	%	CAS-No. / EC No.	REACH Registration No	o. Index No.	Notes
Ethanol	80 - 90	64-17-5 200-578-6	-	603-002-00-5	
Classifica	ation: Flam. Liq. 2	2;H225, Eye Irrit. 2;H	319		
2H-1-Benzopyran-2-one, octahy	dro- 1 - 3	4430-31-3 224-623-4	-	-	
Classifica	ation: Eye Dam. 1	I;H318			
Benzeneethanol	1 - 3	60-12-8 200-456-2	-	-	
Classifica	ation: Acute Tox.	4;H302;(ATE: 500 m	ig/kg bw), Eye Irrit. 2;H31	9	
Benzyl acetate	1 - 3	140-11-4 205-399-7	-	-	
Classifica	ation: Aquatic Ch	ronic 3;H412			
Cyclohexanol, 4-(1,1-dimethyletl 1-acetate, cis-	nyl)-, 1 - 3	10411-92-4 233-881-7	-	-	
Classifica	ation: Acute Tox.	4;H302;(ATE: 500 m	ıg/kg bw), Skin Sens. 1B;l	H317	
(Z)-3,4,5,6,6-Pentamethylhept-3 one		81786-73-4 279-822-9	-	-	
Classifica	ation: Skin Sens.	1B;H317, Aquatic C	hronic 2;H411		
Alpha-isomethyl ionone	≤ 1	127-51-5 204-846-3	-	-	
Classifica	ation: Skin Sens.	1B;H317, Aquatic C	hronic 2;H411		
Citronellol	≤ 1	106-22-9 203-375-0	-	-	
Classifica	ation: Skin Irrit. 2;	H315, Eye Irrit. 2;H3	319, Skin Sens. 1B;H317		
Coumarin	≤ 1	91-64-5 202-086-7	01-2119949300-45	-	
		3;H301;(ATE: 100 m	ıg/kg bw), Skin Sens. 1B;l	H317	
Galaxolide	≤ 1	1222-05-5 214-946-9	01-2119488227-29	603-212-00-7	
Classifica	ation: Aquatic Ac	ute 1;H400, Aquatic	Chronic 1;H410		
Geraniol	≤ 1	106-24-1 203-377-1	01-2119552430-49	603-241-00-5	
	ation: Skin Irrit. 2;	H315, Eye Dam. 1;F	H318, Skin Sens. 1;H317		
Linalyl acetate	≤ 1	115-95-7 204-116-4	-	-	
	ation: Skin Irrit. 2;	H315, Eye Irrit. 2;H3	319, Skin Sens. 1B;H317		
Hydroxycitronellal	≤ 0,3	107-75-5 203-518-7	-	-	
Classifica	ation: Eye Irrit. 2;	H319, Skin Sens. 1E	s;H317		
Isoeugenol	≤ 0,3	97-54-1 202-590-7	-	604-094-00-X	
Classifica		Skin Irrit. 2;H315, E	ng/kg bw), Acute Tox. 4;H; ye Irrit. 2;H319, Skin Sens		
Specific Concentration L	imits: Skin Sens.	1A;H317: C ≥ 0.01 ⁹	%		
isoeugenol; [1] (E)-2-methoxy-4-(prop-1-enyl)ph	≤ 0,3 enol;	5912-86-7 227-633-7	-	604-094-00-X	
[2] (Z)-2-methoxy-4-(prop-1-enyl)ph [3]	enol				
			ng/kg bw), Acute Tox. 4;H		

mg/kg bw), Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1A;H317, STOT SE 3;H335

Specific Concentration Limits: Skin Sens. 1A;H317: C ≥ 0.01 %

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Oxacyclohexadecen-2-one	≤ 0,3	34902-57-3 -	-	-	
Classificat	t ion: Aquatic A	cute 1;H400(M=1), Ac	quatic Chronic 2;H411		
Dodecanal	≤ 0,2	112-54-9 203-983-6	-	-	
Classificat	t ion: Skin Irrit.	2;H315, Eye Irrit. 2;H3	319, Skin Sens. 1B;H317		
Geranyl acetate	≤ 0,2	105-87-3 203-341-5	-	-	
Classificat	t ion: Skin Irrit.	2;H315, Skin Sens. 1I	B;H317, Aquatic Chronic 3;H	1412	
Nopyl acetate	≤ 0,2	128-51-8 204-891-9	-	-	
Classificat	tion: Eye Irrit.	2;H319, Skin Sens. 1E	3;H317, Aquatic Chronic 2;H	411	
Terpenes and Terpenoids, clove-	oil ≤ 0,2	68917-29-3 614-795-2	-	-	
Classificat	t ion: Skin Sen	s. 1;H317, Asp. Tox. 1	;H304		
Other components below reportal levels	ole 5.93				

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. #: This substance has been assigned Union workplace exposure limit(s).

Composition comments

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the

material(s) involved, and take precautions to protect themselves. Wash contaminated clothing

before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and

blurred vision. Coughing. May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards Highly flammable liquid and vapour.

5.1. Extinguishing media

riigiliy ilailiiliable ilquid alid vapoul.

media

Suitable extinguishing

Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do procedures so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Avoid breathing mist/vapours. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance	(GwV)), BGBI. II,	, no. 184/2001
----------------------------------	-------	--------------	----------------

Components	Туре	Value
Ethanol (CAS 64-17-5)	Ceiling	3800 mg/m3
		2000 ppm
	MAK	1900 mg/m3
		1000 ppm
Belgium. Exposure Limit Values Components	Туре	Value
Benzyl acetate (CAS 140-11-4)	TWA	62 mg/m3
		10 ppm
Ethanol (CAS 64-17-5)	TWA	1907 mg/m3
		1000 ppm

Components Type Value

Ethanol (CAS 64-17-5) TWA 1000 mg/m3

Components	Туре	Value
Ethanol (CAS 64-17-5)	MAC	1900 mg/m3
		1000 ppm
Czech Republic. OELs. Governme	nt Decree 361	
Components	Туре	Value
Ethanol (CAS 64-17-5)	Ceiling	3000 mg/m3
	TWA	1000 mg/m3
Denmark. Exposure Limit Values		
Components	Туре	Value
Benzyl acetate (CAS 140-11-4)	TLV	61 mg/m3
		10 ppm
Ethanol (CAS 64-17-5)	TLV	1900 mg/m3
,		1000 ppm
Terpenes and Terpenoids,	TLV	25 ppm
clove-oil (CAS 68917-29-3)	. = v	20 pp
Estonia. OELs. Occupational Expo Components	osure Limits of Hazardous Su Type	bstances (Regulation No. 105/2001, Annex), as amende Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
		1000 ppm
	TWA	1000 mg/m3
		500 ppm
Terpenes and Terpenoids,	STEL	300 mg/m3
clove-oil (CAS 68917-29-3)		
		50 ppm
	TWA	150 mg/m3
		25 ppm
Finland. Workplace Exposure Limi Components	its Type	Value
<u> </u>		
Ethanol (CAS 64-17-5)	STEL	2500 mg/m3
		1300 ppm
	TWA	1900 mg/m3
		1000 ppm
France. Threshold Limit Values (V Components	LEP) for Occupational Expos Type	ure to Chemicals in France, INRS ED 984 Value
Ethanol (CAS 64-17-5)	VLE	9500 mg/m3
Regulatory status: Indicative	e limit (VL)	
		5000 ppm
Regulatory status: Indicative	e limit (VL)	
	VME	1900 mg/m3
Demulatem estatue Indicativa	e limit (VL)	
Regulatory status: Indicative		1000 ppm
	limit (\/L)	
Regulatory status: Indicative	e limit (VL)	
Regulatory status: Indicative Germany. DFG MAK List (advisory in the Work Area (DFG)	OELs). Commission for the I	
Regulatory status: Indicative Germany. DFG MAK List (advisory in the Work Area (DFG) Components	OELs). Commission for the I	Value
Regulatory status: Indicative Germany. DFG MAK List (advisory in the Work Area (DFG)	OELs). Commission for the I	Value 380 mg/m3
Regulatory status: Indicative Germany. DFG MAK List (advisory in the Work Area (DFG) Components Ethanol (CAS 64-17-5)	OELs). Commission for the I Type TWA	Value 380 mg/m3 200 ppm
Regulatory status: Indicative Germany. DFG MAK List (advisory in the Work Area (DFG) Components Ethanol (CAS 64-17-5) Germany. TRGS 900, Limit Values	OELs). Commission for the I Type TWA in the Ambient Air at the Wor	380 mg/m3 200 ppm kplace
Regulatory status: Indicative Germany. DFG MAK List (advisory in the Work Area (DFG) Components Ethanol (CAS 64-17-5)	OELs). Commission for the I Type TWA	Value 380 mg/m3 200 ppm

Greece. OELs (Decree No. 90/1999, as Components	Type	Value
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3
		1000 ppm
Hungary. OELs. Joint Decree on Chem Components	nical Safety of Workplaces Type	Value
Ethanol (CAS 64-17-5)	STEL	3800 mg/m3
	TWA	1900 mg/m3
celand. OELs. Regulation 154/1999 or Components	n occupational exposure limits Type	Value
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3
·		1000 ppm
reland. Occupational Exposure Limits	3	
Components	Туре	Value
Benzyl acetate (CAS 140-11-4)	TWA	10 ppm
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Italy. Occupational Exposure Limits	Tuna	Value
Components	Туре	Value
Benzyl acetate (CAS 140-11-4)	TWA	10 ppm
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Latvia. OELs. Occupational exposure Components	limit values of chemical substanc Type	es in work environment Value
Benzyl acetate (CAS	TWA	5 mg/m3
140-11-4) Ethanol (CAS 64-17-5)	TWA	1000 mg/m3
,		•
Lithuania. OELs. Limit Values for Che Components	mical Substances, General Requi Type	rements Value
Benzyl acetate (CAS	TWA	5 mg/m3
140-11-4) Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
_trianor (CA3 04-17-3)	SILL	1000 ppm
	TWA	1000 mg/m3
		500 ppm
Terpenes and Terpenoids,	STEL	300 mg/m3
clove-oil (CAS 68917-29-3)		-
		50 ppm
	TWA	150 mg/m3
		25 ppm
Netherlands. OELs (binding)	Time	Malica
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
	TWA	260 mg/m3
Norway. Administrative Norms for Cor Components	ntaminants in the Workplace Type	Value
Ethanol (CAS 64-17-5)	TLV	950 mg/m3
		500 ppm
		эоо ррш
	abour and Social Policy on 6 June	
Poland. Ordinance of the Minister of L		

Components	onal exposure to chemical aç Type	Value
Benzyl acetate (CAS 140-11-4)	TWA	10 ppm
Ethanol (CAS 64-17-5)	TWA	1000 ppm
Romania. OELs. Protection of worl	kers from exposure to chemi	ical agents at the workplace
Components	Туре	Value
Benzyl acetate (CAS	STEL	80 mg/m3
140-11-4)		•
		13 ppm
	TWA	50 mg/m3
		8 ppm
Ethanol (CAS 64-17-5)	STEL	9500 mg/m3
		5000 ppm
	TWA	1900 mg/m3
		1000 ppm
	0/2007 concerning protection	n of health in work with chemical agents
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1920 mg/m3
		1000 ppm
	TWA	960 mg/m3
		500 ppm
Slovenia, OELs. Regulations conc	erning protection of workers	against risks due to exposure to chemicals while worki
Official Gazette of the Republic of		against noise and to exposure to enormone mine werk
Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	960 mg/m3
		500 ppm
Spain. Occupational Exposure Lim	uits	
Components	Туре	Value
Benzyl acetate (CAS	TWA	62 mg/m3
140-11-4)		
		10 ppm
Ethanol (CAS 64-17-5)	STEL	1910 mg/m3
		1000 ppm
		al Exposure Limit Values (AFS 2015:7)
	Authority (AV), Occupationa Type	al Exposure Limit Values (AFS 2015:7) Value
Components		
Components	Туре	Value
Components	Туре	Value 1900 mg/m3
Components	Type STEL	Value 1900 mg/m3 1000 ppm
Ethanol (CAS 64-17-5) Terpenes and Terpenoids,	Type STEL	Value 1900 mg/m3 1000 ppm 1000 mg/m3
Components Ethanol (CAS 64-17-5) Terpenes and Terpenoids,	Type STEL TWA	Value 1900 mg/m3 1000 ppm 1000 mg/m3 500 ppm 300 mg/m3
Components Ethanol (CAS 64-17-5) Terpenes and Terpenoids,	Type STEL TWA STEL	Value 1900 mg/m3 1000 ppm 1000 mg/m3 500 ppm 300 mg/m3 50 ppm
Sweden. OELs. Work Environment Components Ethanol (CAS 64-17-5) Terpenes and Terpenoids, clove-oil (CAS 68917-29-3)	Type STEL TWA	Value 1900 mg/m3 1000 ppm 1000 mg/m3 500 ppm 300 mg/m3 50 ppm 150 mg/m3
Ethanol (CAS 64-17-5) Terpenes and Terpenoids, clove-oil (CAS 68917-29-3)	Type STEL TWA STEL TWA	Value 1900 mg/m3 1000 ppm 1000 mg/m3 500 ppm 300 mg/m3 50 ppm
Ethanol (CAS 64-17-5) Terpenes and Terpenoids, clove-oil (CAS 68917-29-3) Switzerland. SUVA Grenzwerte am	Type STEL TWA STEL TWA Arbeitsplatz	Value 1900 mg/m3 1000 ppm 1000 mg/m3 500 ppm 300 mg/m3 50 ppm 150 mg/m3 25 ppm
Components Ethanol (CAS 64-17-5) Terpenes and Terpenoids, clove-oil (CAS 68917-29-3) Switzerland. SUVA Grenzwerte am Components	Type STEL TWA STEL TWA Arbeitsplatz Type	Value 1900 mg/m3 1000 ppm 1000 mg/m3 500 ppm 300 mg/m3 50 ppm 150 mg/m3 25 ppm
Components Ethanol (CAS 64-17-5) Terpenes and Terpenoids, clove-oil (CAS 68917-29-3) Switzerland. SUVA Grenzwerte am Components	Type STEL TWA STEL TWA Arbeitsplatz	Value 1900 mg/m3 1000 ppm 1000 mg/m3 500 ppm 300 mg/m3 50 ppm 150 mg/m3 25 ppm
Components Ethanol (CAS 64-17-5) Terpenes and Terpenoids,	Type STEL TWA STEL TWA Arbeitsplatz Type	Value 1900 mg/m3 1000 ppm 1000 mg/m3 500 ppm 300 mg/m3 50 ppm 150 mg/m3 25 ppm
Components Ethanol (CAS 64-17-5) Terpenes and Terpenoids, clove-oil (CAS 68917-29-3) Switzerland. SUVA Grenzwerte am Components	Type STEL TWA STEL TWA Arbeitsplatz Type	Value 1900 mg/m3 1000 ppm 1000 mg/m3 500 ppm 300 mg/m3 50 ppm 150 mg/m3 25 ppm Value 1920 mg/m3

UK. EH40 Workplace Exposure Limits (WELs)

Components Type Value

TWA

1000 ppm

1920 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring

Ethanol (CAS 64-17-5)

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

Exposure guidelines

Germany DFG MAK (advisory): Skin designation

Benzeneethanol (CAS 60-12-8)

Can be absorbed through the skin.

Netherlands OELs (binding): Skin designation

Ethanol (CAS 64-17-5)

Can be absorbed through the skin.

8.2. Exposure controls

Appropriate engineering

controls

Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measuresWhen using do not smoke. Always observe good personal hygiene measures, such as washing

after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not

be allowed out of the workplace.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable

levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquid.FormLiquid.ColourNot available.OdourNot available.

Melting point/freezing point -114,1 °C (-173,38 °F) estimated Boiling point or initial boiling point and boiling range -114,1 °C (-173,38 °F) estimated

Flammability Not applicable.

Flash point 13 °C (55,4 °F) estimated

Auto-ignition temperature 363 °C (685,4 °F) estimated

Decomposition temperatureNot available.pHNot available.Kinematic viscosityNot available.

Solubility

Not available. Solubility (water) Not available. Partition coefficient

(n-octanol/water) (log value)

Vapour pressure 79,06 hPa estimated

Density and/or relative density

0,819 g/cm3 estimated **Density**

Vapour density Not available. **Particle characteristics** Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Percent volatile 85,6 % estimated Specific gravity 0.81905 estimated VOC 83,93 % estimated

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous

No hazardous decomposition products are known.

decomposition products

10.4. Conditions to avoid

SECTION 11: Toxicological information

Occupational exposure to the substance or mixture may cause adverse effects. General information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. May cause an allergic skin reaction. Skin contact

Eve contact Causes serious eye irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and **Symptoms**

blurred vision. Coughing. May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity No data available

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Due to partial or complete lack of data the classification is not possible. Respiratory sensitisation

May cause an allergic skin reaction. Skin sensitisation

Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Carcinogenicity Due to partial or complete lack of data the classification is not possible.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

IARC Monographs. Overall Evaluation of Carcinogenicity

Benzyl acetate (CAS 140-11-4) 3 Not classifiable as to carcinogenicity to humans. Coumarin (CAS 91-64-5) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard**

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Harmful to aquatic life with long lasting effects. Based on available data, the classification criteria

are not met for hazardous to the aquatic environment, acute hazard.

Components		Species	Test Results
Benzyl acetate (CAS 140-11-4	1)		
Aquatic			
<i>Acute</i>			
Fish	LC50	Medaka, high-eyes (Oryzias latipes)	3,48 - 4,6 mg/l, 96 hours
Coumarin (CAS 91-64-5)			
Aquatic			
Acute			
Fish	LC50	Guppy (Poecilia reticulata)	32 - 100 mg/l, 96 hours
Ethanol (CAS 64-17-5)			
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	7,7 - 11,2 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	42 mg/l, 4 days
Geraniol (CAS 106-24-1)			
Aquatic			
Acute			
Fish	LC50	Brown trout (Salmo trutta)	2,3 - 3 mg/l, 96 hours

12.2. Persistence and

No data is available on the degradability of any ingredients in the mixture.

degradability

12.3. Bioaccumulative potential

Partition coefficient

n-octanol/water (log Kow)

2H-1-Benzopyran-2-one, octahydro-	1,4
Alpha-isomethyl ionone	4,288
Benzeneethanol	1,36
Benzyl acetate	1,96
Citronellol	3,41
Coumarin	1,39
Dodecanal	4,9
Ethanol	-0,31
Galaxolide	5,3
Geraniol	3,56
Geranyl acetate	4,04
Hydroxycitronellal	1,68
Isoeugenol	3,04
Linalyl acetate	3,9
	3,93

Not available. **Bioconcentration factor (BCF)**

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

The product contains volatile organic compounds which have a photochemical ozone creation potential.

12.8. Additional information

Estonia Dangerous substances in soil Data

Benzeneethanol (CAS 60-12-8) Chemical pesticides (As the total sum of the active substances)

0.5 ma/ka

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

Citronellol (CAS 106-22-9) Chemical pesticides (As the total sum of the active substances)

0.5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

ma/ka

Chemical pesticides (As the total sum of the active substances) 5

Ethanol (CAS 64-17-5) Chemical pesticides (As the total sum of the active substances)

0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

Geraniol (CAS 106-24-1) Chemical pesticides (As the total sum of the active substances)

0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

Geranyl acetate (CAS 105-87-3) Chemical pesticides (As the total sum of the active substances)

0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

The Waste code should be assigned in discussion between the user, the producer and the waste EU waste code

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Special precautions

SECTION 14: Transport information

ADR

Not regulated as dangerous goods. 14.1. UN number

14.2. UN proper shipping name

Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Hazard No. (ADR) Not assigned. Tunnel restriction code Not assigned. 14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

RID

14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Class Not assigned.

Material name: FRAGRANCE DIFFUSER 100ml - WHITE MUSK 7MDMB

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

14.4. Packing group Not assigned.

14.5. Environmental hazards

Marine pollutant

No.

EmS Not assigned. 14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not established.

according to IMO instruments

General information IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

UFI:

Austria: 2XY7-KSKD-3T1M-XKQX Belgium: 2XY7-KSKD-3T1M-XKQX Bulgaria: 2XY7-KSKD-3T1M-XKQX Croatia: 2XY7-KSKD-3T1M-XKQX Cyprus: 2XY7-KSKD-3T1M-XKQX Czech Republic: 2XY7-KSKD-3T1M-XKQX Denmark: 2XY7-KSKD-3T1M-XKQX Estonia: 2XY7-KSKD-3T1M-XKQX EU: 2XY7-KSKD-3T1M-XKQX Finland: 2XY7-KSKD-3T1M-XKQX France: 2XY7-KSKD-3T1M-XKQX Germany: 2XY7-KSKD-3T1M-XKQX Great Britain: 2XY7-KSKD-3T1M-XKQX Greece: 2XY7-KSKD-3T1M-XKQX Hungary: 2XY7-KSKD-3T1M-XKQX Iceland: 2XY7-KSKD-3T1M-XKQX Ireland: 2XY7-KSKD-3T1M-XKQX Italy: 2XY7-KSKD-3T1M-XKQX Latvia: 2XY7-KSKD-3T1M-XKQX Lithuania: 2XY7-KSKD-3T1M-XKQX Luxembourg: 2XY7-KSKD-3T1M-XKQX Malta: 2XY7-KSKD-3T1M-XKQX Netherlands: 2XY7-KSKD-3T1M-XKQX Norway: 2XY7-KSKD-3T1M-XKQX Poland: 2XY7-KSKD-3T1M-XKQX Portugal: 2XY7-KSKD-3T1M-XKQX Romania: 2XY7-KSKD-3T1M-XKQX Slovakia: 2XY7-KSKD-3T1M-XKQX

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Slovenia: 2XY7-KSKD-3T1M-XKQX Spain: 2XY7-KSKD-3T1M-XKQX Sweden: 2XY7-KSKD-3T1M-XKQX

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Ethanol (CAS 64-17-5) Geraniol (CAS 106-24-1) Isoeugenol (CAS 97-54-1)

isoeugenol; [1] (E)-2-methoxy-4-(prop-1-enyl)phenol; [2] (Z)-2-methoxy-4-(prop-1-enyl)phenol [3] (CAS 5912-86-7)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Ethanol (CAS 64-17-5) Galaxolide (CAS 1222-05-5)

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work, as amended Follow national

regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

Full text of any statements, which are not written out in full under sections 2 to 15

Not available.

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Revision information Training information

Disclaimer

Product and Company Identification: Product and Company Identification

Follow training instructions when handling this material.

Home Fragrance Italia S.r.L. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: FRAGRANCE DIFFUSER 100ml - WHITE MUSK 7MDMB