# SAFETY DATA SHEET



Version #: 01

Issue date: 20-April-2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

CAR AIR FRESHENER ICON "CLASSIC" BLU SCURO - MEDITERRANEAN BERGAMOT

Registration number

None.

**Synonyms** 17CAR61 **Product code** 

1.2. Relevant identified uses of the substance or mixture and uses advised against

General Public Identified uses None known. Uses advised against 1.3. Details of the supplier of the safety data sheet

Company name Home Fragrance Italia **Address** Via A. Tonale 26

> Milano 20125 IT

**Division** 

**Telephone** 

Not available. e-mail Not available. Contact person

1.4. Emergency telephone

number

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

**Austria National Poisons Information Centre** 

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Belgium National Poisons Control Center** 

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Bulgaria National Toxicological Information** Centre

available for the Emergency Service.)

**Czech Republic National Poisons Information** 

Centre

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Denmark National Poisons Control Center** 

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Estonia National Poisons** Information Centre

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

**Finland National Poison** Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**France National Poisons Control Center** 

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Hungary National Emergency Phone Number** 

36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department**  2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Material name: CAR AIR FRESHENER ICON "CLASSIC" BLU SCURO - MEDITERRANEAN BERGAMOT 17CAR61 Version #: 01 Issue date: 20-April-2022

#### 1.4. Emergency telephone number

Netherlands National Poisons Information Center (NVIC) 030-274 88 88 (Only for the purpose of informing medical personnel in cases of

acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Portugal Poison Centre** 

800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica  $021.318.36.06 \ (Available \ 8:00AM-3:00PM. \ SDS/Product \ information \ may \ not \ be$ 

available for the Emergency Service.)

Slovakia National

Toxicological Information Centre

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

**Switzerland Tox Info** 

145 (Available 24 hours a day. SDS/Product information may not be available for

Suisse the Emergency Service.)

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

### Classification according to Regulation (EC) No 1272/2008 as amended

**Health hazards** 

Skin sensitisation Category 1 H317 - May cause an allergic skin

reaction.

#### 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Alpha-isomethyl ionone, Artemisia Herba-alba, Ext., Citral, Citronellol, Eucalyptol, Eugenol,

Extract, lavender, lavandulla angustifolia, Hexyl Cinnamal, Hydroxycitronellal, Lemon, ext., Linalyl acetate, Methylenedioxyphenyl methylpropanal, Oils, bergamot, psoralen-free, Pentadecalactone,

Vetiveria zizanioides, ext.

Hazard pictograms



Signal word Warning

**Hazard statements** 

H317 May cause an allergic skin reaction.

# **Precautionary statements**

Prevention

P102 Keep out of reach of children.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves.

Response

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage Not applicable.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Chemical name		%	CAS-No. / EC No.	o. REACH Registration No	o. Index No.	Notes
Linalyl acetate		3 - 5	115-95-7 204-116-4	-	-	
	Classification:	Skin Irrit. 2	;H315, Eye Irrit. 2;I	H319, Skin Sens. 1B;H317		
Benzeneethanol		1 - 3	60-12-8 200-456-2	-	-	
	Classification:	Acute Tox.	4;H302;(ATE: 500	mg/kg), Eye Irrit. 2;H319		
Citral		1 - 3	5392-40-5 226-394-6	-	605-019-00-3	
	Classification:	Skin Irrit. 2	;H315, Eye Irrit. 2;I	H319, Skin Sens. 1;H317		
Citronellol		1 - 3	106-22-9 203-375-0	-	-	
			;H315, Eye Dam. 1 Juatic Chronic 2;H4	;H318, Skin Sens. 1;H317, 111	Asp. Tox.	
Carbon black		≤ 1	1333-86-4 215-609-9	-	-	
	Classification:	Carc. 2;H3	51			
Alpha-isomethyl ionon		≤ 0,3	127-51-5 204-846-3	-	-	
	Classification:	Skin Sens.	1B;H317, Aquatic	Chronic 2;H411		
Artemisia Herba-alba,		≤ 0,3	84775-75-7 283-905-5	-	-	
		1;H317, S1	OT SE 2;H371, Ac	4;H302;(ATE: 500 mg/kg), puatic Chronic 2;H411		
Benzyl benzoate		≤ 0,3	120-51-4 204-402-9	-	607-085-00-9	
		Chronic 2;I	H411	mg/kg), Aquatic Acute 1;H4	·00, Aquatic	
Eucalyptol		≤ 0,3	470-82-6 207-431-5	-	-	
	Classification:	Flam. Liq.		;H319, Skin Sens. 1B;H317		
Eugenol		≤ 0,3	97-53-0 202-589-1	-	-	
	Classification:	Eye Irrit. 2; Chronic 4;	H319, Skin Sens. H413	1;H317, Asp. Tox. 1;H304, A	quatic	
Extract, lavender, lava angustifolia	ındulla	≤ 0,3	90063-37-9 289-995-2	-	-	
	Classification:		;H315, Eye Irrit. 2; Juatic Chronic 3;H4	H319, Skin Sens. 1B;H317, 12	Asp. Tox.	
Hexyl Cinnamal		≤ 0,3	101-86-0 202-983-3	-	-	
	Classification:	Skin Sens.	1B;H317, Aquatic	Acute 1;H400, Aquatic Chro	onic 2;H411	
Hydroxycitronellal		≤ 0,3	107-75-5 203-518-7	-	-	
	Classification:	Eye Irrit. 2;	H319, Skin Sens.	IB;H317		
Lemon, ext.		≤ 0,3	84929-31-7 284-515-8	-	-	
		Flam. Liq. 2 1;H317, Re Chronic 2;I	epr. 2;H361, Asp. T	l;H315, Eye Irrit. 2;H319, Sk ox. 1;H304, Aquatic Acute 1	in Sens. ;H400, Aquatic	
Methylenedioxyphenyl methylpropanal		≤ 0,3	1205-17-0 214-881-6	-	-	
	Classification:	Skin Sens.	1B;H317, Repr. 2;	H361, Aquatic Chronic 2;H4	111	
Oils, bergamot, psoral	en-free	≤ 0,3	68648-33-9 614-687-5	-	-	
	Classification:	Flam. Liq. 3 1;H317, Re	3;H226, Skin Irrit. 2 epr. 2;H361, Asp. T	;H315, Eye Irrit. 2;H319, Sk ox. 1;H304, Aquatic Chronic	in Sens. c 3;H412	
Pentadecalactone		≤ 0,3	106-02-5 203-354-6	-		

**Chemical name** CAS-No. / EC No. REACH Registration No. Index No. **Notes** 

Vetiveria zizanioides, ext. ≤ 0.3 84238-29-9

282-490-8

Classification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1;H317, Asp. Tox. 1;H304,

Aquatic Chronic 2:H411

Other components below reportable

88.45

levels

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. #: This

substance has been assigned Union workplace exposure limit(s).

Composition comments The full text for all H-statements is displayed in section 16.

**SECTION 4: First aid measures** 

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion 4.2. Most important symptoms and effects, both acute and

Rinse mouth. Get medical attention if symptoms occur. May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

**SECTION 5: Firefighting measures** 

No unusual fire or explosion hazards noted. General fire hazards

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

delaved

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

**SECTION 6: Accidental release measures** 

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged

containers or spilled material unless wearing appropriate protective clothing.

For emergency responders Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be

advised if significant spillages cannot be contained. For personal protection, see section 8 of the

SDS.

6.2. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Stop the flow of material, if this is without risk, Following product recovery, flush area with water.

6.4. Reference to other

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

sections

**SECTION 7: Handling and storage** 

7.1. Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Material name: CAR AIR FRESHENER ICON "CLASSIC" BLU SCURO - MEDITERRANEAN BERGAMOT

17CAR61 Version #: 01 Issue date: 20-April-2022

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

7.3. Specific end use(s)

Not available.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# Occupational exposure limits

Austria. MAK List, OEL Ordinance ( Components	Type	Value	Form
Carbon black (CAS 333-86-4)	MAK	5 mg/m3	Inhalable dust.
,	STEL	10 mg/m3	Inhalable dust.
Belgium. Exposure Limit Values			
Components	Туре	Value	Form
Carbon black (CAS I 333-86-4)	TWA	3 mg/m3	
Citral (CAS 5392-40-5)	TWA	32 mg/m3	Vapour and aerosol.
		5 ppm	Vapour and aerosol.
Croatia. Dangerous Substance Exp Components	osure Limit Values in the Wo	orkplace (ELVs), Annexes 1 a Value	nd 2, Narodne Novine, 13/0
Carbon black (CAS 333-86-4)	MAC	3,5 mg/m3	
	STEL	7 mg/m3	
Cyprus. OELs. Control of factory at Components	mosphere and dangerous s Type	ubstances in factories regula Value	tion, Pl 311/73, as amended
Carbon black (CAS 1333-86-4)	TWA	3,5 mg/m3	
Czech Republic. OELs. Government Components	t Decree 361 Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	10 mg/m3	Dust.
Denmark. Exposure Limit Values Components	Туре	Value	
Carbon black (CAS 1333-86-4)	TLV	3,5 mg/m3	
Finland. Workplace Exposure Limit	<b>S</b>		
Components	Туре	Value	
Carbon black (CAS I333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	
France. Threshold Limit Values (VL Components	EP) for Occupational Expos Type	ure to Chemicals in France, I Value	NRS ED 984
Carbon black (CAS 1333-86-4)	VME	3,5 mg/m3	
Regulatory status: Indicative I	imit (VL)		
Greece. OELs (Decree No. 90/1999, Components	as amended) Type	Value	
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
1,000 00 1/	TWA	3,5 mg/m3	
Hungary. OELs. Joint Decree on Ch	emical Safety of Workplaces	-	
Components	Туре	Value	Form
Carbon black (CAS	TWA	3 mg/m3	Inhalable dust.

Components	occupational exposure limits Type	Value	
Carbon black (CAS 1333-86-4)	TWA	3,5 mg/m3	
Ireland. Occupational Exposure Limits Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Citral (CAS 5392-40-5)	TWA	5 ppm	Inhalable fraction and vapour.
Italy. Occupational Exposure Limits Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Citral (CAS 5392-40-5)	TWA	5 ppm	Inhalable fraction and vapour.
Norway. Administrative Norms for Conf	taminants in the Workplace Type	Value	·
Carbon black (CAS	TLV	3,5 mg/m3	
Poland. Ordinance of the Minister of La concentrations and intensities of harm Components			
Carbon black (CAS 1333-86-4)	TWA	4 mg/m3	Inhalable fraction.
1000 00 1)		0 ppm	Inhalable fraction.
Citral (CAS 5392-40-5)	STEL	54 mg/m3	
		0 ppm	
	TWA	27 mg/m3	
		0 ppm	
Portugal. VLEs. Norm on occupational	exposure to chemical agents (N	• •	
Portugal. VLEs. Norm on occupational Components	exposure to chemical agents (N Type	• •	Form
Components Carbon black (CAS		NP 1796)	<b>Form</b> Fume.
Components	Туре	NP 1796) Value	-
Components  Carbon black (CAS 1333-86-4)  Citral (CAS 5392-40-5)  Slovakia. OELs. Regulation No. 300/200	Type  TWA  TWA  Of concerning protection of hea	Value 3 mg/m3 5 ppm	Fume. Inhalable fraction and vapour.
Components  Carbon black (CAS 1333-86-4)  Citral (CAS 5392-40-5)  Slovakia. OELs. Regulation No. 300/200  Components	Type  TWA  TWA  Or concerning protection of hea  Type	Value  3 mg/m3  5 ppm  alth in work with chemical value	Fume. Inhalable fraction and vapour.
Components  Carbon black (CAS 1333-86-4)  Citral (CAS 5392-40-5)  Slovakia. OELs. Regulation No. 300/200  Components  Carbon black (CAS 1333-86-4)	Type  TWA  TWA  Of concerning protection of hea	Value 3 mg/m3 5 ppm	Fume. Inhalable fraction and vapour.
Components  Carbon black (CAS 1333-86-4)  Citral (CAS 5392-40-5)  Slovakia. OELs. Regulation No. 300/200  Components  Carbon black (CAS	Type  TWA  TWA  Or concerning protection of hea  Type	Value  3 mg/m3  5 ppm  alth in work with chemical value	Fume. Inhalable fraction and vapour.
Components  Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5)  Slovakia. OELs. Regulation No. 300/200 Components  Carbon black (CAS 1333-86-4)  Spain. Occupational Exposure Limits Components  Carbon black (CAS	Type  TWA  TWA  Of concerning protection of heat Type  TWA	Value 3 mg/m3 5 ppm  alth in work with chem Value 2 mg/m3	Fume.  Inhalable fraction and vapour.  nical agents
Components  Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5)  Slovakia. OELs. Regulation No. 300/200 Components  Carbon black (CAS 1333-86-4)  Spain. Occupational Exposure Limits Components	Type  TWA  TWA  Of concerning protection of heat Type  TWA  Type	Value 3 mg/m3 5 ppm alth in work with chem Value 2 mg/m3  Value	Fume.  Inhalable fraction and vapour.  nical agents
Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5)  Slovakia. OELs. Regulation No. 300/200 Components  Carbon black (CAS 1333-86-4)  Spain. Occupational Exposure Limits Components  Carbon black (CAS 1333-86-4)	Type  TWA  TWA  Of concerning protection of heat Type  TWA  Type  TWA  Type  TWA  TWA	Value  3 mg/m3 5 ppm  alth in work with chem Value 2 mg/m3  Value  3,5 mg/m3 5 ppm	Fume.  Inhalable fraction and vapour.  nical agents  Form  Inhalable fraction and vapour.
Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5)  Slovakia. OELs. Regulation No. 300/200 Components  Carbon black (CAS 1333-86-4)  Spain. Occupational Exposure Limits Components  Carbon black (CAS 1333-86-4)  Citral (CAS 5392-40-5)  Sweden. OELs. Work Environment Auti Components  Carbon black (CAS	Type  TWA  TWA  Of concerning protection of heat Type  TWA  Type  TWA  Type  TWA  TWA  TWA  TWA  TWA  Thority (AV), Occupational Expos	Value  3 mg/m3  5 ppm  alth in work with chem Value  2 mg/m3  Value  3,5 mg/m3  5 ppm  sure Limit Values (AFS	Fume.  Inhalable fraction and vapour.  nical agents  Form  Inhalable fraction and vapour.  S 2015:7) Form
Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5)  Slovakia. OELs. Regulation No. 300/200 Components  Carbon black (CAS 1333-86-4)  Spain. Occupational Exposure Limits Components  Carbon black (CAS 1333-86-4)  Citral (CAS 5392-40-5)  Sweden. OELs. Work Environment Auticomponents	Type  TWA  TWA  Of concerning protection of hear Type  TWA  Type  TWA  TWA  TWA  TWA  TWA  Thority (AV), Occupational Expose Type	Value  3 mg/m3 5 ppm  alth in work with chem Value 2 mg/m3  Value  3,5 mg/m3 5 ppm  sure Limit Values (AFS) Value	Fume.  Inhalable fraction and vapour.  nical agents  Form  Inhalable fraction and vapour.  S 2015:7) Form
Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5)  Slovakia. OELs. Regulation No. 300/200 Components  Carbon black (CAS 1333-86-4)  Spain. Occupational Exposure Limits Components  Carbon black (CAS 1333-86-4)  Citral (CAS 5392-40-5)  Sweden. OELs. Work Environment Auti Components  Carbon black (CAS	Type  TWA  TWA  Of concerning protection of hear Type  TWA  Type  TWA  TWA  TWA  TWA  TWA  TWA  TOTAL TABLE TO SET TYPE  TWA  TWA  TOTAL TABLE TO SET TYPE  TWA	Value  3 mg/m3  5 ppm  alth in work with chem Value  2 mg/m3  Value  3,5 mg/m3  5 ppm  sure Limit Values (AFS Value)  5 mg/m3	Fume.  Inhalable fraction and vapour.  nical agents  Form  Inhalable fraction and vapour.  S 2015:7) Form  Inhalable dusts and m
Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5)  Slovakia. OELs. Regulation No. 300/200 Components  Carbon black (CAS 1333-86-4)  Spain. Occupational Exposure Limits Components  Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5)  Sweden. OELs. Work Environment Autl Components  Carbon black (CAS 1333-86-4)  Citral (CAS 5392-40-5)  Weden. OELs. Work Environment Autl Components  Carbon black (CAS 1333-86-4)  UK. EH40 Workplace Exposure Limits (Components	Type  TWA  TWA  Of concerning protection of heat Type  TWA  Type  TWA  TWA  TWA  TWA  TWA  TWA  TWA  TW	Value 3 mg/m3 5 ppm alth in work with chem Value 2 mg/m3  Value 3,5 mg/m3 5 ppm sure Limit Values (AFS Value 5 mg/m3 1 mg/m3	Fume.  Inhalable fraction and vapour.  nical agents  Form  Inhalable fraction and vapour.  S 2015:7) Form  Inhalable dusts and m
Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5)  Slovakia. OELs. Regulation No. 300/200 Components  Carbon black (CAS 1333-86-4)  Spain. Occupational Exposure Limits Components  Carbon black (CAS 1333-86-4) Citral (CAS 5392-40-5)  Sweden. OELs. Work Environment Autl Components  Carbon black (CAS 1333-86-4)  Carbon black (CAS 1333-86-4)	Type  TWA  TWA  Of concerning protection of heartype  TWA  Type  TWA  TWA  TWA  TWA  TWA  TWA  Hority (AV), Occupational Expose Type  TWA  TWA  WELs)  Type	NP 1796) Value  3 mg/m3 5 ppm  Alth in work with chem Value 2 mg/m3  Value  3,5 mg/m3 5 ppm  Sure Limit Values (AFS Value) 5 mg/m3 1 mg/m3 Value	Fume.  Inhalable fraction and vapour.  nical agents  Form  Inhalable fraction and vapour.  S 2015:7) Form  Inhalable dusts and m

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

Exposure guidelines

Belgium OELs: Skin designation

Citral (CAS 5392-40-5)

Can be absorbed through the skin.

Germany DFG MAK (advisory): Skin designation

Benzeneethanol (CAS 60-12-8) Can be absorbed through the skin.

Italy OELs: Skin designation

Citral (CAS 5392-40-5) Danger of cutaneous absorption

Portugal VLEs Norm on Occupatioinal Exposure: Skin designation

Citral (CAS 5392-40-5)

Can be absorbed through the skin.

Spain OELs: Skin designation

Citral (CAS 5392-40-5)

Can be absorbed through the skin.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical stateSolid.FormSolid.ColourColourless.OdourNot available.

Melting point/freezing point 3 °C (37,4 °F) estimated

Boiling point or initial boiling point and boiling range

Not available.

Flammability (solid, gas) Not available.

Flash point > 81 °C (> 177,8 °F)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

pH Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.
(n-octanol/water)

Vapour pressure 0,000125 hPa estimated

Vapour densityNot available.Relative densityNot available.

Not available. Particle characteristics

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

0,929 g/cm3 estimated Density

**Explosive properties** Not explosive. Oxidising properties Not oxidising. 0,92931 estimated Specific gravity

**SECTION 10: Stability and reactivity** 

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

**SECTION 11: Toxicological information** 

Occupational exposure to the substance or mixture may cause adverse effects. General information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Skin contact May cause an allergic skin reaction.

Eve contact Direct contact with eves may cause temporary irritation.

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

**Symptoms** May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on toxicological effects

Acute toxicity

Components **Test Results** Species

Carbon black (CAS 1333-86-4)

**Acute** Oral

LD50 Rat > 8000 mg/kg

Due to partial or complete lack of data the classification is not possible. Skin corrosion/irritation

Serious eve damage/eve

irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible.

Skin sensitisation May cause an allergic skin reaction.

Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity

Risk of cancer cannot be excluded with prolonged exposure. Carcinogenicity

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Eugenol (CAS 97-53-0) 3 Not classifiable as to carcinogenicity to humans.

Due to partial or complete lack of data the classification is not possible. Reproductive toxicity Specific target organ toxicity -Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. Aspiration hazard

Mixture versus substance

information

No information available.

Material name: CAR AIR FRESHENER ICON "CLASSIC" BLU SCURO - MEDITERRANEAN BERGAMOT

SDS EU 17CAR61 Version #: 01 Issue date: 20-April-2022

#### 11.2. Information on other hazards

**Endocrine disrupting** 

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information Not available.

# **SECTION 12: Ecological information**

**12.1. Toxicity**Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

Components Species Test Results

Eucalyptol (CAS 470-82-6)

Aquatic

Acute

Fish LC50 Fathead minnow (Pimephales promelas) >= 95,4 - <= 109 mg/l, 96 hours

Eugenol (CAS 97-53-0)

Aquatic

Acute

Fish LC50 Fathead minnow (Pimephales promelas) 24 mg/l, 96 hours

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

#### 12.3. Bioaccumulative potential

**Partition coefficient** 

n-octanol/water (log Kow)

Alpha-isomethyl ionone	4,288
Benzeneethanol	1,36
Benzyl benzoate	3,97
Citral	2,76
	3,45
Citronellol	3,41
Eucalyptol	2,74
Eugenol	2,49
Hexyl Cinnamal	4,686
Hydroxycitronellal	1,68
Linalyl acetate	3,9
•	3,93
Methylenedioxyphenyl methylpropanal	2,4
Pentadecalactone	5,79

Not available.

Bioconcentration factor (BCF)

**12.4. Mobility in soil** No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

**12.7. Other adverse effects** No other adv

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 12.8. Additional information

### Estonia Dangerous substances in soil Data

Benzeneethanol (CAS 60-12-8) Chemical pesticides (As the total sum of the active substances)

0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

Benzyl benzoate (CAS 120-51-4) Chemical pesticides (As the total sum of the active substances)

0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

Citronellol (CAS 106-22-9)

Chemical pesticides (As the total sum of the active substances)

0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

Material name: CAR AIR FRESHENER ICON "CLASSIC" BLU SCURO - MEDITERRANEAN BERGAMOT

Eugenol (CAS 97-53-0)

Chemical pesticides (As the total sum of the active substances) 0,5 mg/kg

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5 mg/kg

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Special precautions** Dispose in accordance with all applicable regulations.

### **SECTION 14: Transport information**

#### **ADR**

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

**ADN** 

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

**IMDG** 

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in bulk Not applicable. according to IMO instruments

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

### Other EU regulations

## Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Benzyl benzoate (CAS 120-51-4)

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

#### List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

#### References

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under Sections 2 to 15

Not available.

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available,

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H319 Causes serious eye irritation. H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H371 May cause damage to organs. H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life.

Product and Company Identification: Product Review **Revision information** 

GHS: Classification

**Training information** 

Follow training instructions when handling this material.

Disclaimer

Home Fragrance Italia cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product. and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: CAR AIR FRESHENER ICON "CLASSIC" BLU SCURO - MEDITERRANEAN BERGAMOT