

SAFETY DATA SHEET

Version #: 01 Issue date: 20-April-2022

SECTION 1: Identification	n of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Trade name or designation of the mixture	CAR AIR FRESHENER ICON "CLASSIC2 VERDE - WHITE MUSK
Registration number	-
Synonyms	None.
Product code	17CARGR
1.2. Relevant identified uses o Identified uses	f the substance or mixture and uses advised against General Public
Uses advised against	None known.
1.3. Details of the supplier of t	he safety data sheet
Supplier	
Company name	Home Fragrance Italia
Address	Via A. Tonale 26
	Milano 20125
	20125 IT
Division	
Telephone	
e-mail	Not available.
Contact person	Not available.
1.4. Emergency telephone number	
1.4. Emergency telephone nun	nber
General in EU	112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Austria National Poisons Information Centre	+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Belgium National Poisons Control Center	070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Bulgaria National Toxicological Information Centre	+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Czech Republic National Poisons Information Centre	+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Denmark National Poison Control Center	 +45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Estonia National Poisons Information Centre	16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
Finland National Poison Information Center	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
France National Poisons Control Center	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Numbe	36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

4.4	Emorgonov tolonhono numb	0.r			
1.4	Emergency telephone numb Netherlands National Poisons Information Center (NVIC)		Only for the purpose of informing as)	medical personnel in cases of	
	Norway Norwegian Poison Information Center		ilable 24 hours a day. SDS/Proc Emergency Service.)	luct information may not be	
	Portugal Poison Centre		ailable 24 hours a day. SDS/Pro Emergency Service.)	duct information may not be	
	Romania Biroul RSI si Informare Toxicologica		vailable 8:00AM-3:00PM. SDS/ Emergency Service.)	Product information may not be	
	Slovakia National Toxicological Information Centre		6 (Available 24 hours a day. SD ne Emergency Service.)	S/Product information may not	
	Sweden National Poison Information Center	112 - and ask for information may r	Poison Information (Available 2 not be available for the Emerger	4 hours a day. SDS/Product cy Service.)	
	Switzerland Tox Info Suisse	145 (Available 24 the Emergency S		mation may not be available for	
SE	CTION 2: Hazards ident	ification			
2.1	. Classification of the substar	ice or mixture			
	The mixture has been assesse applies.	ed and/or tested fo	r its physical, health and enviror	mental hazards and the following classificatio	n
Cla	ssification according to Regu	lation (EC) No 12	72/2008 as amended		
	Health hazards				
	Skin sensitisation		Category 1A	H317 - May cause an allergic sk reaction.	in
	Environmental hazards				
	Hazardous to the aquatic long-term aquatic hazard	environment,	Category 3	H412 - Harmful to aquatic life wi long lasting effects.	th
2.2	. Label elements				
		O) No. 4070/0000			
Lat	pel according to Regulation (E	C) NO. 1272/2008	as amended		
Lat	cel according to Regulation (E Contains:	10-Undecenal, 3- 4-(4-methyl-3-per Alpha-isomethyl i	(4-propan-2-ylphenyl)propanal, nten-1-yl)-, 3-Octanol, 3,7-dimet ionone, Citronellol, Coumarin, C	3-Cyclohexene-1-carboxaldehyde, hyl-, 5-Cyclopentadecen-1-one, 3-methyl-, yclamen aldehyde, Cyclooctenyl methyl , Oils, ylang-ylang, Pentadecalactone	
Lat		10-Undecenal, 3- 4-(4-methyl-3-per Alpha-isomethyl i	(4-propan-2-ylphenyl)propanal, nten-1-yl)-, 3-Octanol, 3,7-dimet ionone, Citronellol, Coumarin, C	hyl-, 5-Cyclopentadecen-1-one, 3-methyl-, yclamen aldehyde, Cyclooctenyl methyl	

	▼
Signal word	Warning
Hazard statements	
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statements	
Prevention	
P102	Keep out of reach of children.
Response	Not available.
Storage	Not available.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	68 % of the mixture consists of component(s) of unknown acute oral toxicity. 68 % of the mixture consists of component(s) of unknown acute dermal toxicity. 98 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 98 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.
2.3. Other hazards	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name 3-Octanol, 3,7-dimethyl		% 1 - 3	CAS-No. / EC No. R 78-69-3	-	No. Index No.	Notes
		1-0	201-133-9	_	-	
			;H315, Eye Irrit. 2;H319	, Skin Sens. 1B;H31	7	
5-Butyldihydrofuran-2(3	H)-one	1 - 3	104-50-7 203-208-1	-	-	
c	Classification:	Skin Irrit. 2	;H315			
Alpha-isomethyl ionone		1 - 3	127-51-5 204-846-3	-	-	
(classification:	Skin Sens.	1B;H317, Aquatic Chro	nic 2;H411		
Benzeneethanol		1 - 3	60-12-8 200-456-2	-	-	
	classification:		4;H302;(ATE: 500 mg/k	g), Eye Irrit. 2;H319		
Benzyl acetate		1 - 3	140-11-4 205-399-7	-	-	
	lassification:		•			
lonone, methyl-		1 - 3	1335-46-2 215-635-0	-	-	
	lassification:	Skin Irrit. 2	;H315, Eye Irrit. 2;H319	, Aquatic Chronic 2;I	H411	
10-Undecenal		≤ 1	112-45-8 203-973-1	-	-	
	Classification:	Skin Sens.	1B;H317, Aquatic Chro	nic 3;H412		
Carbon black		≤ 1	1333-86-4 215-609-9	-	-	
	Classification:					
Citronellol		≤1	106-22-9 203-375-0	-		
	lassification:	1;H304, Ac	;H315, Eye Dam. 1;H31 quatic Chronic 2;H411	8, Skin Sens. 1;H31	7, Asp. Tox.	
Coumarin		≤1	91-64-5 202-086-7	-	-	
	classification:		4;H302;(ATE: 500 mg/k	(g), Skin Sens. 1B;H	317	
Cyclamen aldehyde		≤ 1	103-95-7 203-161-7	-	-	
	lassification:		;H315, Skin Sens. 1B;H	317, Aquatic Chronic		
Isoeugenol	lassification	≤ 1	97-54-1 202-590-7 4:H202:(ATE: 500 mg/l	-	604-094-00-X	
			4;H302;(ATE: 500 mg/l in Irrit. 2;H315, Eye Irrit.			
Specific Concent	ration Limits:	Skin Sens.	1A;H317: C >= 0.01 %			
Linalyl acetate		≤ 1	115-95-7 204-116-4	-	-	
c	Classification:	Skin Irrit. 2	;H315, Eye Irrit. 2;H319	, Skin Sens. 1B;H31	7	
Phenol, 2,6-bis(1,1-dimethyleth	/l)-4-methyl-	≤ 1	128-37-0 204-881-4	-	-	
C	Classification:	Aquatic Ac	ute 1;H400, Aquatic Ch	ronic 1;H410		
3-(4-propan-2-ylphenyl)		≤ 0,2	7775-00-0 231-885-3	-	-	
			;H315, Skin Sens. 1B;H	317, Aquatic Acute 1	I;H400	
3-Cyclohexene-1-carbo 4-(4-methyl-3-penten-1-	-yl)-	≤ 0,2	37677-14-8 253-617-4	-	-	
(Classification:		;H315, Eye Dam. 1;H31 quatic Chronic 1;H410	8, Skin Sens. 1B;H3	17, Aquatic Acute	
5-Cyclopentadecen-1-o	ne, 3-methyl-	≤ 0,2	63314-79-4 429-900-5	-	-	

Chemical name	%	CAS-No. / EC No	. REACH Registration No	. Index No. Notes
8-Cyclohexadecen-1-one	≤ 0,2	3100-36-5 401-700-2	-	606-046-00-3
Classi	fication: Aquatic A	cute 1;H400, Aquatio	c Chronic 1;H410	
Cyclohexanol, 3-(5,5,6-trimethylbicyclo(2.2.1 yl)-	≤ 0,2 I)hept-2-	3407-42-9 222-294-1	-	-
Classi	fication: Eye Irrit. 2	2;H319, Aquatic Acut	te 1;H400, Aquatic Chronic	2;H411
Cyclooctenyl methyl carbonat	te ≤ 0,2	87731-18-8 401-620-8	-	006-071-00-4
Classi	fication: Skin Sens	s. 1;H317		
Ethanone, 1-(5,6,7,8-tetrahydro-3,5,5,6,8 methyl-2-naphthalenyl)-	≤ 0,2 8,8-hexa	1506-02-1 216-133-4	-	-
Classi	fication: Acute Tox Chronic 1		mg/kg), Aquatic Acute 1;H4	00, Aquatic
Galaxolide	≤ 0,2	1222-05-5 214-946-9	-	603-212-00-7
Classi	fication: Aquatic A	cute 1;H400, Aquatio	c Chronic 1;H410	
Melafleur	≤ 0,2	68991-97-9 273-661-8	-	-
Classi	fication: Skin Sens	s. 1B;H317		
Methyl salicylate	≤ 0,2	119-36-8 204-317-7	-	-
Classi	fication: Acute Tox	. 4;H302;(ATE: 500	mg/kg), Repr. 2;H361	
Oils, ylang-ylang	≤ 0,2	8006-81-3 616-893-0	-	-
Classi		2;H315, Eye Irrit. 2;F 1;H304, Aquatic Chi	1319, Skin Sens. 1B;H317, I ronic 3;H412	Repr. 2;H361,
Oxacycloheptadec-10-en-2-o	ne ≤ 0,2	28645-51-4 249-120-7	-	-
Classi	fication: Aquatic A	cute 1;H400, Aquatio	c Chronic 1;H410	
Pentadecalactone	≤ 0,2	106-02-5 203-354-6	-	-
Classi	fication: Skin Sens	s. 1B;H317, Aquatic	Chronic 2;H411	
Other components below repo	ortable 81.95			
List of abbreviations and symbo #: This substance has been a M: M-factor PBT: persistent, bioaccumula vPvB: very persistent and ver All concentrations are in perc	tive and toxic subst y bioaccumulative s ent by weight unles	kplace exposure limi cance. substance. s ingredient is a gas	. Gas concentrations are in	percent by volume.
Composition comments	The full text for a	II H-statements is dis	splayed in section 16.	
SECTION 4: First aid measured	sures			
General information			vare of the material(s) involv ted clothing before reuse.	ved, and take precautions to
4.1. Description of first aid mea	sures			
Inhalation	Move to fresh air	. Call a physician if s	symptoms develop or persist	t.
Skin contact			diately and wash skin with s medical attention and take	
Eye contact			on if irritation develops and p	persists.
Ingestion		t medical attention if	• •	
4.2. Most important symptoms and effects, both acute and delayed	May cause an all	ergic skin reaction. I	Dermatitis. Rash.	
4.3. Indication of any immediate medical attention and special treatment needed	Provide general s Symptoms may b		and treat symptomatically.	Keep victim under observation.

SECTION 5: Firefighting measures

General fire hazards	No unusual fire or explosion hazards noted.
5.1. Extinguishing media Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, prote	ctive equipment and emergency procedures
For non-emergency personnel	Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
6.2. Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Prevent product from entering drains. Stop the flow of material, if this is without risk. Following product recovery, flush area with water.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	MAK	5 mg/m3	Inhalable dust.
	STEL	10 mg/m3	Inhalable dust.
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	МАК	10 mg/m3	
Belgium. Exposure Limit Values Components	Туре	Value	Form
Benzyl acetate (CAS 140-11-4)	TWA	62 mg/m3	
		10 ppm	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	
Phenol,	TWA	2 mg/m3	Vapour and aerosol

Bulgaria. OELs. Regulation No 13 on Components	Type	Jainst risks of exposure to che Value	mical agents at work
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	STEL	50 mg/m3	
	TWA	10 mg/m3	
Croatia. Dangerous Substance Expos Components	sure Limit Values in the V Type	Norkplace (ELVs), Annexes 1 a Value	nd 2, Narodne Novine, 13/09
Carbon black (CAS 1333-86-4)	MAC	3,5 mg/m3	
	STEL	7 mg/m3	
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	MAC	10 mg/m3	
Cyprus. OELs. Control of factory atm Components	osphere and dangerous Type	substances in factories regula Value	tion, PI 311/73, as amended.
Carbon black (CAS 1333-86-4)	TWA	3,5 mg/m3	
Czech Republic. OELs. Government I Components	Decree 361 Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	10 mg/m3	Dust.
Denmark. Exposure Limit Values Components	Туре	Value	
Benzyl acetate (CAS	TLV	61 mg/m3	
140-11-4)		10 ppm	
Carbon black (CAS 1333-86-4)	TLV	3,5 mg/m3	
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TLV	10 mg/m3	
Finland. Workplace Exposure Limits Components	Туре	Value	
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
,	TWA	3,5 mg/m3	
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	STEL	20 mg/m3	
, (TWA	10 mg/m3	
France. Threshold Limit Values (VLE) Components	P) for Occupational Expo Type	sure to Chemicals in France, II Value	NRS ED 984
Carbon black (CAS 1333-86-4)	VME	3,5 mg/m3	
Regulatory status: Indicative lin	· · ·		
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	VME	10 mg/m3	
Regulatory status: Indicative lin	nit (VL)		
Germany. DFG MAK List (advisory OB in the Work Area (DFG)	ELs). Commission for the	e Investigation of Health Hazard	ds of Chemical Compounds
Components	Туре	Value	Form
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	10 mg/m3	Vapor and aerosol, inhalable fraction.

2,6-bis(1,1-dimethylethyl)-4methyl- (CAS 128-37-0)

Germany. TRGS 900, Limit Values in the A Components	Ambient Air at the Workplace Type	Value	Form
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	AGW	10 mg/m3	Inhalable fraction.
Greece. OELs (Decree No. 90/1999, as an Components	nended) Type	Value	
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3,5 mg/m3	
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	10 mg/m3	
Hungary. OELs. Joint Decree on Chemica Components	al Safety of Workplaces Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable dust.
Iceland. OELs. Regulation 154/1999 on o Components	ccupational exposure limits Type	Value	
Carbon black (CAS 1333-86-4)	TWA	3,5 mg/m3	
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	10 mg/m3	
Ireland. Occupational Exposure Limits Components	Туре	Value	Form
Benzyl acetate (CAS 140-11-4)	TWA	10 ppm	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	2 mg/m3	
Italy. Occupational Exposure Limits Components	Туре	Value	Form
Benzyl acetate (CAS 140-11-4)	TWA	10 ppm	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	2 mg/m3	Inhalable fraction and vapour.
Latvia. OELs. Occupational exposure lim Components	it values of chemical substances Type	in work environm Value	ent
Benzyl acetate (CAS 140-11-4)	TWA	5 mg/m3	
Lithuania. OELs. Limit Values for Chemi Components	cal Substances, General Require Type	ments Value	
Benzyl acetate (CAS 140-11-4)	TWA	5 mg/m3	
Norway. Administrative Norms for Conta Components	minants in the Workplace Type	Value	
Carbon black (CAS 1333-86-4)	TLV	3,5 mg/m3	
Poland. Ordinance of the Minister of Lab concentrations and intensities of harmfu Components			
Carbon black (CAS	TWA	4 mg/m3	Inhalable fraction.
1333-86-4)		0 ppm	Inhalable fraction.

Components	ccupational exposure to chemical ag Type	Value	Form
Benzyl acetate (CAS 140-11-4)	TWA	10 ppm	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Fume.
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	2 mg/m3	Inhalable fraction and vapour.
Romania. OELs. Protection Components	of workers from exposure to chemi Type	cal agents at the workplace Value	
Benzyl acetate (CAS 140-11-4)	STEL	80 mg/m3	
		13 ppm	
	TWA	50 mg/m3	
		8 ppm	
Slovakia. OELs. Regulation Components	No. 300/2007 concerning protection Type	n of health in work with chem Value	ical agents
Carbon black (CAS	TWA	2 mg/m3	
1333-86-4)			
(Official Gazette of the Rep	ns concerning protection of workers ublic of Slovenia)	against risks due to exposu	e to chemicals while work
Components	Туре	Value	Form
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	10 mg/m3	Inhalable fraction.
Spain. Occupational Expos Components	ure Limits Type	Value	
Benzyl acetate (CAS	TWA	62 mg/m3	
140-11-4)		-	
		10 ppm	
Carbon black (CAS 1333-86-4)	TWA	3,5 mg/m3	
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0)	TWA	10 mg/m3	
Sweden. OELs. Work Envir Components	onment Authority (AV), Occupationa Type	ا Exposure Limit Values (AFs Value	S 2015:7) Form
Carbon black (CAS	TWA	5 mg/m3	Inhalable dusts and mi
1333-86-4)		· ·	
		1 mg/m3	Inhalable dust.
Switzerland. SUVA Grenzwo	erte am Arbeitsplatz Type	Value	Form
Components			
Components Phenol, 2,6-bis(1,1-dimethylethyl)-4-	STEL	40 mg/m3	Vapor and aerosol, inhalable.
Phenol,		40 mg/m3 10 mg/m3	
Phenol, 2,6-bis(1,1-dimethylethyl)-4-	STEL	-	inhalable. Vapor and aerosol,
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0) UK. EH40 Workplace Expos Components Carbon black (CAS	TWA sure Limits (WELs)	10 mg/m3	inhalable. Vapor and aerosol,
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0) UK. EH40 Workplace Expos Components	STEL TWA sure Limits (WELs) Type	10 mg/m3 Value 7 mg/m3	inhalable. Vapor and aerosol,
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0) UK. EH40 Workplace Expos Components Carbon black (CAS 1333-86-4) Phenol,	STEL TWA sure Limits (WELs) Type STEL	10 mg/m3 Value	inhalable. Vapor and aerosol,
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0) UK. EH40 Workplace Expos Components Carbon black (CAS 1333-86-4) Phenol, 2,6-bis(1,1-dimethylethyl)-4-	STEL TWA Sure Limits (WELs) Type STEL TWA	10 mg/m3 Value 7 mg/m3 3,5 mg/m3	inhalable. Vapor and aerosol,
Phenol, 2,6-bis(1,1-dimethylethyl)-4- methyl- (CAS 128-37-0) UK. EH40 Workplace Expos Components Carbon black (CAS	STEL TWA Sure Limits (WELs) Type STEL TWA	10 mg/m3 Value 7 mg/m3 3,5 mg/m3 10 mg/m3 for the ingredient(s).	inhalable. Vapor and aerosol,

Derived no effect levels (DNELs)	Not available.		
Predicted no effect concentrations (PNECs)	Not available.		
Exposure guidelines			
Germany DFG MAK (advisor	y): Skin designation		
Benzeneethanol (CAS 60-	-12-8) Can be absorbed through the skin.		
8.2. Exposure controls			
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Individual protection measures,	such as personal protective equipment		
General information	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.		
Eye/face protection	Wear safety glasses with side shields (or goggles). Face shield is recommended.		
Skin protection			
- Hand protection	Wear appropriate chemical resistant gloves.		
- Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.		
Environmental exposure controls	Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.		

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physi	cal and chemical properties
Physical state	Solid.
Form	Solid.
Colour	Not available.
Odour	Not available.
Melting point/freezing point	Not available.
Boiling point or initial boiling point and boiling range	Not available.
Flammability (solid, gas)	Not available.
Flash point	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
рН	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Vapour pressure	0,00204 hPa estimated
Vapour density	Not available.
Relative density	Not available.
Particle characteristics	Not available.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.
9.2.2. Other safety characteristi	cs
Density	1,084 g/cm3 estimated
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

Percent volatile	0,29 % estimated
Specific gravity	1,0846 estimated

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.
OFOTION 44. Taxiaalariaa	

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely rout	tes of exposure
Inhalation	Prolonged inhalation may be harmful.
Skin contact	May cause an allergic skin reaction.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
Symptoms	May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on toxicological effects

Acute toxicity	Not known.			
Components	Species	Test Results		
Carbon black (CAS 1333-86-4)				
Acute				
Oral				
LD50	Rat	> 8000 mg/kg		
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.			
Serious eye damage/eye irritation	Due to partial or complete lack of data the classification is not possible.			
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.			
Skin sensitisation	May cause an allergic skin reaction.			
Germ cell mutagenicity	Due to partial or complete	Due to partial or complete lack of data the classification is not possible.		
Carcinogenicity	Risk of cancer cannot be e	Risk of cancer cannot be excluded with prolonged exposure.		
Hungary. 26/2000 EüM Ordiı (as amended)	nance on protection agains	at and preventing risk relating to exposure to carcinogens at work		
Not listed.				
IARC Monographs. Overall I	Evaluation of Carcinogenic	ity		
Benzyl acetate (CAS 140-11-4) Carbon black (CAS 1333-86-4) Coumarin (CAS 91-64-5) Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (CAS 128-37-0)		3 Not classifiable as to carcinogenicity to humans. 2B Possibly carcinogenic to humans. 3 Not classifiable as to carcinogenicity to humans. 3 Not classifiable as to carcinogenicity to humans.		
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.			
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.			
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.			
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.			
Mixture versus substance information	No information available.			
11.2. Information on other hazar	ds			
Endocrine disrupting properties	The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.			
Other information	Not available.			

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects. Based on available data, the classification criteria are not met for hazardous to the aquatic environment, acute hazard.

		or hazardous to the aquatic e	environment, acute hazard.	
Components		Species	Test Results	
Benzyl acetate (CAS 140-11-4)				
Aquatic				
Acute				
Fish	LC50	Medaka, high-eyes (Oryzi	ias latipes) >= 3,48 - <= 4,6 mg/l, 96 hours	
Coumarin (CAS 91-64-5)				
Aquatic				
Acute				
Fish	LC50	Guppy (Poecilia reticulata	a) >= 32 - <= 100 mg/l, 96 hours	
Phenol, 2,6-bis(1,1-dimethylethyl)	-4-methyl- (CAS	S 128-37-0)		
Aquatic				
Acute				
Crustacea	EC50	Water flea (Daphnia pulex	x) 1,44 mg/l, 48 hours	
12.2. Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.			
12.3. Bioaccumulative potential				
Partition coefficient				
n-octanol/water (log Kow)				
3-Octanol, 3,7-dimethyl-		3,3		
5-Butyldihydrofuran-2(3H)-on 5-Cyclopentadecen-1-one, 3-		1,89 4,88		
o-cyclopentadecen-1-one, 3-	meuryi-	4,88 5,522		
Alpha-isomethyl ionone		4,288		
Benzeneethanol		1,36		
Benzyl acetate		1,96		
Citronellol		3,41		
Coumarin Cyclamen aldehyde		1,39 3,4		
Cyclohexanol, 3-(5,5,6-trimeth	nylbicyclo(2.2.1			
Ethanone,		5,7		
1-(5,6,7,8-tetrahydro-3,5,5,6,8	3,8-hexamethyl-			
Galaxolide Ionone, methyl-		5,3 4,5 - 5		
Isoeugenol		3,04		
Linalyl acetate		3,9		
•• • • • • • •		3,93		
Methyl salicylate		2,55		
Oils, ylang-ylang Oxacycloheptadec-10-en-2-oi	ne	6,995 6,7		
Pentadecalactone		5,79		
Phenol, 2,6-bis(1,1-dimethyle	Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-		5,1	
		5,2		
Bioconcentration factor (BCF)	Not available			
12.4. Mobility in soil	No data available.			
12.5. Results of PBT and vPvB assessment	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.			
12.6. Endocrine disrupting properties	The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.			
12.7. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			
12.8. Additional information				
Estonia Dangerous substar	ices in soil Dat	ta		
Benzeneethanol (CAS 60)-12-8)		I pesticides (As the total sum of the active substances)	
		0,5 mg/kg Chemical mg/kg	g I pesticides (As the total sum of the active substances)	
		Chemical mg/kg	I pesticides (As the total sum of the active substances)	
Citronellol (CAS 106-22-	9)	Chemical 0,5 mg/kg	l pesticides (As the total sum of the active substances) J	

Chemical pesticides (As the total sum of the active substances) 20 mg/kg Chemical pesticides (As the total sum of the active substances) 5

mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in bulk Not applicable.

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Cyclooctenyl methyl carbonate (CAS 87731-18-8)

Isoeugenol (CAS 97-54-1)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU or	n major accident hazards involving dangerous substances, as amended
8-Cyclohexadecen- Galaxolide (CAS 12	1-one (CAS 3100-36-5) 22-05-5)
Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.
National regulations	Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.
15.2. Chemical safety	No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations	
	ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.
	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).
	CAS: Chemical Abstract Service.
	CEN: European Committee for Standardization.
	IATA: International Air Transport Association.
	IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.
	IMDG: International Maritime Dangerous Goods.
	MAC: Maximum Allowed Concentration.
	MARPOL: International Convention for the Prevention of Pollution from Ships. PBT: Persistent, bioaccumulative and toxic.
	RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.
	STEL: Short term exposure limit.
	TLV: Threshold Limit Value.
	TWA: Time Weighted Average.
	VLE: Exposure Limit Value.
	VME: Exposure Average Value.
. (vPvB: Very persistent and very bioaccumulative.
References	Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements	
not written out in full under	
Sections 2 to 15	H302 Harmful if swallowed.
	H304 May be fatal if swallowed and enters airways.
	H312 Harmful in contact with skin.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction. H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H335 May cause respiratory irritation.
	H351 Suspected of causing cancer.
	H361 Suspected of damaging fertility or the unborn child.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	H411 Toxic to aquatic life with long lasting effects.
	H412 Harmful to aquatic life with long lasting effects.
Revision information	Product and Company Identification: Alternate Trade Names
Training information	Follow training instructions when handling this material.
Disclaimer	Home Fragrance Italia cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.